

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

62.67

PRICE LIST

FEB 13 1930

SPRING 1930

Henry Kohankie & Son



*Trees, Shrubs, Evergreens, Vines,
Roses, Herbaceous Perennials*

PAINESVILLE, OHIO

Thirty Miles East of Cleveland

Tel. Main 137

PRICE LIST

HENRY KOHANKIE & SON

SPRING 1930

We offer herein a complete list of hardy ornamental nursery stock. Our nursery of five hundred acres affords material to meet practically every need in landscape development. Stock is well grown and supplied with a fibrous root system which is of vital importance in the success of a planting.

All material will be freshly dug. We maintain no storage cellars since the superiority of freshly dug stock is recognized generally.

With few exceptions, the plant names used conform to "Standardized Plant Names" as adopted by the Joint Committee on Horticultural Nomenclature.

Please Read Carefully!

CONDITIONS OF SALE

Stock will be supplied at prices named herein as follows: Five of any one variety at ten rate; twenty-five of any one variety at hundred rate. Prices do not include packing. A charge for the actual cost of the boxes and material used in baling will be made.

Stock specially selected by customers at the nursery will be charged according to its value.

We give no warranty, expressed or implied, as to quality, description, productiveness, or any other matter of any nursery stock that we sell.

We do not guarantee our stock to live and no allowance will be made for plants that fail. Our methods of handling and packing stock are modern and goods will be in good condition and well packed when they leave our hands. Our responsibility ends upon delivery to carriers. If goods suffer through delay in transit, claim should at once be made on transportation company.

All claims for errors must be made within six days after receipt of goods, or positively will not be considered.

Unknown correspondents who wish to open an account will please give us references and allow us sufficient time to investigate same. Otherwise, cash must accompany order. If goods are desired C. O. D., the order must be accompanied by one third of the amount to guarantee acceptance.

Shipping facilities—We can make direct shipment over the N. Y. C. R. R.; B. & O. R. R.; N. Y. C. & St. L. R. R.; American Railway Express and Electric Package. A siding to our packing house direct from the main line of the New York Central railroad enables us to handle stock with a minimum of exposure.

Auto Truck Delivery—We are in a position to make deliveries by auto truck to points within seventy-five miles of Painesville. Charges are made according to the size of truck required and the distance.

THE production of many of the plants in this list represents no little effort. More than a few of the items are not profitable from a business standpoint which accounts for their general scarcity, but on the other hand they are indispensable to good landscape work.

Since we specialize in the execution of complete planting lists we aim to keep our assortment unbroken. To that end we hope you will co-operate by ordering material in reasonable assortment. We cannot always accept orders which are confined to plants that are scarce and our stock of which is limited.

We have in limited quantity the following list of specially grown, heavy specimen plants in the range of sizes indicated. Prices will be quoted on application.

| | |
|---|-------------|
| Acer campestre | 10-16' |
| Acer palmatum | 6-12' |
| Benzoin aestivale | 6-12' |
| Carpinus betulus | 6-12' |
| Carpinus caroliniana | 6-14' |
| Cercidiphyllum japonioum | 8-18' |
| Chionanthus virginica | 4-8' |
| Cornus florida | 8-18' |
| Crataegus coccinea | 6-12' |
| Crataegus mollis | 6-12' |
| Fagus sylvatica | 6-18' |
| Fagus sylvatica puppurea riversi | 10-20' |
| Forsythia | 6-12' |
| Hamamelis virginiana | 6-14' |
| Hibiscus syriacus | 6-12' heavy |
| Ligustrum amurense | 4-8' |
| Malus sieboldi | 8-14' |
| Sorbus aucuparia | 2-4" cal. |
| Syringa pekinensis | 6-10' |

Evergreen Trees

In this department our stock is thrifty and fibrously rooted, having been several times transplanted. Failure to frequently transplant results in a coarse root system; an evergreen so grown, regardless of how symmetrical and attractive the top may be, is almost certain to give poor results. Prices include lifting the plants with a ball of earth and sewing in burlap as an extra precaution that the plants may arrive in the best of condition.

| | each | per 10 | per 100 |
|---|--------|--------|---------|
| Abies arizonica. Cork Fir. | | | |
| 3 ft.----- | \$7.50 | | |
| 4 ft.----- | 10.00 | | |
| 5 ft.----- | 12.50 | | |
| balsamea. Balsam Fir. | | | |
| 3 ft.----- | 3.75 | | |
| 4 ft.----- | 5.00 | | |
| 5 ft.----- | 7.50 | | |
| 6 ft.----- | 10.00 | | |
| 7 ft.----- | 12.50 | | |
| 8 ft.----- | 15.00 | | |
| 9 ft.----- | 18.50 | | |
| concolor. White Fir. | | | |
| 3 ft.----- | 10.00 | | |
| 4 ft.----- | 12.50 | | |
| 5 ft.----- | 15.00 | | |
| 6 ft.----- | 20.00 | | |
| 7 ft.----- | 25.00 | | |
| 8 ft.----- | 30.00 | | |
| 9 ft.----- | 40.00 | | |
| concolor violacea. Purplecone White Fir. | | | |
| 7 ft.----- | 30.00 | | |
| 8 ft.----- | 35.00 | | |
| homolepis. Nikko Fir. | | | |
| 5 ft.----- | 15.00 | | |
| 6 ft.----- | 18.50 | | |
| 7 ft.----- | 25.00 | | |
| 8 ft.----- | 30.00 | | |
| 9 ft.----- | 35.00 | | |
| nordmanniana. Nordmann Fir. | | | |
| 3 ft.----- | 10.00 | | |
| 4 ft.----- | 12.50 | | |
| 5 ft.----- | 15.00 | | |
| 6 ft.----- | 20.00 | | |

Abies veitchi. *Veitch Fir.*

| | each | per 10 | per 100 |
|-------------|-------|--------|---------|
| 6 ft.----- | 18.50 | | |
| 7 ft.----- | 25.00 | | |
| 8 ft.----- | 30.00 | | |
| 9 ft.----- | 35.00 | | |
| 10 ft.----- | 40.00 | | |
| 11 ft.----- | 45.00 | | |
| 12 ft.----- | 50.00 | | |

Biota orientalis. (*See Thuja.*)**Cedrus deodara.** *Deodar.*

| | |
|------------|------|
| 2 ft.----- | 5.00 |
| 3 ft.----- | 7.50 |

Cephalotaxus fortunei. *Chinese Plumyew.*

| | |
|-------------|-------|
| 2½ ft.----- | 7.50 |
| 3 ft.----- | 10.00 |

Chamaecyparis lawsoniana. *Lawson Cypress.*

| | |
|------------|-------|
| 4 ft.----- | 10.00 |
| 5 ft.----- | 12.50 |
| 6 ft.----- | 15.00 |

lawsoniana pendula. *Weeping Lawson Cypress.*

| | |
|------------|-------|
| 4 ft.----- | 15.00 |
| 5 ft.----- | 18.50 |
| 6 ft.----- | 22.50 |

nootkatensis. *Nootka Cypress.*

| | | |
|------------|-------|-------|
| 3 ft.----- | 7.50 | 65.00 |
| 4 ft.----- | 10.00 | |
| 5 ft.----- | 12.50 | |

Cryptomeria japonica. *Common Cryptomeria.*

| | |
|------------|------|
| 2 ft.----- | 5.00 |
| 3 ft.----- | 6.00 |
| 4 ft.----- | 7.50 |

japonica lobbi. *Lobb Cryptomeria.*

| | |
|------------|-------|
| 2 ft.----- | 6.00 |
| 3 ft.----- | 7.50 |
| 4 ft.----- | 10.00 |

Juniperus chinensis. *Chinese Juniper.*

| | |
|------------|-------|
| 3 ft.----- | 7.50 |
| 4 ft.----- | 10.00 |
| 5 ft.----- | 15.00 |
| 6 ft.----- | 18.50 |
| 7 ft.----- | 22.50 |
| 8 ft.----- | 27.50 |

| | each | per 10 | per 100 |
|--|-------|--------|---------|
| Juniperus chinensis albovariegata. <i>Whiteleaf Chinese Juniper</i> | | | |
| 3 ft.----- | 12.50 | | |
| 4 ft.----- | 15.00 | | |
| 5 ft.----- | 18.50 | | |
| chinensis globosa. <i>Globe Chinese Juniper.</i> | | | |
| 18 in.----- | 8.50 | 75.00 | |
| 24 in.----- | 10.00 | | |
| chinensis neaboriensis. <i>Conical Chinese Juniper.</i> | | | |
| 3 ft.----- | 7.50 | | |
| 4 ft.----- | 10.00 | | |
| 5 ft.----- | 12.50 | | |
| 6 ft.----- | 15.00 | | |
| 7 ft.----- | 20.00 | | |
| chinensis pfitzeriana. <i>Pfitzer's Juniper.</i> | | | |
| 2 to 2½ ft. spread----- | 6.50 | 60.00 | |
| 2½ to 3 ft. spread----- | 7.50 | 70.00 | |
| 3 to 3½ ft. spread----- | 10.00 | 95.00 | |
| 3½ to 4 ft. spread----- | 15.00 | | |
| 4 to 4½ ft. spread----- | 20.00 | | |
| communis. <i>Common Juniper.</i> | | | |
| 3 ft.----- | 5.00 | 45.00 | |
| 4 ft.----- | 6.50 | | |
| 5 ft.----- | 7.50 | | |
| 6 ft.----- | 10.00 | | |
| communis depressa. <i>Prostrate Juniper.</i> | | | |
| 18 to 24 in. spread----- | 4.50 | 40.00 | |
| 24 to 30 in. spread----- | 5.00 | 45.00 | |
| 2½ to 3 ft. spread----- | 6.50 | 50.00 | |
| 3 to 4 ft. spread----- | 7.50 | | |
| 4 to 5 ft. spread----- | 10.00 | | |
| communis depressa aurea. <i>Golden Prostrate Juniper.</i> | | | |
| 18 to 24 in. spread----- | 4.50 | 40.00 | |
| 24 to 30 in. spread----- | 5.00 | 45.00 | |
| 2½ to 3 ft. spread----- | 6.50 | 50.00 | |
| 3 to 3½ ft. spread----- | 7.50 | 65.00 | |
| 3½ to 4 ft. spread----- | 10.00 | 75.00 | |
| communis hibernica. <i>Irish Juniper.</i> | | | |
| 2 ft.----- | 4.00 | 32.50 | |
| 3 ft.----- | 5.00 | 40.00 | |
| 4 ft.----- | 6.50 | 55.00 | |
| 5 ft.----- | 10.00 | 75.00 | |
| communis kraccovica. <i>Polish Juniper.</i> | | | |
| 2 ft.----- | 5.00 | | |
| 3 ft.----- | 6.50 | | |

| | each | per 10 | per 100 |
|--|-------|--------|---------|
| Juniperus communis suecica. Swedish Juniper. | | | |
| 2 ft.----- | 4.00 | 35.00 | |
| 3 ft.----- | 5.00 | 40.00 | |
| communis suecica nana. Dwarf Swedish Juniper. | | | |
| 2 ft.----- | 4.00 | 35.00 | |
| 3 ft.----- | 5.00 | 45.00 | |
| excelsa. Greek Juniper. | | | |
| 3 ft.----- | 5.00 | 47.50 | |
| 4 ft.----- | 6.50 | | |
| 5 ft.----- | 10.00 | | |
| 6 ft.----- | 12.50 | | |
| excelsa stricta. Spiny Greek Juniper. | | | |
| 2 ft.----- | 5.00 | 45.00 | |
| 2½ ft.----- | 6.50 | 55.00 | |
| 3 ft.----- | 10.00 | | |
| 3½ ft.----- | 12.50 | | |
| 4 ft.----- | 15.00 | | |
| 4½ ft.----- | 18.50 | | |
| horizontalis. Creeping Juniper. | | | |
| 18 to 24 in. spread----- | 4.00 | 35.00 | |
| 24 to 30 in. spread----- | 4.50 | 37.50 | |
| 2½ to 3 ft. spread----- | 5.00 | 47.50 | |
| 3 to 3½ ft. spread----- | 6.50 | 57.50 | |
| horizontalis glauca. Blue Creeping Juniper. | | | |
| 18 to 24 in. spread----- | 4.00 | 35.00 | |
| 24 to 30 in. spread----- | 4.50 | 37.50 | |
| 2½ to 3 ft. spread----- | 5.00 | 47.50 | |
| 3 to 3½ ft. spread----- | 6.50 | 57.50 | |
| japonica. Japanese Juniper. | | | |
| 2 ft.----- | 7.50 | 65.00 | |
| 3 ft.----- | 10.00 | 75.00 | |
| 4 ft.----- | 12.50 | | |
| japonica aurea. Golden Japanese Juniper. | | | |
| 18 in.----- | 5.00 | 45.00 | |
| 2 ft.----- | 6.50 | 55.00 | |
| 3 ft.----- | 7.50 | | |
| sabina. Savin Juniper. | | | |
| 2 to 2½ ft. spread----- | 5.00 | 45.00 | 400.00 |
| 2½ to 3 ft. spread----- | 6.50 | 55.00 | 450.00 |
| 3 to 3½ ft. spread----- | 7.50 | 65.00 | |
| 3½ to 4 ft. spread----- | 10.00 | | |
| sabina tamariscifolia. Tamarix Savin. | | | |
| 18 to 24 in. spread----- | 5.50 | 50.00 | |
| 24 to 30 in. spread----- | 7.50 | | |

Juniperus

| scopulorum. Colorado Juniper. | | per 10 | per 100 |
|---|-------|--------|---------|
| 3 ft. | 6.50 | 55.00 | |
| 4 ft. | 9.00 | 75.00 | |
| 5 ft. | 11.00 | 90.00 | |
| 6 ft. | 12.50 | 110.00 | |
| 7 ft. | 17.50 | | |
| squamata. Japanese Trailing Juniper. | | | |
| 2 to 2½ ft. spread | 6.50 | | |
| virginiana. Red Cedar. | | | |
| 3 ft. | 5.00 | 45.00 | |
| 4 ft. | 6.50 | 55.00 | |
| 5 ft. | 9.00 | 80.00 | |
| 6 ft. | 12.00 | | |
| 7 ft. | 15.00 | | |
| 8 ft. | 20.00 | | |
| 9 ft. | 25.00 | | |
| virginiana cannarti. Cannart Red Cedar. | | | |
| 4 ft. | 10.00 | | |
| 5 ft. | 12.50 | | |
| 6 ft. | 15.00 | | |
| 7 ft. | 20.00 | | |
| 8 ft. | 25.00 | | |
| virginiana elegantissima. Goldtip Red Cedar. | | | |
| 3 ft. | 10.00 | | |
| 4 ft. | 12.50 | | |
| 5 ft. | 15.00 | | |
| virginiana glauca. Silver Red Cedar. | | | |
| 3 ft. | 7.50 | | |
| 4 ft. | 10.00 | | |
| 5 ft. | 12.50 | | |
| 6 ft. | 15.00 | | |
| 7 ft. | 20.00 | | |
| 8 ft. | 25.00 | | |
| 9 ft. | 30.00 | | |
| virginiana kosteri. Koster Red Cedar. | | | |
| 2 to 2½ ft. spread | 7.50 | | |
| 2½ to 3 ft. spread | 10.00 | | |
| 3 to 3½ ft. spread | 12.50 | | |
| 3½ to 4 ft. spread | 15.00 | | |
| 4 to 4½ ft. spread | 18.50 | | |
| 4½ to 5 ft. spread | 25.00 | | |
| virginiana pendula. Weeping Red Cedar. | | | |
| 4 ft. | 12.50 | | |
| 5 ft. | 15.00 | | |

| | each | per 10 | per 100 |
|---|-------|--------|---------|
| Juniperus. | | | |
| virginiana schotti. Schott Red Cedar. | | | |
| 4 ft.----- | 10.00 | | |
| 5 ft.----- | 12.50 | | |
| 6 ft.----- | 15.00 | | |
| 7 ft.----- | 20.00 | | |
| virginiana tripartita. Fountain Red Cedar. | | | |
| 2 ft.----- | 6.50 | | |
| 2½ ft.----- | 7.50 | | |
| 3 ft.----- | 10.00 | | |
| virginiana venusta. | | | |
| 3 ft.----- | 10.00 | | |
| 4 ft.----- | 12.50 | | |
| Picea alba. White Spruce. | | | |
| 2 ft.----- | 4.00 | 35.00 | |
| 3 ft.----- | 5.00 | 45.00 | |
| 4 ft.----- | 7.50 | 60.00 | |
| 5 ft.----- | 10.00 | 75.00 | |
| 6 ft.----- | 12.50 | 100.00 | |
| 7 ft.----- | 15.00 | | |
| 8 ft.----- | 18.50 | | |
| 9 ft.----- | 20.00 | | |
| 10 ft.----- | 27.50 | | |
| alba gloriosa. | | | |
| 2 ft.----- | 7.50 | | |
| alcockiana. Alcock Spruce. | | | |
| 4 ft.----- | 9.00 | | |
| 5 ft.----- | 12.50 | | |
| 6 ft.----- | 15.00 | | |
| 7 ft.----- | 18.50 | | |
| canadensis. Black Hills Spruce. | | | |
| 3 ft.----- | 5.00 | 45.00 | |
| 4 ft.----- | 7.50 | 60.00 | |
| 5 ft.----- | 10.00 | 75.00 | |
| 6 ft.----- | 12.50 | 100.00 | |
| 7 ft.----- | 15.00 | | |
| 8 ft.----- | 18.50 | | |
| engelmanni. Englemann Spruce. | | | |
| 3 ft.----- | 8.00 | | |
| 4 ft.----- | 12.50 | | |
| 5 ft.----- | 15.00 | | |
| 6 ft.----- | 18.50 | | |
| 7 ft.----- | 22.50 | | |

Picea

| | each | per 10 | per 100 |
|--|-------|--------|---------|
| excelsa. Norway Spruce. | | | |
| 3 ft.----- | 4.00 | 35.00 | 300.00 |
| 4 ft.----- | 5.00 | 45.00 | |
| 5 ft.----- | 6.50 | 60.00 | |
| 6 ft.----- | 8.00 | 75.00 | |
| 7 ft.----- | 10.00 | 95.00 | |
| 8 ft.----- | 12.50 | 100.00 | |
| 10 ft.----- | 15.00 | | |
| 11 ft.----- | 18.50 | | |
| 12 ft.----- | 22.50 | | |
| 13 ft.----- | 25.00 | | |
| 14 ft.----- | 30.00 | | |
| 15 ft.----- | 37.50 | | |
| excelsa aurea. Golden Norway Spruce. | | | |
| 2 ft.----- | 10.00 | | |
| 3 ft.----- | 12.50 | | |
| excelsa pendula. Weeping Spruce. | | | |
| 4 ft.----- | 15.00 | | |
| 5 ft.----- | 18.50 | | |
| excelsa maxwelli. Maxwell Spruce. | | | |
| 18 to 24 in.----- | 10.00 | | |
| 24 to 30 in.----- | 12.50 | | |
| excelsa nana compacta. Dwarf Spruce. | | | |
| 18 to 24 in.----- | 10.00 | | |
| 24 to 30 in.----- | 12.50 | | |
| excelsa pygmaea. Pygmy Norway Spruce. | | | |
| 15 to 18 in.----- | 7.50 | | |
| 18 to 24 in.----- | 10.00 | | |
| 24 to 30 in.----- | 15.00 | | |
| 30 to 36 in.----- | 20.00 | | |
| excelsa remonti. Remont Spruce. | | | |
| 18 to 24 in.----- | 10.00 | | |
| 24 to 30 in.----- | 12.50 | | |
| 30 to 36 in.----- | 15.00 | | |
| 36 to 42 in.----- | 20.00 | | |
| mariana. Black Spruce. | | | |
| 4 ft.----- | 7.50 | | |
| 5 ft.----- | 10.00 | | |
| 6 ft.----- | 12.50 | | |
| 7 ft.----- | 15.00 | | |
| 8 ft.----- | 18.50 | | |

Picea

| | each | per 10 | per 100 |
|---|--------|--------|---------|
| omorika. <i>Serbian Spruce.</i> | | | |
| 2 ft.----- | 7.50 | | |
| 3 ft.----- | 10.00 | | |
| orientalis. <i>Oriental Spruce.</i> | | | |
| 4 ft.----- | 12.50 | | |
| 5 ft.----- | 15.00 | | |
| polita. <i>Tigertail Spruce.</i> | | | |
| 3 ft.----- | 7.50 | | |
| 4 ft.----- | 12.50 | | |
| 5 ft.----- | 15.00 | | |
| 6 ft.----- | 18.50 | | |
| 7 ft.----- | 22.50 | | |
| 8 ft.----- | 27.50 | | |
| pungens. <i>Colorado Spruce.</i> | | | |
| 2 ft.----- | 5.50 | 50.00 | |
| 3 ft.----- | 7.50 | 60.00 | |
| 4 ft.----- | 10.00 | | |
| 5 ft.----- | 12.50 | | |
| 6 ft.----- | 15.00 | | |
| 7 ft.----- | 20.00 | | |
| pungens glauca. <i>Blue Colorado Spruce.</i> | | | |
| 2 ft.----- | 7.50 | 65.00 | |
| 3 ft.----- | 10.00 | 75.00 | |
| 4 ft.----- | 15.00 | | |
| 5 ft.----- | 20.00 | | |
| 6 ft.----- | 25.00 | | |
| pungens kosteri. <i>Koster Blue Spruce.</i> | | | |
| 2½ ft.----- | 15.00 | | |
| 3 ft.----- | 18.00 | | |
| 3½ ft.----- | 20.00 | | |
| 4 ft.----- | 22.50 | | |
| 4½ ft.----- | 25.00 | | |
| 5 ft.----- | 30.00 | | |
| 5½ ft.----- | 35.00 | | |
| 6 ft.----- | 45.00 | | |
| 7 ft.----- | 55.00 | | |
| 9 ft. specimens----- | 70.00 | | |
| 12 ft. specimens----- | 80.00 | | |
| 13 ft. specimens----- | 90.00 | | |
| 14 ft. specimens----- | 110.00 | | |

Pinus austriaca. (*See Pinus Nigra.*)**banksiana.** *Jack Pine.*

| | each | per 10 | per 100 |
|-------------|-------|--------|---------|
| 3 ft.----- | 5.00 | 45.00 | 400.00 |
| 4 ft.----- | 6.50 | 55.00 | 500.00 |
| 5 ft.----- | 7.50 | | |
| 6 ft.----- | 10.00 | | |
| 7 ft.----- | 12.50 | | |
| 8 ft.----- | 15.00 | | |
| 9 ft.----- | 18.50 | | |
| 10 ft.----- | 22.50 | | |
| 11 ft.----- | 25.00 | | |
| 12 ft.----- | 30.00 | | |

densiflora. *Japanese Red Pine.*

| | |
|------------|-------|
| 6 ft.----- | 12.50 |
| 7 ft.----- | 15.00 |
| 8 ft.----- | 18.50 |
| 9 ft.----- | 25.00 |

flexilis. *Limber Pine.*

| | |
|------------|-------|
| 4 ft.----- | 10.00 |
| 5 ft.----- | 12.50 |
| 6 ft.----- | 15.00 |
| 7 ft.----- | 18.50 |
| 8 ft.----- | 22.50 |

montana. *Swiss Mountain Pine.*

| | |
|------------------|-------|
| 2½ to 3 ft.----- | 7.50 |
| 3 to 3½ ft.----- | 12.00 |
| 3½ to 4 ft.----- | 15.00 |

montana mughus. *Dwarf Mountain Pine.*

| | | | |
|-------------------------|-------|-------|--------|
| 18 to 24 in. spread---- | 5.00 | 45.00 | 400.00 |
| 2 to 2½ ft. spread---- | 6.50 | 55.00 | |
| 2½ to 3 ft. spread---- | 7.50 | 65.00 | |
| 3 to 3½ ft. spread---- | 12.00 | | |

Pinus

| nigra. | <i>Austrian Pine.</i> | each | per 10 | per 100 |
|---------------|-----------------------|-------|--------|---------|
| 3 | ft.----- | 6.50 | 60.00 | |
| 4 | ft.----- | 8.00 | 75.00 | |
| 5 | ft.----- | 12.50 | | |
| 6 | ft.----- | 15.00 | | |
| 7 | ft.----- | 18.50 | | |
| 8 | ft.----- | 22.50 | | |
| 9 | ft.----- | 25.00 | | |
| 10 | ft.----- | 30.00 | | |
| 11 | ft.----- | 37.50 | | |
| 12 | ft.----- | 45.00 | | |
| 13 | ft.----- | 52.50 | | |
| 14 | ft.----- | 60.00 | | |
| 15 | ft.----- | 67.50 | | |
| 16 | ft.----- | 75.00 | | |

| ponderosa. | <i>Western Yellow Pine.</i> | |
|-------------------|-----------------------------|-------|
| 6 | ft.----- | 12.50 |
| 7 | ft.----- | 15.00 |
| 8 | ft.----- | 18.50 |
| 9 | ft.----- | 22.50 |
| 10 | ft.----- | 27.50 |

| resinosa. | <i>Red Pine.</i> | |
|------------------|------------------|-------|
| 3 | ft.----- | 6.50 |
| 4 | ft.----- | 8.00 |
| 5 | ft.----- | 12.50 |
| 6 | ft.----- | 15.00 |
| 7 | ft.----- | 18.50 |
| 8 | ft.----- | 22.50 |
| 9 | ft.----- | 25.00 |

| strobus. | <i>White Pine.</i> | |
|-----------------|--------------------|-------|
| 4 | ft.----- | 6.50 |
| 5 | ft.----- | 7.50 |
| 6 | ft.----- | 10.00 |
| 7 | ft.----- | 12.50 |
| 8 | ft.----- | 15.00 |
| 9 | ft.----- | 18.50 |
| 10 | ft.----- | 22.50 |
| 11 | ft.----- | 25.00 |
| 12 | ft.----- | 32.50 |
| 13 | ft.----- | 37.50 |
| 14 | ft.----- | 45.00 |
| 15 | ft.----- | 50.00 |

55.00
70.00
75.00
100.00

Pinus.**sylvestris. *Scotch Pine.***

| | each | per 10 | per 100 |
|-------------|-------|--------|---------|
| 3 ft.----- | 5.00 | 45.00 | 400.00 |
| 4 ft.----- | 6.50 | 55.00 | |
| 5 ft.----- | 7.50 | 70.00 | |
| 6 ft.----- | 10.00 | | |
| 7 ft.----- | 12.50 | | |
| 8 ft.----- | 15.00 | | |
| 9 ft.----- | 18.50 | | |
| 10 ft.----- | 22.50 | | |
| 11 ft.----- | 25.00 | | |
| 12 ft.----- | 32.50 | | |
| 13 ft.----- | 37.50 | | |
| 14 ft.----- | 45.00 | | |
| 15 ft.----- | 50.00 | | |
| 16 ft.----- | 60.00 | | |

thunbergi. *Japanese Black Pine.*

| | | |
|-------------|-------|-------|
| 3 ft.----- | 6.50 | 60.00 |
| 8 ft.----- | 18.50 | |
| 9 ft.----- | 22.50 | |
| 10 ft.----- | 27.50 | |
| 11 ft.----- | 32.50 | |
| 12 ft.----- | 37.50 | |

Pseudotsuga douglasi. *Douglas Fir.*

| | |
|------------|-------|
| 3 ft.----- | 6.50 |
| 4 ft.----- | 7.50 |
| 5 ft.----- | 10.00 |
| 6 ft.----- | 12.50 |
| 7 ft.----- | 15.00 |
| 8 ft.----- | 18.50 |
| 9 ft.----- | 25.00 |

Retinospora filifera. *Thread-branched Japanese Cypress.*

| | |
|----------------------|-------|
| 3 ft.----- | 7.50 |
| 4 ft. specimens----- | 15.00 |
| 5 ft. specimens----- | 18.50 |
| 6 ft. specimens----- | 20.00 |

filifera aurea.***Golden Thread-branched Japanese Cypress.***

| | | |
|----------------------------|-------|-------|
| 18 in. spread----- | 6.00 | 50.00 |
| 24 in. spread----- | 6.50 | 55.00 |
| 30 in. spread----- | 7.50 | |
| 36 in. spread specimens--- | 15.00 | |
| 48 in. spread specimens--- | 20.00 | |

Retinospora.

filifera aurea nova. each per 10 per 100

Variegated Thread-branched Japanese Cypress.

18 to 24 in. spread..... 7.50

24 to 30 in. spread..... 8.50

30 to 36 in. spread.....10.00

obtusa compacta. *Compact Hinoki Cypress.*

2 ft..... 6.50 55.00

3 ft..... 7.50 70.00

4 ft.....10.00

5 ft.....12.50

obtusa crippii. *Yellow Hinoki Cypress.*

3 ft.....10.00

4 ft.....12.50

obtusa gracilis. *Slender Hinoki Cypress.*

3 ft..... 7.50

4 ft.....10.00

5 ft.....12.50

obtusa nana. *Dwarf Hinoki Cypress.*

12 in..... 5.00 45.00

15 in..... 6.50 50.00

18 in..... 7.50 65.00

24 in.....10.00

pisifera. *Sawara Cypress.*

3 ft..... 6.50

4 ft.....10.00

5 ft.....12.50

6 ft.....15.00

7 ft.....18.50

8 ft.....22.50

9 ft.....27.50

pisifera aurea.

Golden Sawara Cypress.

3 ft..... 6.50 50.00

4 ft..... 8.00 75.00

5 ft.....10.00 90.00

6 ft. specimens.....15.00 125.00

7 ft. specimens.....18.50

8 ft. specimens.....22.50

9 ft. specimens.....27.50

10 ft. specimens.....30.00

11 ft. specimens.....35.00

Retinospora.
plumosa. *Plume Cypress.*

| | | each | per 10 | per 100 |
|-------------------------------------|-------------|-------|--------|---------|
| 2 | ft. sheared | 5.00 | 45.00 | |
| 3 | ft. sheared | 6.50 | 55.00 | |
| 4 | ft. sheared | 8.00 | 75.00 | |
| 5 | ft. sheared | 10.00 | 90.00 | |
| 6 | ft. sheared | 15.00 | | |
| 7 | ft. sheared | 18.50 | | |
| 8 | ft. sheared | 22.50 | | |
| 9 | ft. sheared | 27.50 | | |
| 3 ft. high x 4 ft. spd. extra spec. | | 12.50 | | |
| 4 ft. high x 5 ft. spd. extra spec. | | 18.50 | | |
| 5 ft. high x 6 ft. spd. extra spec. | | 25.00 | | |

plumosa aurea. *Goldenplume Cypress.*

| | | | | |
|-------------------------------------|-------------|-------|-------|--|
| 2 | ft. sheared | 4.75 | 40.00 | |
| 3 | ft. sheared | 6.00 | 52.50 | |
| 4 | ft. sheared | 7.50 | 70.00 | |
| 5 | ft. sheared | 10.00 | 80.00 | |
| 6 | ft. sheared | 12.50 | | |
| 7 | ft. sheared | 15.00 | | |
| 8 | ft. sheared | 18.50 | | |
| 9 | ft. sheared | 25.00 | | |
| 2 ft. high x 3 ft. spd. extra spec. | | 10.00 | | |
| 3 ft. high x 4 ft. spd. extra spec. | | 12.50 | | |
| 4 ft. high x 5 ft. spd. extra spec. | | 18.50 | | |
| 5 ft. high x 6 ft. spd. extra spec. | | 25.00 | | |

plumosa argentea. *Silvertip Cypress.*

| | | | | |
|---|-----|------|-------|--|
| 2 | ft. | 5.00 | 45.00 | |
| 3 | ft. | 6.50 | 55.00 | |

plumosa lutescens. (*Globe form.*)

| | | | | |
|----|-----|-------|--|--|
| 24 | in. | 6.50 | | |
| 30 | in. | 10.00 | | |
| 36 | in. | 12.50 | | |
| 42 | in. | 15.00 | | |
| 48 | in. | 20.00 | | |

plumosa sulphurea. *Sulphurplume Cypress.*

| | | | | |
|---|-----|-------|-------|--|
| 2 | ft. | 5.00 | 45.00 | |
| 3 | ft. | 6.50 | 55.00 | |
| 4 | ft. | 10.00 | | |
| 5 | ft. | 15.00 | | |

Retinospora.**squarrosa. Moss Retinospora.**

| | | each | per 10 | per 100 |
|---|-------------|-------|--------|---------|
| 2 | ft. sheared | 4.50 | 40.00 | |
| 3 | ft. sheared | 5.50 | 50.00 | |
| 4 | ft. sheared | 7.50 | | |
| 5 | ft. sheared | 10.00 | | |

Sciadopitys verticillata. Umbrella Pine.

| | | |
|----|-----|-------|
| 2 | ft. | 10.00 |
| 2½ | ft. | 12.50 |
| 3 | ft. | 15.00 |

Taxus baccata. English Yew.

| | | |
|----|-----|-------|
| 2 | ft. | 6.50 |
| 2½ | ft. | 7.50 |
| 3 | ft. | 10.00 |

baccata erecta. Broom Yew.

| | | |
|----|-----|-------|
| 18 | in. | 10.00 |
| 2 | ft. | 15.00 |

baccata fastigiata. Irish Yew.

| | | |
|---|-----|-------|
| 2 | ft. | 12.50 |
| 3 | ft. | 15.00 |

baccata repandens. Spreading English Yew.

| | | |
|----------|------------|------|
| 18 to 24 | in. spread | 6.00 |
|----------|------------|------|

baccata washingtoni. Washington Yew.

| | | | |
|----|-----|------|-------|
| 18 | in. | 5.00 | 40.00 |
| 24 | in. | 6.50 | 50.00 |

canadensis. Canada Yew.

| | | | |
|----|-------|------------|------|
| 18 | to 24 | in. spread | 4.50 |
| 2 | to 2½ | ft. spread | 5.00 |

cuspidata. Japanese Yew.

| | | | |
|----|-------|------------|-------|
| 2 | to 2½ | ft. spread | 8.00 |
| 2½ | to 3 | ft. spread | 10.00 |
| 3 | to 3½ | ft. spread | 15.00 |
| 3½ | to 4 | ft. spread | 20.00 |

cuspidata brevifolia. Dwarf Japanese Yew.

| | | | |
|----|-------|-----|-------|
| 18 | to 24 | in. | 7.50 |
| 24 | to 30 | in. | 10.00 |

cuspidata brevifolia compacta.

| | | | |
|----|-------|-----|-------|
| 18 | to 24 | in. | 10.00 |
| 24 | to 30 | in. | 12.50 |

Taxus**cuspidata capitata. Upright Japanese Yew.**

| | each | per 10 | per 100 |
|-------------|-------|--------|---------|
| 2½ ft.----- | 10.00 | | |
| 3 ft.----- | 15.00 | | |
| 3½ ft.----- | 20.00 | | |
| 4 ft.----- | 25.00 | | |

Thuja occidentalis. American Arborvitae.

| | | | |
|--------------------------|-------|-------|--------|
| 3 ft.----- | 4.50 | 40.00 | 375.00 |
| 4 ft.----- | 6.00 | 55.00 | 525.00 |
| 4 ft. heavy specimens-- | 10.00 | | |
| 5 ft.----- | 8.00 | | |
| 5 ft. heavy specimens-- | 12.50 | | |
| 6 ft.----- | 11.00 | | |
| 6 ft. heavy specimens-- | 15.00 | | |
| 7 ft.----- | 12.50 | | |
| 7 ft. heavy specimens-- | 18.50 | | |
| 8 ft.----- | 15.00 | | |
| 8 ft. heavy specimens-- | 22.50 | | |
| 9 ft.----- | 18.50 | | |
| 10 ft. heavy specimens-- | 32.50 | | |
| 11 ft. heavy specimens-- | 37.50 | | |

occidentalis aurea douglasi. Douglas Golden Arborvitae

| | | |
|------------|-------|-------|
| 3 ft.----- | 6.50 | 55.00 |
| 4 ft.----- | 7.50 | |
| 5 ft.----- | 10.00 | |
| 6 ft.----- | 12.50 | |
| 7 ft.----- | 15.00 | |
| 8 ft.----- | 18.50 | |

occidentalis columbia. Silver-tipped Arborvitae

| | |
|------------|-------|
| 3 ft.----- | 6.50 |
| 4 ft.----- | 7.50 |
| 5 ft.----- | 12.50 |
| 6 ft.----- | 15.00 |
| 7 ft.----- | 18.50 |

occidentalis compacta. Compact Arborvitae.

| | | |
|-------------|------|-------|
| 18 in.----- | 4.00 | 37.50 |
| 24 in.----- | 4.75 | |
| 30 in.----- | 5.50 | |
| 36 in.----- | 7.50 | |

Thuja**occidentalis compacta. *Parsons Arborvitae.***

| | | each | per 10 | per 100 |
|----|----------|-------|--------|---------|
| 2½ | ft.----- | 5.00 | | |
| 3 | ft.----- | 6.50 | | |
| 3½ | ft.----- | 7.50 | | |
| 4 | ft.----- | 10.00 | | |
| 4½ | ft.----- | 12.50 | | |
| 5 | ft.----- | 15.00 | | |

occidentalis elegantissima.

| | | | |
|---|----------|-------|-------|
| 3 | ft.----- | 6.50 | 55.00 |
| 4 | ft.----- | 7.50 | |
| 5 | ft.----- | 12.50 | |
| 6 | ft.----- | 15.00 | |
| 7 | ft.----- | 18.50 | |

occidentalis ellwangeriana. *Tom Thumb Arborvitae.*

| | | | |
|----|----------|------|-------|
| 2 | ft.----- | 3.00 | 27.50 |
| 2½ | ft.----- | 4.00 | 35.00 |
| 3 | ft.----- | 5.00 | 45.00 |

occidentalis ericoides. *Heath Arborvitae.*

| | | | |
|----|----------|------|-------|
| 18 | in.----- | 3.00 | 25.00 |
| 2 | ft.----- | 4.00 | 30.00 |
| 2½ | ft.----- | 5.00 | 45.00 |

occidentalis globosa. *Globe Arborvitae.*

| | | | |
|----|----------|------|-------|
| 18 | in.----- | 3.50 | 32.50 |
| 24 | in.----- | 4.50 | 40.00 |
| 30 | in.----- | 6.00 | |
| 36 | in.----- | 7.50 | |

occidentalis hoveyi. *Hovey Golden Arborvitae.*

| | | | |
|----|----------|-------|-------|
| 18 | in.----- | 3.50 | 32.50 |
| 2 | ft.----- | 4.00 | 35.00 |
| 2½ | ft.----- | 5.00 | 45.00 |
| 3 | ft.----- | 6.50 | 55.00 |
| 3½ | ft.----- | 7.50 | |
| 4 | ft.----- | 10.00 | |
| 4½ | ft.----- | 12.50 | |
| 5 | ft.----- | 15.00 | |
| 5½ | ft.----- | 18.50 | |

Thuja**occidentalis lutea. *Geo. Peabody's Arborvitae.***

| | each | per 10 | per 100 |
|------------|-------|--------|---------|
| 2 ft.----- | 4.50 | 40.00 | |
| 3 ft.----- | 5.00 | 45.00 | |
| 4 ft.----- | 7.50 | 70.00 | |
| 5 ft.----- | 10.00 | | |
| 6 ft.----- | 12.00 | | |
| 7 ft.----- | 15.00 | | |
| 8 ft.----- | 18.50 | | |

occidentalis pumila. *Green Globe Arborvitae.*

| | |
|--------------------|------|
| 18 in. spread----- | 4.00 |
| 24 in. spread----- | 5.00 |
| 30 in. spread----- | 7.50 |

occidentalis pyramidalis. *Pyramidal Arborvitae.*

| | | | |
|------------|-------|-------|--------|
| 3 ft.----- | 6.00 | 55.00 | 500.00 |
| 4 ft.----- | 7.50 | 65.00 | |
| 5 ft.----- | 10.00 | 75.00 | |
| 6 ft.----- | 12.50 | | |
| 7 ft.----- | 15.00 | | |
| 8 ft.----- | 20.00 | | |

occidentalis douglasi pyramidalis.***Douglas Pyramidal Arborvitae.***

| | |
|------------|-------|
| 5 ft.----- | 10.00 |
| 6 ft.----- | 12.50 |

occidentalis recurva nana.

| | |
|-------------|------|
| 18 in.----- | 4.00 |
| 2 ft.----- | 5.00 |
| 2½ ft.----- | 7.50 |

occidentalis reevesi. *Reeves Arborvitae.*

| | | |
|-------------|-------|-------|
| 2½ ft.----- | 6.50 | 55.00 |
| 3 ft.----- | 7.50 | 70.00 |
| 3½ ft.----- | 10.00 | |
| 4 ft.----- | 12.50 | |
| 4½ ft.----- | 15.00 | |
| 5 ft.----- | 18.00 | |

occidentalis reidi. *Reid Arborvitae.*

| | | |
|-------------|-------|-------|
| 18 in.----- | 4.00 | 37.50 |
| 2 ft.----- | 5.00 | 45.00 |
| 2½ ft.----- | 6.50 | 55.00 |
| 3 ft.----- | 7.50 | |
| 3½ ft.----- | 10.00 | |

Thuja

occidentalis riversi. Rivers Arborvitae.

| | each | per 10 | per 100 |
|------------|-------|--------|---------|
| 3 ft.----- | 5.00 | | |
| 4 ft.----- | 7.50 | | |
| 5 ft.----- | 8.50 | | |
| 6 ft.----- | 10.00 | | |
| 7 ft.----- | 12.50 | | |
| 8 ft.----- | 15.00 | | |

occidentalis rosenthali. Rosenthal Arborvitae.

| | |
|------------|-------|
| 4 ft.----- | 10.00 |
| 5 ft.----- | 12.50 |

occidentalis spiralis. Spiral Arborvitae.

| | | |
|------------|-------|-------|
| 3 ft.----- | 6.50 | 55.00 |
| 4 ft.----- | 8.00 | 75.00 |
| 5 ft.----- | 12.50 | |
| 6 ft.----- | 15.00 | |
| 7 ft.----- | 18.50 | |

occidentalis umbraculifera. Dwarf Arborvitae.

| | | |
|-------------------------|-------|-------|
| 18 to 24 in. spread---- | 4.00 | 35.00 |
| 24 to 30 in. spread---- | 5.00 | 47.50 |
| 2½ to 3 ft. spread---- | 6.50 | |
| 3 to 3½ ft. spread---- | 10.00 | |

occidentalis vervaeneana. Vervaene Arborvitae.

| | | |
|------------|-------|-------|
| 3 ft.----- | 6.50 | 60.00 |
| 4 ft.----- | 10.00 | 80.00 |
| 5 ft.----- | 12.50 | |
| 6 ft.----- | 15.00 | |
| 7 ft.----- | 18.50 | |
| 8 ft.----- | 22.50 | |

occidentalis wareana. Ware or Siberian Arborvitae.

| | | |
|-------------|-------|-------|
| 18 in.----- | 4.00 | 35.00 |
| 2 ft.----- | 4.50 | 40.00 |
| 2½ ft.----- | 5.00 | 45.00 |
| 3 ft.----- | 6.50 | 55.00 |
| 3½ ft.----- | 7.50 | 70.00 |
| 4 ft.----- | 10.00 | |
| 4½ ft.----- | 12.50 | |
| 5 ft.----- | 15.00 | |

occidentalis wareana lutescens. Golden Ware Arborvitae.

| | | |
|-------------|-------|-------|
| 2 ft.----- | 4.50 | 40.00 |
| 2½ ft.----- | 5.00 | 45.00 |
| 3 ft.----- | 7.50 | |
| 3½ ft.----- | 10.00 | |

Thuja**occidentalis woodwardi.** *Woodward Arborvitae.*

| | each | per 10 | per 100 |
|-------------|------|--------|---------|
| 18 in.----- | 4.00 | 37.50 | |

orientalis. *Oriental Arborvitae.*

| | | | |
|-------------|-------|-------|--------|
| 3 ft.----- | 6.50 | 55.00 | 500.00 |
| 4 ft.----- | 7.50 | 70.00 | |
| 5 ft.----- | 10.00 | 85.00 | |
| 6 ft.----- | 11.00 | | |
| 7 ft.----- | 12.50 | | |
| 8 ft.----- | 15.00 | | |
| 9 ft.----- | 18.50 | | |
| 10 ft.----- | 22.50 | | |
| 11 ft.----- | 27.50 | | |
| 12 ft.----- | 35.00 | | |

orientalis elegantissima. *Rollinson's Golden Arborvitae.*

| | |
|-------------|------|
| 2½ ft.----- | 7.50 |
|-------------|------|

orientalis nana aurea. *Berkmans Golden Arborvitae.*

| | |
|-------------|------|
| 18 in.----- | 4.50 |
| 2 ft.----- | 5.00 |

plicata. *Giant Arborvitae.*

| | |
|------------|-------|
| 3 ft.----- | 5.00 |
| 4 ft.----- | 6.50 |
| 5 ft.----- | 7.50 |
| 6 ft.----- | 10.00 |
| 7 ft.----- | 12.50 |

standishi. *Standish Arborvitae.*

| | |
|------------|------|
| 2 ft.----- | 5.00 |
| 3 ft.----- | 6.50 |
| 4 ft.----- | 7.50 |

Tsuga canadensis. *Canada Hemlock.*

| | | |
|------------------------|-------|-------|
| 2 ft.----- | 5.50 | 45.00 |
| 3 ft.----- | 6.50 | 55.00 |
| 4 ft.----- | 10.00 | |
| 4 ft. extra broad----- | 12.50 | |
| 5 ft.----- | 12.50 | |
| 5 ft. extra broad----- | 15.00 | |
| 6 ft.----- | 15.00 | |
| 7 ft.----- | 18.50 | |
| 8 ft.----- | 25.00 | |

Evergreen Shrubs

Andromeda floribunda. Mountain Andromeda.

| | each | per 10 | per 100 |
|---|------|--------|---------|
| 18 to 24 in.-----B. & B. | 3.50 | 32.50 | 280.00 |
| Azalea amoena. <i>Amoena Azalea.</i> | | | |
| 10 to 12 in.-----B. & B. | 2.25 | | |
| 12 to 15 in.-----B. & B. | 2.75 | | |
| hinodegiri. <i>Carminc Azalea.</i> | | | |
| 10 to 12 in.-----B. & B. | 3.00 | | |
| 12 to 15 in.-----B. & B. | 3.25 | | |
| ledifolia. <i>Snow Azalea.</i> | | | |
| 12 to 15 in.-----B. & B. | 2.00 | | |
| 15 to 18 in.-----B. & B. | 2.50 | | |
| 18 to 24 in.-----B. & B. | 3.00 | | |
| yodogawa. <i>Yodogawa Azalea.</i> | | | |
| 12 to 15 in.-----B. & B. | 2.00 | | |
| 15 to 18 in.-----B. & B. | 2.50 | | |
| 18 to 24 in.-----B. & B. | 3.00 | | |
| Berberis sargentiana. <i>Sargent Barberry.</i> | | | |
| 15 to 18 in.----- | 1.50 | 12.50 | |
| 18 to 24 in.----- | 2.00 | 15.00 | |
| Calluna vulgaris alba. <i>Heather.</i> | | | |
| 6 to 8 in., 5 in. pots----- | 1.25 | 10.00 | |
| vulgaris alportii. <i>Alport Heather.</i> | | | |
| 4 inch pots ----- | 1.25 | 10.00 | |
| vulgaris carnea. <i>Flesh Heather.</i> | | | |
| 6 to 8 in., 5 inch pots---- | 1.25 | 10.00 | |
| Chamaedaphne calyculata. <i>Leatherleaf.</i> | | | |
| 15 to 18 in.-----B. & B. | 3.50 | 30.00 | |
| Crataegus pyracantha lelandi. <i>Leland Firethorn.</i> | | | |
| 18 to 24 in. bushy--B. & B. | 3.00 | 25.00 | |
| 2 to 3 ft. bushy--B. & B. | 3.50 | 30.00 | |
| 12 to 15 in., 4 in. pots---- | 1.25 | 10.00 | |
| Daphne cneorum. <i>Garland Flower.</i> | | | |
| 8 to 10 in. spread----- | 1.50 | 14.00 | 125.00 |
| 10 to 12 in. spread----- | 2.00 | 17.50 | 150.00 |
| Euonymus nanus. <i>Dwarf Burningbush.</i> | | | |
| 18 to 24 in.----- | .65 | 5.00 | 40.00 |
| obovatus. <i>Running Enonymus.</i> | | | |
| 8 to 10 in.----- | .35 | 3.00 | 25.00 |
| radicans. <i>Wintercreeper.</i> | | | |
| 8 to 12 in.----- | .40 | 3.00 | 25.00 |
| 12 to 15 in.----- | .50 | 4.00 | 30.00 |
| 15 to 18 in.----- | .60 | 4.50 | 35.00 |

Euonymus**radicans acutus.** *Sharpleaf Wintercreeper.*

| | each | per 10 | per 100 |
|-------------------|------|--------|---------|
| 12 to 15 in.----- | .50 | 4.00 | 35.00 |
| 15 to 18 in.----- | .60 | 5.00 | 45.00 |

radicans argenteo-marginatus. *Silveredge Wintercreeper.*

| | | | |
|-------------------|-----|------|-------|
| 8 to 12 in.----- | .40 | 3.00 | 25.00 |
| 12 to 15 in.----- | .50 | 4.00 | 32.00 |
| 15 to 18 in.----- | .60 | 4.50 | 37.00 |

radicans carrieri. *Glossy Wintercreeper.*

| | | | |
|-------------------|-----|------|-------|
| 12 to 15 in.----- | .50 | 4.00 | 32.00 |
| 15 to 18 in.----- | .60 | 5.00 | 40.00 |

radicans colorata.

| | | | |
|-------------------|-----|------|-------|
| 12 to 15 in.----- | .60 | 5.00 | 45.00 |
| 15 to 18 in.----- | .75 | 6.00 | 55.00 |

radicans kewensis. *Baby Wintercreeper.*

| | | | |
|-----------------------------|-----|------|-------|
| 8 to 12 in. from pots----- | .50 | 4.00 | 32.00 |
| 12 to 15 in. from pots----- | .60 | 5.00 | 40.00 |

radicans vegetus. *Bigleaf Wintercreeper.*

| | | | |
|-------------------|-----|------|-------|
| 12 to 15 in.----- | .60 | 4.50 | 37.00 |
| 15 to 18 in.----- | .65 | 5.50 | 45.00 |
| 18 to 24 in.----- | .75 | 6.50 | 55.00 |

sieboldi.

| | | | |
|-------------------|------|-------|--------|
| 18 to 24 in.----- | 1.50 | 12.50 | 100.00 |
| 2 to 3 ft.----- | 2.00 | 17.50 | |

Ilex crenata. *Japanese Holly.*

| | | | |
|-------------|---------|-------|--|
| 18 in.----- | B. & B. | 5.00 | |
| 24 in.----- | B. & B. | 7.50 | |
| 30 in.----- | B. & B. | 10.00 | |

glabra. *Inkberry.*

| | | | |
|-------------------|---------|------|-------|
| 12 to 15 in.----- | B. & B. | 3.00 | 27.50 |
| 15 to 18 in.----- | B. & B. | 3.25 | 30.00 |
| 18 to 24 in.----- | B. & B. | 3.50 | 32.50 |

opaca. *American Holly.*

| | | | |
|------------|---------|-------|--|
| 3 ft.----- | B. & B. | 10.00 | |
| 4 ft.----- | B. & B. | 12.50 | |
| 5 ft.----- | B. & B. | 15.00 | |

Kalmia latifolia. *Mountain Laurel.*

| | | | | |
|-----------------|---------|------|-------|--------|
| 2 to 3 ft.----- | B. & B. | 3.75 | 32.50 | 250.00 |
| 3 to 4 ft.----- | B. & B. | 4.50 | 37.50 | 325.00 |

Leiophyllum buxifolium prostratum. *Allegheny Sandmyrtle.*

| | | | |
|------------------|------|-------|--|
| 8 to 12 in.----- | 1.50 | 12.50 | |
|------------------|------|-------|--|

Leucothoe catesbaei. *Drooping Leucothoe.*

| | each | per 10 | per 100 |
|--------------------------|------|--------|---------|
| 15 to 18 in.-----B. & B. | 2.25 | 20.00 | 160.00 |
| 18 to 24 in.-----B. & B. | 2.75 | 25.00 | 200.00 |

Mahonia aquifolium. *Oregon Hollygrape.*

| | | | |
|-------------------------|------|-------|--------|
| 18 to 24 in.----B. & B. | 2.00 | 15.00 | 125.00 |
| 24 to 30 in.----B. & B. | 2.50 | 20.00 | 150.00 |

Rhododendron carolinianum.*Carolina Rhododendron.*

| | | | |
|------------------------|------|-------|--------|
| 2 to 3 ft.-----B. & B. | 4.50 | 37.50 | 325.00 |
|------------------------|------|-------|--------|

Catawbiense. *Catawba Rhododendron.*

| | | | |
|------------------------|------|-------|--------|
| 2 to 3 ft.-----B. & B. | 4.50 | 37.50 | 325.00 |
| 3 to 4 ft.-----B. & B. | 5.75 | 50.00 | 450.00 |

maximum. *Rosebay Rhododendron.*

| | | | |
|------------------------|------|-------|--------|
| 2 to 3 ft.-----B. & B. | 4.00 | 35.00 | 275.00 |
| 3 to 4 ft.-----B. & B. | 5.00 | 40.00 | 350.00 |
| 4 to 5 ft.-----B. & B. | 6.50 | | |

Stranvesia davidiana.

| | | | |
|-----------------------------|------|-------|--|
| 8 to 10 in., from pots----- | 1.50 | 12.50 | |
|-----------------------------|------|-------|--|

Deciduous Trees

We recommend that all varieties marked with an asterisk be lifted with ball of earth and sewed in burlap. Experience has shown that the loss in these plants, which is otherwise high, is reduced to a minimum if handled in this way. This will involve an extra charge per plant, as follows:

2-3'—30c; 3-4'—45c; 4-5'—60c; 5-6'—75c; 6-8'—95c; 8-10'—\$1.25. Larger sizes in proportion. In all instances where "B. & B." is indicated these charges are included in the printed price.

Acer campestre. *Hedge Maple.*

| | | |
|-------------------|------|-------|
| 4 to 5 ft.----- | 2.00 | 16.00 |
| 5 to 6 ft.----- | 2.25 | 20.00 |
| 6 to 8 ft.----- | 2.50 | 22.50 |
| 8 to 10 ft.----- | 3.25 | 27.50 |
| 10 to 12 ft.----- | 5.00 | 47.50 |

colchicum rubrum. *Coliseum Maple.*

| | | |
|-------------------|------|-------|
| 6 to 8 ft.----- | 2.25 | 20.00 |
| 8 to 10 ft.----- | 3.25 | 25.00 |
| 10 to 12 ft.----- | 3.75 | 32.50 |

Acer

| | | each | per 10 | per 100 |
|---|-----------|-------|--------|---------|
| dasycarpum. Silver Maple. | | | | |
| 8 | to 10 ft. | 1.50 | 12.50 | 100.00 |
| 1¼ | to 1½ in. | 2.00 | 15.00 | 125.00 |
| 1½ | to 1¾ in. | 2.25 | 20.00 | 150.00 |
| 1¾ | to 2 in. | 2.75 | 25.00 | 200.00 |
| 2 | to 2½ in. | 3.50 | 30.00 | 250.00 |
| 2½ | to 3 in. | 5.00 | 40.00 | 350.00 |
| 3 | to 3½ in. | 7.50 | 65.00 | |
| 3½ | to 4 in. | 10.00 | 75.00 | |
| dasycarpum pyramidale. Pyramidal Silver Maple. | | | | |
| 6 | to 8 ft. | 2.25 | 20.00 | 160.00 |
| 8 | to 10 ft. | 2.50 | 22.50 | 200.00 |
| 1¼ | to 1½ in. | 2.75 | 25.00 | |
| 1½ | to 1¾ in. | 3.50 | 32.50 | |
| 1¾ | to 2 in. | 3.75 | 35.00 | |
| 2 | to 2½ in. | 4.50 | 40.00 | |
| dasycarpum wieri. Wier Maple. | | | | |
| 8 | to 10 ft. | 2.25 | 20.00 | |
| 1¼ | to 1½ in. | 2.75 | 25.00 | |
| 1½ | to 1¾ in. | 3.50 | | |
| 1¾ | to 2 in. | 4.50 | | |
| 2 | to 2½ in. | 6.00 | | |
| 2½ | to 3 in. | 7.50 | | |
| ginnala. Amur Maple. | | | | |
| 3 | to 4 ft. | 1.25 | 11.00 | 90.00 |
| 4 | to 5 ft. | 1.75 | 16.00 | 125.00 |
| 5 | to 6 ft. | 2.25 | 20.00 | 160.00 |
| 6 | to 8 ft. | 2.50 | 22.50 | 200.00 |
| 8 | to 10 ft. | 3.75 | 30.00 | |
| 10 | to 12 ft. | 5.00 | 37.50 | |
| japonicum. Fullmoon Maple. | | | | |
| 6 | to 8 ft. | 5.75 | 50.00 | |
| 8 | to 10 ft. | 7.50 | 65.00 | |
| 10 | to 12 ft. | 10.00 | 75.00 | |
| negundo. Box Elder. | | | | |
| 6 | to 8 ft. | 1.25 | 10.00 | 75.00 |
| 8 | to 10 ft. | 1.50 | 12.50 | 100.00 |
| 1¼ | to 1½ in. | 1.75 | 15.00 | 125.00 |
| 1½ | to 1¾ in. | 2.00 | 17.50 | 150.00 |
| 1¾ | to 2 in. | 2.50 | 20.00 | |

| <i>Acer nigrum. Black Maple.</i> | | each | per 10 | per 100 |
|---|---------------------|-------|--------|---------|
| 8 | to 10 ft. | 4.00 | 37.50 | |
| 1¼ | to 1½ in. | 4.75 | 45.00 | |
| 1½ | to 1¾ in. | 5.25 | 50.00 | |
| 1¾ | to 2 in. | 6.50 | | |
| 2 | to 2½ in. | 7.50 | | |
| 2½ | to 3 in. | 10.00 | | |
| <i>palmatum. Japanese Maple.</i> | | | | |
| 3 | to 4 ft. with ball | 6.50 | 45.00 | |
| 4 | to 5 ft. with ball | 7.50 | 55.00 | |
| 5 | to 6 ft. with ball | 10.00 | 75.00 | |
| 6 | to 8 ft. with ball | 12.50 | 90.00 | |
| 8 | to 10 ft. with ball | 15.00 | 125.00 | |
| <i>pennsylvanicum. Striped Maple.</i> | | | | |
| 3 | to 4 ft. | 1.25 | | |
| <i>platanoides. Norway Maple.</i> | | | | |
| 1¼ | to 1½ in. | 4.75 | 42.50 | 400.00 |
| 1½ | to 1¾ in. | 5.50 | 50.00 | 475.00 |
| 1¾ | to 2 in. | 7.00 | 55.00 | 525.00 |
| 2 | to 2½ in. | 8.50 | 70.00 | |
| 2½ | to 3 in. | 10.00 | 80.00 | |
| 3 | to 3½ in. | 12.50 | 100.00 | |
| 3½ | to 4 in. | 15.00 | 125.00 | |
| 4 | to 5 in. specimens | 25.00 | | |
| 5 | to 6 in. specimens | 35.00 | | |
| <i>platanoides schwedleri. Schwedler Maple.</i> | | | | |
| 8 | to 10 ft. | 4.75 | 45.00 | |
| 1¼ | to 1½ in. | 5.25 | 50.00 | |
| 1½ | to 1¾ in. | 6.50 | 55.00 | |
| 2 | to 2½ in. | 10.00 | 75.00 | |
| 2½ | to 3 in. | 12.50 | 90.00 | |
| 3 | to 3½ in. | 20.00 | | |
| 3½ | to 4 in. | 25.00 | | |
| <i>pseudoplatanus. Sycamore Maple.</i> | | | | |
| 6 | to 8 ft. | 3.25 | 30.00 | |
| 8 | to 10 ft. | 3.50 | 32.50 | |
| 1¼ | to 1½ in. | 4.00 | 37.50 | |
| <i>rubrum. Red Maple.</i> | | | | |
| 6 | to 8 ft. | 2.75 | 25.00 | 225.00 |
| 8 | to 10 ft. | 3.25 | 27.50 | 250.00 |
| 1¼ | to 1½ in. | 3.75 | 35.00 | 325.00 |
| 1½ | to 1¾ in. | 5.00 | 45.00 | 375.00 |
| 1¾ | to 2 in. | 6.50 | 50.00 | |
| 2 | to 2½ in. | 7.50 | 65.00 | |
| 2½ | to 3 in. | 10.00 | | |
| 3 | to 3½ in. | 12.50 | | |

Acer

| saccharum. | <i>Sugar Maple.</i> | each | per 10 | per 100 |
|-------------------|---------------------|-------|--------|---------|
| 8 to 10 | ft.----- | 3.25 | 27.50 | 250.00 |
| 1¼ to 1½ | in.----- | 4.00 | 37.50 | 350.00 |
| 1½ to 1¾ | in.----- | 5.00 | 42.50 | 400.00 |
| 1¾ to 2 | in.----- | 5.50 | 50.00 | 450.00 |
| 2 to 2½ | in.----- | 6.50 | 60.00 | |
| 2½ to 3 | in.----- | 7.50 | 65.00 | |
| 3 to 3½ | in.----- | 10.00 | | |
| 3½ to 4 | in.----- | 12.50 | | |

spicatum. *Mountain Maple.*

| | | | | |
|--------|----------|------|-------|--|
| 4 to 5 | ft.----- | 1.25 | 10.00 | |
| 5 to 6 | ft.----- | 1.60 | 12.50 | |

tataricum. *Tatarian Maple.*

| | | | | |
|---------|----------|------|-------|--------|
| 4 to 5 | ft.----- | 2.00 | 16.00 | 150.00 |
| 5 to 6 | ft.----- | 2.25 | 20.00 | |
| 6 to 8 | ft.----- | 3.25 | 25.00 | |
| 8 to 10 | ft.----- | 4.50 | 37.50 | |

Aesculus glabra. *Ohio Buckeye.*

| | | | | |
|----------|----------|------|-------|--|
| 1½ to 1¾ | in.----- | 4.50 | 37.50 | |
| 2 to 2½ | in.----- | 5.50 | | |
| 2½ to 3 | in.----- | 7.50 | | |

hippocastanum. *Horsechestnut.*

| | | | | |
|----------|----------|-------|-------|--------|
| 6 to 8 | ft.----- | 3.00 | 27.50 | 250.00 |
| 8 to 10 | ft.----- | 3.25 | 30.00 | 275.00 |
| 1¼ to 1½ | in.----- | 4.00 | 37.50 | 350.00 |
| 1½ to 1¾ | in.----- | 5.00 | 40.00 | 375.00 |
| 1¾ to 2 | in.----- | 6.00 | 50.00 | 475.00 |
| 2 to 2½ | in.----- | 7.50 | 65.00 | 600.00 |
| 2½ to 3 | in.----- | 10.00 | 85.00 | 750.00 |

hippocastanum flore pleno.*Double White Horsechestnut.*

| | | | | |
|---------|----------|------|--|--|
| 5 to 6 | ft.----- | 3.75 | | |
| 6 to 8 | ft.----- | 5.00 | | |
| 8 to 10 | ft.----- | 6.50 | | |

hippocastanum rubicunda.*Red Horsechestnut.*

| | | | | |
|----------|----------|-------|--------|--------|
| 6 to 8 | ft.----- | 4.00 | 37.50 | 350.00 |
| 8 to 10 | ft.----- | 5.00 | 45.00 | 400.00 |
| 1¼ to 1½ | in.----- | 7.50 | 60.00 | |
| 1½ to 1¾ | in.----- | 8.50 | 75.00 | |
| 1¾ to 2 | in.----- | 10.00 | 85.00 | |
| 2 to 2½ | in.----- | 12.50 | 100.00 | |

Aesculus**octandra.** *Yellow Buckeye.*

| | each | per 10 | per 100 |
|-------------------|-------|--------|---------|
| 1¼ to 1½ in.----- | 4.00 | 37.50 | |
| 1½ to 1¾ in.----- | 5.00 | 40.00 | |
| 1¾ to 2 in.----- | 6.00 | 50.00 | |
| 2 to 2½ in.----- | 7.50 | 65.00 | |
| 2½ to 3 in.----- | 8.50 | 75.00 | |
| 3 to 3½ in.----- | 10.00 | 85.00 | |

turbinata. *Japanese Horsechestnut.*

| | | | |
|-------------------|-------|-------|--|
| 6 to 8 ft.----- | 3.75 | 32.50 | |
| 8 to 10 ft.----- | 4.50 | 37.50 | |
| 1¼ to 1½ in.----- | 5.50 | 50.00 | |
| 1½ to 1¾ in.----- | 6.50 | | |
| 1¾ to 2 in.----- | 7.50 | | |
| 2 to 2½ in.----- | 10.00 | | |

Ailanthus glandulosa. *Tree of Heaven.*

| | | | |
|------------------|------|-------|--------|
| 6 to 8 ft.----- | 1.50 | 12.50 | 100.00 |
| 8 to 10 ft.----- | 2.00 | 17.50 | 150.00 |

Alnus cordata. *Italian Alder.*

| | | | |
|------------------|------|--|--|
| 5 to 6 ft.----- | 2.00 | | |
| 6 to 8 ft.----- | 2.50 | | |
| 8 to 10 ft.----- | 3.50 | | |

glutinosa. *European Alder.*

| | | | |
|-------------------|------|-------|--------|
| 5 to 6 ft.----- | 1.25 | 10.00 | 90.00 |
| 6 to 8 ft.----- | 1.60 | 12.50 | 100.00 |
| 8 to 10 ft.----- | 2.00 | 16.00 | 150.00 |
| 1¼ to 1½ in.----- | 2.25 | 20.00 | 175.00 |
| 1½ to 1¾ in.----- | 3.25 | 25.00 | |
| 1¾ to 2 in.----- | 3.75 | 32.50 | |
| 2 to 2½ in.----- | 4.50 | 37.50 | |

incana. *Speckled Alder.*

| | | | |
|-------------------|------|-------|--------|
| 6 to 8 ft.----- | 1.60 | 12.50 | 100.00 |
| 8 to 10 ft.----- | 2.00 | 16.00 | |
| 1¼ to 1½ in.----- | 2.25 | 20.00 | |
| 1½ to 1¾ in.----- | 3.25 | 25.00 | |
| 1¾ to 2 in.----- | 3.75 | 32.50 | |
| 2 to 2½ in.----- | 4.50 | 37.50 | |

japonica. *Japanese Alder.*

| | | | |
|------------------|------|-------|--|
| 5 to 6 ft.----- | 2.00 | 15.00 | |
| 6 to 8 ft.----- | 2.50 | 20.00 | |
| 8 to 10 ft.----- | 3.00 | 25.00 | |

Amygdalus davidiana. *Chinese Wild Peach*

| | each | per 10 | per 100 |
|----------------|------|--------|---------|
| 4 to 5 ft..... | 1.00 | 7.50 | |
| 5 to 6 ft..... | 1.25 | 10.00 | |

persica alboplena. *Double White Peach.*

| | | | |
|----------------|------|-------|--|
| 5 to 6 ft..... | 1.60 | 12.50 | |
| 6 to 8 ft..... | 2.00 | 15.00 | |

persica Clara Meyer. *Double Pink Peach.*

| | | | |
|----------------|------|-------|--|
| 4 to 5 ft..... | 2.00 | 16.00 | |
| 5 to 6 ft..... | 2.25 | 20.00 | |
| 6 to 8 ft..... | 2.50 | 22.50 | |

persica rosea plena. *Dbl. Pink Peach*

| | | | |
|----------------|------|-------|--|
| 4 to 5 ft..... | 1.25 | 10.00 | |
| 5 to 6 ft..... | 1.60 | 12.50 | |
| 6 to 8 ft..... | 2.00 | 15.00 | |

persica rubroplena. *Double Red Peach.*

| | | | |
|----------------|------|-------|--|
| 5 to 6 ft..... | 1.60 | 12.50 | |
| 6 to 8 ft..... | 2.00 | 15.00 | |

Aralia. (*See Deciduous Shrubs*).***Betula alba.** *European White Birch.*

| | | | |
|------------------|------|-------|--|
| 6 to 8 ft..... | 2.25 | 20.00 | |
| 8 to 10 ft..... | 2.75 | 25.00 | |
| 1½ to 1½ in..... | 3.25 | 27.50 | |
| 1½ to 1¾ in..... | 3.75 | 32.50 | |
| 1¾ to 2 in..... | 4.50 | 37.50 | |
| 2 to 2½ in..... | 6.50 | 50.00 | |

***alba laciniata.** *Cutleaf Weeping Birch.*

| | | | |
|------------------|------|-------|--|
| 6 to 8 ft..... | 3.50 | 32.50 | |
| 8 to 10 ft..... | 4.50 | 37.50 | |
| 1½ to 1½ in..... | 6.00 | 50.00 | |
| 1½ to 1¾ in..... | 7.50 | | |

***lenta.** *Sweet Birch.*

| | | | |
|------------------|------|-------|--|
| 5 to 6 ft..... | 2.00 | 16.00 | |
| 6 to 8 ft..... | 2.25 | 20.00 | |
| 8 to 10 ft..... | 2.75 | 25.00 | |
| 1½ to 1½ in..... | 3.50 | 32.50 | |
| 1½ to 1¾ in..... | 4.50 | 37.50 | |
| 1¾ to 2 in..... | 5.50 | 50.00 | |
| 2 to 2½ in..... | 7.50 | 65.00 | |

***Betula.**

| *lutea. | <i>Yellow Birch.</i> | each | per 10 | per 100 |
|----------------|----------------------|------|--------|---------|
| 5 | to 6 ft. | 2.00 | 16.00 | |
| 6 | to 8 ft. | 2.25 | 20.00 | |
| 8 | to 10 ft. | 2.75 | 25.00 | |
| 1¼ | to 1½ in. | 3.50 | 32.50 | |
| 1½ | to 1¾ in. | 4.50 | 37.50 | |

***nigra.** *River Birch.*

| | | | | |
|----|-----------|------|-------|--|
| 6 | to 8 ft. | 2.25 | 20.00 | |
| 8 | to 10 ft. | 2.75 | 25.00 | |
| 1¼ | to 1½ in. | 3.50 | 32.50 | |
| 1½ | to 1¾ in. | 4.50 | 37.50 | |
| 1¾ | to 2 in. | 5.50 | 50.00 | |
| 2 | to 2½ in. | 7.50 | 65.00 | |

***papyrifera.** *Canoe Birch.*

| | | | | |
|----|-----------|------|-------|--|
| 6 | to 8 ft. | 2.25 | 20.00 | |
| 8 | to 10 ft. | 2.75 | 25.00 | |
| 1¼ | to 1½ in. | 3.25 | 27.50 | |
| 1½ | to 1¾ in. | 3.75 | 32.50 | |
| 1¾ | to 2 in. | 4.50 | 37.50 | |
| 2 | to 2½ in. | 6.50 | 50.00 | |
| 2½ | to 3 in. | 7.50 | 65.00 | |

***populifolia.** *Gray Birch.*

| | | | | |
|----|-----------|------|-------|--|
| 6 | to 8 ft. | 2.25 | 20.00 | |
| 8 | to 10 ft. | 2.75 | 25.00 | |
| 1¼ | to 1½ in. | 3.25 | 27.50 | |
| 1½ | to 1¾ in. | 3.75 | 32.50 | |
| 1¾ | to 2 in. | 4.50 | 37.50 | |
| 2 | to 2½ in. | 6.50 | 50.00 | |

Broussonetia papyrifera. *Paper Mulberry.*

| | | | | |
|---|-----------|------|-------|--|
| 5 | to 6 ft. | 2.00 | 15.00 | |
| 6 | to 8 ft. | 2.50 | 20.00 | |
| 8 | to 10 ft. | 3.00 | 25.00 | |

Carpinus betulus. *European Hornbeam.*

| | | | | |
|----|-----------|------|-------|--|
| 4 | to 5 ft. | 2.25 | 20.00 | |
| 5 | to 6 ft. | 2.75 | 25.00 | |
| 6 | to 8 ft. | 3.75 | 32.50 | |
| 8 | to 10 ft. | 5.00 | 45.00 | |
| 10 | to 12 ft. | 7.50 | 65.00 | |

caroliniana. *American Hornbeam.*

| | | | | |
|---|-----------|------|-------|--|
| 4 | to 5 ft. | 2.25 | 20.00 | |
| 5 | to 6 ft. | 2.75 | 25.00 | |
| 6 | to 8 ft. | 3.75 | 32.50 | |
| 8 | to 10 ft. | 5.00 | 45.00 | |

Castanea dentata. *American Chestnut.*

| | each | per 10 | per 100 |
|-------------------|------|--------|---------|
| 5 to 6 ft.----- | 1.25 | 10.00 | |
| 6 to 8 ft.----- | 1.60 | 12.50 | |
| 8 to 10 ft.----- | 2.00 | 16.00 | |
| 1¼ to 1½ in.----- | 2.25 | 20.00 | |
| 1½ to 1¾ in.----- | 3.25 | 25.00 | |

sativa. *Spanish Chestnut.*

| | | |
|------------------|------|-------|
| 4 to 5 ft.----- | 1.25 | 10.00 |
| 5 to 6 ft.----- | 1.60 | 12.50 |
| 6 to 8 ft.----- | 2.25 | 17.50 |
| 8 to 10 ft.----- | 2.75 | |

Catalpa bignonioides nana syn. bungei. *Umbrella Catalpa.*

2 yr. heads,

| | | |
|-----------------|------|-------|
| 5 to 6 ft.----- | 2.75 | 25.00 |
| 6 to 8 ft.----- | 3.50 | 32.50 |

kaempferi. *Japanese Catalpa.*

| | | |
|-------------------|------|-------|
| 6 to 8 ft.----- | 1.60 | 12.50 |
| 8 to 10 ft.----- | 2.00 | 16.00 |
| 10 to 12 ft.----- | 2.25 | 20.00 |

speciosa. *Western Catalpa.*

| | | | |
|-------------------|------|-------|--------|
| 6 to 8 ft.----- | 1.25 | 10.00 | 75.00 |
| 8 to 10 ft.----- | 1.60 | 12.50 | 90.00 |
| 1½ to 1¾ in.----- | 2.25 | 20.00 | 160.00 |
| 1¾ to 2 in.----- | 2.50 | 22.50 | 200.00 |
| 2 to 2½ in.----- | 3.50 | 27.50 | 250.00 |

Cedrela sinensis. *Chinese Cedrela.*

| | | |
|-----------------|------|-------|
| 5 to 6 ft.----- | 1.60 | 12.50 |
| 6 to 8 ft.----- | 2.00 | 16.00 |

Celtis occidentalis. *Hackberry.*

| | | |
|-----------------|------|-------|
| 4 to 5 ft.----- | 1.25 | 10.00 |
| 5 to 6 ft.----- | 1.75 | 12.50 |

sinensis. *Chinese Hackberry.*

| | | |
|-----------------|------|-------|
| 5 to 6 ft.----- | 1.60 | 12.50 |
| 6 to 8 ft.----- | 2.00 | 16.00 |

***Cercidiphyllum japonicum.** *Katsura Tree.*

| | | |
|--------------------------------|-------|-------|
| 4 to 5 ft.----- | 2.00 | 16.00 |
| 5 to 6 ft.----- | 2.50 | 20.00 |
| 6 to 8 ft.----- | 3.25 | 25.00 |
| 8 to 10 ft.----- | 3.75 | 32.50 |
| 8 to 10 ft. trans. spec.----- | 12.50 | |
| 10 to 12 ft. trans. spec.----- | 15.00 | |
| 12 to 14 ft. trans. spec.----- | 20.00 | |
| 14 to 16 ft. trans. spec.----- | 25.00 | |

| Cercis canadensis. American Redbud. | | each | per 10 | per 100 |
|--|-------|-------|--------|---------|
| 3 to 4 ft. | ----- | 1.25 | 10.00 | 75.00 |
| 4 to 5 ft. | ----- | 1.50 | 12.50 | |
| 5 to 6 ft. | ----- | 3.00 | 25.00 | |
| 6 to 8 ft. | ----- | 5.00 | | |
| chinensis. Chinese Redbud. | | | | |
| 2 to 3 ft. | ----- | 1.60 | 12.50 | |
| 3 to 4 ft. | ----- | 2.00 | | |
| Cladrastis lutea. Yellow Wood. | | | | |
| 3 to 4 ft. | ----- | 2.00 | 17.50 | |
| 4 to 5 ft. | ----- | 2.25 | 20.00 | |
| *Cornus florida. White Flowering Dogwood. | | | | |
| 3 to 4 ft. | ----- | 1.60 | 12.50 | |
| 4 to 5 ft. | ----- | 2.25 | 20.00 | |
| 5 to 6 ft. | ----- | 2.50 | 22.50 | |
| 6 to 8 ft. | ----- | 3.75 | 32.50 | |
| 8 to 10 ft. | ----- | 5.00 | 45.00 | |
| 5 to 12 ft., heavy specimens, B. & B. | | | | |
| at \$1.50 per foot. | | | | |
| *florida plena. Dbl. White Flg. Dogwood | | | | |
| 3 to 4 ft. | ----- | 6.50 | | |
| 4 to 5 ft. | ----- | 7.50 | | |
| *florida rubra. Red Flowering Dogwood. | | | | |
| 3 to 4 ft. | ----- | 6.50 | | |
| 4 to 5 ft. | ----- | 7.50 | | |
| 5 to 6 ft. | ----- | 10.00 | | |
| 6 to 7 ft. | ----- | 12.50 | | |
| 7 to 8 ft. | ----- | 15.00 | | |
| *Crataegus arnoldiana. Arnold Hawthorn. | | | | |
| 3 to 4 ft. | ----- | 2.00 | 17.50 | |
| 4 to 5 ft. | ----- | 2.50 | 22.50 | |
| *arkansana. Arkansas Hawthorn. | | | | |
| 4 to 5 ft. | ----- | 2.50 | | |
| 5 to 6 ft. | ----- | 3.00 | | |
| *carrierei. Carriere Hawthorn. | | | | |
| 4 to 5 ft. | ----- | 2.50 | 22.50 | |
| 5 to 6 ft. | ----- | 3.00 | 25.00 | |
| 6 to 8 ft. | ----- | 4.50 | 35.00 | |
| 8 to 10 ft. | ----- | 6.00 | | |
| *coccinea. Scarlet-fruited Hawthorn. | | | | |
| 3 to 4 ft. | ----- | 1.75 | 15.00 | 125.00 |
| 4 to 5 ft. | ----- | 2.25 | 17.50 | 150.00 |
| 5 to 6 ft. | ----- | 2.75 | 22.50 | 175.00 |
| 6 to 8 ft. | ----- | 3.75 | 27.50 | 225.00 |
| 8 to 10 ft. | ----- | 4.00 | 35.00 | 300.00 |

| *Crataegus. | each | per 10 | per 100 |
|---|------|--------|---------|
| *coccinioides. | | | |
| 3 to 4 ft.----- | 2.00 | | |
| 4 to 5 ft.----- | 2.50 | | |
| *cordata. <i>Washington Hawthorn.</i> | | | |
| 3 to 4 ft.----- | 2.00 | 17.50 | 150.00 |
| 4 to 5 ft.----- | 2.50 | 22.50 | 175.00 |
| 5 to 6 ft.----- | 3.00 | 25.00 | 200.00 |
| 6 to 8 ft.----- | 4.00 | 30.00 | |
| *crusgalli. <i>Cockspur Thorn.</i> | | | |
| 3 to 4 ft.----- | 1.75 | 15.00 | 125.00 |
| 4 to 5 ft.----- | 2.25 | 17.50 | 150.00 |
| 5 to 6 ft.----- | 2.75 | 22.50 | 175.00 |
| 6 to 8 ft.----- | 3.75 | 27.50 | |
| 8 to 10 ft.----- | 5.00 | 40.00 | |
| *mollis. <i>Downy Hawthorn.</i> | | | |
| 3 to 4 ft.----- | 1.75 | 15.00 | 125.00 |
| 4 to 5 ft.----- | 2.25 | 17.50 | 150.00 |
| 5 to 6 ft.----- | 2.75 | 22.50 | 175.00 |
| 6 to 8 ft.----- | 3.75 | 27.50 | |
| *nitida. <i>Glossy Hawthorn.</i> | | | |
| 3 to 4 ft.----- | 2.00 | | |
| 4 to 5 ft.----- | 2.50 | | |
| 5 to 6 ft.----- | 3.00 | | |
| *oxyacantha. <i>English Hawthorn.</i> | | | |
| 3 to 4 ft.----- | 1.50 | 12.50 | |
| 4 to 5 ft.----- | 2.00 | 16.00 | |
| 5 to 6 ft.----- | 2.50 | 20.00 | |
| 6 to 8 ft.----- | 3.75 | 25.00 | |
| 8 to 10 ft. specimens----- | 7.50 | | |
| *oxyacantha flora plena. <i>Dbf. White Thorn.</i> | | | |
| 3 to 4 ft.----- | 2.50 | 20.00 | |
| 4 to 5 ft.----- | 3.25 | 25.00 | |
| 5 to 6 ft.----- | 3.75 | 32.50 | |
| 6 to 8 ft.----- | 6.50 | 45.00 | |
| *oxyacantha pauli. <i>Paul's Scarlet Thorn.</i> | | | |
| 3 to 4 ft.----- | 2.50 | 20.00 | |
| 4 to 5 ft.----- | 3.25 | 25.00 | |
| 5 to 6 ft.----- | 4.50 | 37.50 | |
| 6 to 8 ft.----- | 7.50 | | |
| *oxyacantha punicea. <i>Sgl. Red Thorn.</i> | | | |
| 4 to 5 ft.----- | 3.25 | 25.00 | |
| 5 to 6 ft.----- | 4.50 | 37.50 | |
| 6 to 8 ft.----- | 7.50 | | |

***Crataegus.**

| | each | per 10 | per 100 |
|--|------|--------|---------|
| *persistens. | | | |
| 3 to 4 ft.----- | 2.00 | | |
| 4 to 5 ft.----- | 2.50 | | |
| 5 to 6 ft.----- | 3.50 | | |
| *prunifolia. Plumleaf Hawthorn. | | | |
| 3 to 4 ft.----- | 2.00 | | |
| 4 to 5 ft.----- | 2.50 | | |
| *punctata. Dotted Hawthorn. | | | |
| 5 to 6 ft.----- | 2.75 | 22.50 | |
| 6 to 8 ft.----- | 3.75 | 27.50 | |
| *tomentosa. Pear Hawthorn. | | | |
| 3 to 4 ft.----- | 2.00 | | |
| *viridis. | | | |
| 4 to 5 ft.----- | 2.50 | | |
| 5 to 6 ft.----- | 3.00 | | |

Diospyros virginiana. Common Persimmon.

| | |
|-----------------|------|
| 4 to 5 ft.----- | 1.25 |
| 5 to 6 ft.----- | 1.60 |
| 6 to 8 ft.----- | 2.25 |

Dirca palustris. Leatherwood.

| | | |
|-------------------|------|-------|
| 18 to 24 in.----- | 1.25 | 10.00 |
|-------------------|------|-------|

***Fagus americana. American Beech.**

| | | |
|-----------------|------|-------|
| 2 to 3 ft.----- | 2.50 | 20.00 |
| 3 to 4 ft.----- | 3.00 | 25.00 |
| 4 to 5 ft.----- | 4.00 | 35.00 |
| 5 to 6 ft.----- | 5.00 | 45.00 |
| 6 to 8 ft.----- | 7.50 | 60.00 |

***sylvatica. European Beech.**

| | | |
|-------------------|-------|-------|
| 3 to 4 ft.----- | 3.00 | 25.00 |
| 4 to 5 ft.----- | 4.50 | 35.00 |
| 5 to 6 ft.----- | 5.50 | 45.00 |
| 6 to 8 ft.----- | 7.50 | |
| 8 to 10 ft.----- | 10.00 | |
| 10 to 12 ft.----- | 12.50 | |

***sylvatica heterophylla. Fernleaf Beech.**

| | |
|-----------------|-------|
| 4 to 5 ft.----- | 7.50 |
| 5 to 6 ft.----- | 10.00 |

***sylvatica pendula. Weeping Beech.**

| | |
|-----------------|-------|
| 5 to 6 ft.----- | 10.00 |
| 6 to 8 ft.----- | 12.50 |

Fagus**sylvatica purpurea. Purple Beech.**

| | each | per 10 | per 100 |
|------------------|-------|--------|---------|
| 5 to 6 ft.----- | 7.50 | | |
| 6 to 8 ft.----- | 10.00 | | |
| 8 to 10 ft.----- | 12.50 | | |

***sylvatica purpurea riversi. River's Beech.**

| | |
|-------------------|-------|
| 5 to 6 ft.----- | 10.00 |
| 6 to 8 ft.----- | 12.50 |
| 8 to 10 ft.----- | 15.00 |
| 10 to 12 ft.----- | 22.50 |

***sylvatica tricolor. Tricolor Beech.**

| | |
|-----------------|-------|
| 4 to 5 ft.----- | 7.50 |
| 5 to 6 ft.----- | 10.00 |
| 6 to 8 ft.----- | 12.50 |

Fraxinus americana. White Ash.

| | | | |
|-------------------|------|-------|--------|
| 8 to 10 ft.----- | 1.75 | 15.00 | 125.00 |
| 1¼ to 1½ in.----- | 2.25 | 17.50 | 150.00 |
| 1½ to 1¾ in.----- | 2.75 | 25.00 | 200.00 |
| 1¾ to 2 in.----- | 3.50 | 32.50 | 300.00 |
| 2 to 2½ in.----- | 5.00 | 45.00 | 400.00 |
| 2½ to 3 in.----- | 6.00 | 50.00 | |
| 3 to 3½ in.----- | 7.50 | | |

excelsior. European Ash.

| | | | |
|-------------------|------|-------|--------|
| 8 to 10 ft.----- | 1.25 | 11.00 | 90.00 |
| 1¼ to 1½ in.----- | 2.00 | 16.00 | 125.00 |
| 1½ to 1¾ in.----- | 2.25 | 20.00 | 160.00 |
| 1¾ to 2 in.----- | 2.50 | 22.50 | 200.00 |
| 2 to 2½ in.----- | 3.50 | 32.50 | |
| 2½ to 3 in.----- | 4.50 | 37.50 | |
| 3 to 3½ in.----- | 6.50 | | |
| 3½ to 4 in.----- | 7.50 | | |

lanceolata. Green Ash.

| | | | |
|-------------------|------|-------|--------|
| 8 to 10 ft.----- | 1.25 | 11.00 | 90.00 |
| 1¼ to 1½ in.----- | 2.00 | 16.00 | 125.00 |
| 1½ to 1¾ in.----- | 2.25 | 20.00 | 160.00 |
| 1¾ to 2 in.----- | 2.50 | 22.50 | 200.00 |
| 2 to 2½ in.----- | 3.50 | 32.50 | 250.00 |
| 2½ to 3 in.----- | 4.50 | 37.50 | |
| 3 to 3½ in.----- | 6.50 | | |
| 3½ to 4 in.----- | 7.50 | | |

mandshurica. Manchurian Ash.

| | | | |
|------------------|------|-------|--|
| 6 to 8 ft.----- | 2.50 | 20.00 | |
| 8 to 10 ft.----- | 3.00 | 25.00 | |

| Fraxinus. | | each | per 10 | per 100 |
|--|----------------------------|-------|--------|---------|
| <i>nigra. Black Ash.</i> | | | | |
| | 1½ to 1½ in.----- | 2.00 | 16.00 | |
| | 1½ to 1¾ in.----- | 2.25 | 20.00 | |
| | 1¾ to 2 in.----- | 2.50 | 22.50 | |
| | 2 to 2½ in.----- | 3.50 | 32.50 | |
| <i>pennsylvanica. Red Ash.</i> | | | | |
| | 1½ to 1¾ in.----- | 2.25 | 20.00 | |
| | 1¾ to 2 in.----- | 2.50 | 22.50 | |
| | 2 to 2½ in.----- | 3.50 | 32.50 | |
| | 2½ to 3 in.----- | 4.50 | 37.50 | |
| | 3 to 3½ in.----- | 6.50 | | |
| <i>quadrangulata. Blue Ash.</i> | | | | |
| | 1½ to 1¾ in.----- | 2.25 | 20.00 | |
| | 1¾ to 2 in.----- | 2.50 | 22.50 | |
| | 2 to 2½ in.----- | 3.50 | 32.50 | |
| | 2½ to 3 in.----- | 4.50 | 37.50 | |
| <i>Ginkgo biloba. Maidenhair-tree.</i> | | | | |
| | 6 to 8 ft.----- | 3.25 | 25.00 | |
| | 8 to 10 ft.----- | 3.75 | 32.50 | |
| | 1¼ to 1½ in.----- | 4.50 | 37.50 | |
| | 1½ to 1¾ in.----- | 5.00 | 45.00 | |
| | 1¾ to 2 in.----- | 6.50 | 50.00 | |
| | 2 to 2½ in.----- | 7.50 | | |
| <i>Gleditschia triacanthos. Honey Locust.</i> | | | | |
| | 4 to 5 ft.----- | .75 | 6.50 | |
| | 5 to 6 ft.----- | 1.00 | 7.50 | |
| | 6 to 8 ft.----- | 1.25 | 10.00 | |
| | 8 to 10 ft.----- | 2.00 | 15.00 | |
| | 10 to 12 ft.----- | 2.75 | 25.00 | |
| <i>triacanthos inermis. Thornless Honeylocust.</i> | | | | |
| | 5 to 6 ft.----- | 2.00 | | |
| | 6 to 8 ft.----- | 2.50 | | |
| <i>Gymnocladus dioica. Kentucky Coffeetree.</i> | | | | |
| | 4 to 5 ft.----- | 2.50 | | |
| <i>Halesia diptera. Two-wing Silverbell.</i> | | | | |
| | 3 to 4 ft.----- | 1.00 | 7.50 | 65.00 |
| | 4 to 5 ft.----- | 1.25 | 10.00 | 75.00 |
| <i>tetraptera. Great Silverbell.</i> | | | | |
| | 3 to 4 ft.----- | 1.00 | 7.50 | 65.00 |
| | 4 to 5 ft.----- | 1.25 | 10.00 | 75.00 |
| | 5 to 6 ft.----- | 2.00 | 12.50 | 100.00 |
| | 6 to 8 ft.----- | 2.25 | 20.00 | 150.00 |
| | 8 to 10 ft.----- | 3.25 | | |
| | 8 to 10 ft. specimens----- | 10.00 | | |

Hicoria ovata. *Shagbark Hickory.*

| | each | per 10 | per 100 |
|-----------------|------|--------|---------|
| 3 to 4 ft.----- | 2.00 | | |
| 4 to 5 ft.----- | 2.50 | | |

Juglans cinerea. *Butternut.*

| | | | |
|-------------------|------|-------|--|
| 6 to 8 ft.----- | 1.60 | 12.50 | |
| 8 to 10 ft.----- | 2.00 | 16.00 | |
| 1½ to 1¾ in.----- | 2.50 | 22.50 | |
| 1¾ to 2 in.----- | 3.25 | 27.50 | |
| 2 to 2½ in.----- | 3.75 | 35.00 | |

nigra. *Black Walnut.*

| | | | |
|-------------------|------|-------|--|
| 5 to 6 ft.----- | 1.25 | 10.00 | |
| 6 to 8 ft.----- | 1.60 | 12.50 | |
| 8 to 10 ft.----- | 2.00 | 16.00 | |
| 1½ to 1¾ in.----- | 2.50 | 22.50 | |
| 1¾ to 2 in.----- | 3.25 | 27.50 | |
| 2 to 2½ in.----- | 3.75 | | |
| 2½ to 3 in.----- | 4.00 | | |

regia. *English or Persian Walnut.*

| | | | |
|-----------------|------|--|--|
| 2 to 3 ft.----- | 1.25 | | |
| 3 to 4 ft.----- | 1.75 | | |

sieboldiana. *Japanese Walnut.*

| | | | |
|-------------------|------|-------|--|
| 5 to 6 ft.----- | 1.60 | 12.50 | |
| 6 to 8 ft.----- | 2.00 | 16.00 | |
| 8 to 10 ft.----- | 2.25 | 20.00 | |
| 1½ to 1¾ in.----- | 2.75 | 25.00 | |
| 1¾ to 2 in.----- | 3.50 | 32.50 | |
| 2 to 2½ in.----- | 5.00 | | |

Koelreuteria paniculata. *Goldenrain Tree.*

| | | | |
|------------------|------|-------|--|
| 4 to 5 ft.----- | 2.50 | 20.00 | |
| 5 to 6 ft.----- | 3.50 | 25.00 | |
| 6 to 8 ft.----- | 5.00 | | |
| 8 to 10 ft.----- | 7.50 | | |

Laburnum alpinum. *Scotch Laburnum.*

| | | | |
|-----------------|------|--|--|
| 4 to 5 ft.----- | 2.50 | | |
| 5 to 6 ft.----- | 3.50 | | |

vulgare. *Goldenchain.*

| | | | |
|------------------------|-------|--|--|
| 3 to 4 ft.----- | 2.00 | | |
| 4 to 5 ft.----- | 2.50 | | |
| 5 to 6 ft.----- | 3.50 | | |
| 6 to 8 ft. heavy----- | 7.50 | | |
| 8 to 10 ft. heavy----- | 10.00 | | |

| * <i>Larix dahurica.</i> | <i>Dahurian Larch.</i> | each | per 10 | per 100 |
|--------------------------|------------------------|------|--------|---------|
| 3 to 4 ft. | ----- | 2.00 | 15.00 | |
| 4 to 5 ft. | ----- | 2.50 | 20.00 | |
| 5 to 6 ft. | ----- | 3.25 | 25.00 | |

| * <i>europa.</i> | <i>European Larch.</i> | | | |
|------------------|------------------------|-------|-------|--------|
| 4 to 5 ft. | ----- | 2.50 | 20.00 | 125.00 |
| 5 to 6 ft. | ----- | 3.25 | 25.00 | 200.00 |
| 6 to 8 ft. | ----- | 4.50 | 37.50 | |
| 8 to 10 ft. | ----- | 6.50 | 50.00 | |
| 10 to 12 ft. | ----- | 10.00 | | |

| * <i>leptolepis.</i> | <i>Japanese Larch.</i> | | | |
|----------------------|------------------------|-------|-------|--|
| 4 to 5 ft. | ----- | 2.50 | 20.00 | |
| 5 to 6 ft. | ----- | 3.25 | 25.00 | |
| 6 to 8 ft. | ----- | 4.50 | 37.50 | |
| 8 to 10 ft. | ----- | 6.50 | 50.00 | |
| 10 to 12 ft. | ----- | 10.00 | 75.00 | |

| * <i>Liquidambar styraciflua.</i> | <i>Sweetgum.</i> | | | |
|-----------------------------------|------------------|-------|-------|--|
| 6 to 8 ft. | ----- | 3.50 | 30.00 | |
| 8 to 10 ft. | ----- | 4.00 | 35.00 | |
| 1½ to 1½ in. | ----- | 4.50 | 40.00 | |
| 1½ to 1¾ in. | ----- | 5.00 | 45.00 | |
| 1¾ to 2 in. | ----- | 6.00 | 50.00 | |
| 2 to 2½ in. | ----- | 7.50 | 60.00 | |
| 2½ to 3 in. | ----- | 12.50 | | |
| 3 to 3½ in. | ----- | 15.00 | | |

| * <i>Liriodendron tulipifera.</i> | <i>Tuliptree.</i> | | | |
|-----------------------------------|-------------------|------|-------|--------|
| 5 to 6 ft. | ----- | 1.50 | 12.50 | |
| 6 to 8 ft. | ----- | 2.00 | 16.00 | 125.00 |
| 8 to 10 ft. | ----- | 2.75 | 20.00 | 160.00 |
| 1½ to 1½ in. | ----- | 3.00 | 25.00 | 200.00 |
| 1½ to 1¾ in. | ----- | 3.25 | 27.50 | 225.00 |
| 1¾ to 2 in. | ----- | 3.75 | 30.00 | 275.00 |
| 2 to 2½ in. | ----- | 4.50 | 37.50 | |
| 2½ to 3 in. | ----- | 5.00 | 45.00 | |
| 3 to 3½ in. | ----- | 7.50 | | |

| * <i>tulipifera pyramidale.</i> | <i>Pyramid Tuliptree.</i> | | | |
|---------------------------------|---------------------------|-------|--|--|
| 6 to 8 ft. | ----- | 8.50 | | |
| 8 to 10 ft. | ----- | 10.00 | | |

| * <i>chinensis.</i> | <i>Chinese Tulip Tree.</i> | | | |
|---------------------|----------------------------|------|--|--|
| 6 to 8 ft. | ----- | 8.50 | | |

Magnolia acuminata. *Cucumber Tree.*

| | each | per 10 | per 100 |
|-------------------|------|--------|---------|
| 6 to 8 ft. | 2.00 | | |
| 8 to 10 ft. | 2.50 | | |
| 1½ to 1¾ in. | 3.25 | | |
| 1¾ to 2 in. | 3.75 | | |
| 2 to 2½ in. | 4.50 | | |

glauca. *Sweetbay.*

| | | | |
|------------------------------|-------|--------|--------|
| 2 to 3 ft. with ball | 3.25 | 25.00 | 225.00 |
| 3 to 4 ft. with ball | 4.50 | 37.50 | 300.00 |
| 4 to 5 ft. with ball | 6.50 | 50.00 | 450.00 |
| 5 to 6 ft. with ball | 7.50 | 65.00 | |
| 6 to 8 ft. with ball | 10.00 | 75.00 | |
| 8 to 10 ft. with ball | 12.50 | 90.00 | |
| 10 to 12 ft. with ball | 15.00 | 125.00 | |

***hypoleuca.** *Silver Magnolia.*

| | |
|-------------------|-------|
| 6 to 8 ft. | 7.50 |
| 8 to 10 ft. | 10.00 |
| 10 to 12 ft. | 12.50 |

stellata. *Star Magnolia.*

| | |
|----------------------------|-------|
| 2 to 3 ft. with ball | 12.50 |
| 3 to 4 ft. with ball | 15.00 |

tripetala. *Umbrella Magnolia.*

| | |
|------------------------------|-------|
| 5 to 6 ft. with ball | 5.00 |
| 6 to 8 ft. with ball | 7.50 |
| 8 to 10 ft. with ball | 10.00 |
| 10 to 12 ft. with ball | 12.50 |

Malus arnoldiana. *Arnold Crab.*

| | | | |
|-----------------|------|-------|--------|
| 3 to 4 ft. | 1.50 | 12.50 | 90.00 |
| 4 to 5 ft. | 2.00 | 15.00 | 125.00 |
| 5 to 6 ft. | 3.25 | 25.00 | |
| 6 to 8 ft. | 3.75 | 32.50 | |

baccata. *Siberian Crab.*

| | | | |
|-----------------|------|-------|--------|
| 3 to 4 ft. | 1.25 | 10.00 | 75.00 |
| 4 to 5 ft. | 1.50 | 12.50 | 100.00 |
| 5 to 6 ft. | 2.50 | 22.50 | 200.00 |
| 6 to 8 ft. | 3.50 | 30.00 | |

coronaria. *Wild Sweet Crab.*

| | | | |
|-----------------|------|-------|--------|
| 3 to 4 ft. | 1.25 | 10.00 | 75.00 |
| 4 to 5 ft. | 1.60 | 12.50 | 90.00 |
| 5 to 6 ft. | 2.25 | 16.00 | 115.00 |
| 6 to 8 ft. | 2.50 | 20.00 | |

Elisa Rathke. *Weeping Flg. Apple.*

| | |
|-------------------------|------|
| 3 to 4 ft. spread | 2.00 |
|-------------------------|------|

| Malus. | each | per 10 | per 100 |
|--|-------|--------|---------|
| floribunda. Japanese Flowering Crab. | | | |
| 3 to 4 ft.----- | 1.25 | 10.00 | 75.00 |
| 4 to 5 ft.----- | 1.50 | 12.50 | 100.00 |
| 5 to 6 ft.----- | 2.50 | 22.50 | 200.00 |
| 6 to 8 ft.----- | 3.50 | 30.00 | 250.00 |
| floribunda atrosanguinea. Carmine Crab. | | | |
| 3 to 4 ft.----- | 1.25 | 10.00 | 75.00 |
| 4 to 5 ft.----- | 1.50 | 12.50 | 100.00 |
| 5 to 6 ft.----- | 2.50 | 22.50 | 200.00 |
| 6 to 8 ft.----- | 3.50 | 30.00 | |
| 8 to 10 ft. specimens----- | 10.00 | | |
| floribunda purpurea. Purple Crab. | | | |
| 3 to 4 ft.----- | 1.25 | 10.00 | 75.00 |
| 4 to 5 ft.----- | 1.50 | 12.50 | 100.00 |
| 5 to 6 ft.----- | 2.50 | 22.50 | 200.00 |
| 6 to 8 ft.----- | 3.50 | 30.00 | |
| halliana parkmani. Parkman Crab. | | | |
| 3 to 4 ft.----- | 2.25 | 17.50 | 150.00 |
| 4 to 5 ft.----- | 3.00 | 22.50 | 200.00 |
| 5 to 6 ft.----- | 3.75 | 32.50 | 250.00 |
| 6 to 8 ft.----- | 5.00 | 40.00 | |
| hopa. Red Flowering Crab. | | | |
| 3 to 4 ft.----- | 1.25 | 10.00 | |
| 4 to 5 ft.----- | 1.50 | 12.50 | |
| ioensis bechteli. Bechtel Crab. | | | |
| 3 to 4 ft.----- | 1.25 | 10.00 | 75.00 |
| 4 to 5 ft.----- | 1.50 | 12.50 | 100.00 |
| 5 to 6 ft.----- | 3.00 | 22.50 | 200.00 |
| 6 to 8 ft.----- | 4.00 | | |
| kaido. Red Flg. Crab. | | | |
| 3 to 4 ft.----- | 2.50 | 20.00 | 150.00 |
| 4 to 5 ft.----- | 3.50 | 25.00 | 200.00 |
| 5 to 6 ft.----- | 3.75 | 32.50 | |
| micromalus. Midget Crab. | | | |
| 3 to 4 ft.----- | 2.00 | 12.50 | |
| 4 to 5 ft.----- | 2.50 | 20.00 | |
| niedzwetzkyana. Redvein Crab. | | | |
| 3 to 4 ft.----- | 1.25 | 10.00 | 75.00 |
| 4 to 5 ft.----- | 1.50 | 12.50 | 100.00 |
| 5 to 6 ft.----- | 3.00 | 22.50 | 200.00 |
| 6 to 8 ft.----- | 4.00 | 32.50 | |

Malus.**purpurea eleyi.** *Eley Flowering Crab.*

| | each | per 10 | per 100 |
|-----------------|------|--------|---------|
| 3 to 4 ft.----- | 1.25 | 10.00 | 75.00 |
| 4 to 5 ft.----- | 1.50 | 12.50 | 100.00 |
| 5 to 6 ft.----- | 2.50 | 22.50 | 200.00 |

prunifolia rinki. *Chinese Apple.*

| | | | |
|-----------------|------|-------|--|
| 3 to 4 ft.----- | 2.00 | 12.50 | |
| 4 to 5 ft.----- | 2.50 | 20.00 | |
| 5 to 6 ft.----- | 3.25 | 25.00 | |

sargentii. *Sargent Crab.*

| | | | |
|-----------------|------|-------|--------|
| 3 to 4 ft.----- | 1.50 | 12.50 | 90.00 |
| 4 to 5 ft.----- | 2.00 | 15.00 | 125.00 |

scheideckeri. *Scheidecker Crab.*

| | | | |
|-----------------|------|-------|--------|
| 3 to 4 ft.----- | 1.50 | 12.50 | 90.00 |
| 4 to 5 ft.----- | 2.00 | 15.00 | 125.00 |
| 5 to 6 ft.----- | 3.25 | 25.00 | |
| 6 to 8 ft.----- | 5.00 | | |

sieboldi. *Toringo Crab.*

| | | | |
|------------------|------|-------|--------|
| 3 to 4 ft.----- | 1.25 | 10.00 | 75.00 |
| 4 to 5 ft.----- | 1.60 | 12.50 | 90.00 |
| 5 to 6 ft.----- | 2.00 | 16.00 | 125.00 |
| 6 to 8 ft.----- | 3.25 | 25.00 | 200.00 |
| 8 to 10 ft.----- | 3.75 | 32.50 | 250.00 |

sieboldi calocarpa. *Small-fruited Toringo Crab.*

| | | | |
|-----------------|------|-------|--------|
| 3 to 4 ft.----- | 1.25 | 10.00 | 90.00 |
| 4 to 5 ft.----- | 1.60 | 12.50 | 100.00 |
| 5 to 6 ft.----- | 2.00 | 16.00 | |

spectabilis. *Chinese Flowering Crab.*

| | | | |
|-----------------|------|-------|--|
| 3 to 4 ft.----- | 2.00 | 12.50 | |
| 4 to 5 ft.----- | 2.50 | 20.00 | |
| 5 to 6 ft.----- | 3.25 | 25.00 | |

spectabilis alba plena.*Dbl. White Chinese Crab.*

| | | | |
|-----------------|------|-------|--|
| 3 to 4 ft.----- | 2.00 | 12.50 | |
| 4 to 5 ft.----- | 2.50 | 20.00 | |
| 5 to 6 ft.----- | 3.25 | 25.00 | |
| 6 to 8 ft.----- | 3.75 | 32.50 | |

theifera. *Tea Crab.*

| | | | |
|-----------------|------|--|--|
| 3 to 4 ft.----- | 2.00 | | |
| 4 to 5 ft.----- | 2.50 | | |

Malus.

| zumi. Zumi Crab. | each | per 10 | per 100 |
|-------------------------|-------------|---------------|----------------|
| 3 to 4 ft.----- | 1.50 | 12.50 | 90.00 |
| 4 to 5 ft.----- | 2.00 | 15.00 | 125.00 |
| 5 to 6 ft.----- | 3.25 | 25.00 | |
| 6 to 8 ft.----- | 3.75 | 32.50 | |
| 8 to 10 ft.----- | 4.50 | 37.50 | |

Morus alba pendula. Weeping Mulberry

3 yr. heads, 5 to 7 ft. stems 3.75

alba tartarica. Russian Mulberry.

| | | | |
|------------------|------|-------|-------|
| 4 to 5 ft.----- | .65 | 4.50 | 35.00 |
| 5 to 6 ft.----- | .75 | 6.50 | 45.00 |
| 6 to 8 ft.----- | 1.25 | 10.00 | 65.00 |
| 8 to 10 ft.----- | 1.60 | 12.50 | |

Nyssa sylvatica. Tupelo.

| | | | |
|-----------------|------|-------|--|
| 3 to 4 ft.----- | 1.60 | 12.50 | |
| 4 to 5 ft.----- | 2.00 | 16.00 | |
| 5 to 6 ft.----- | 2.25 | 20.00 | |

Ostrya virginiana. American Hophornbeam.

| | | | |
|------------------|------|-------|--------|
| 5 to 6 ft.----- | 1.60 | 12.50 | 90.00 |
| 6 to 8 ft.----- | 2.00 | 16.00 | 125.00 |
| 8 to 10 ft.----- | 2.25 | 20.00 | 160.00 |

Oxydendrum. (See Shrubs).**Paulownia tomentosa. Royal Paulownia.**

| | | | |
|-------------------|------|-------|--|
| 6 to 8 ft.----- | 2.75 | 25.00 | |
| 8 to 10 ft.----- | 3.75 | 35.00 | |
| 10 to 12 ft.----- | 5.00 | | |

Phellodendron amurense. Amur Corktree.

| | | | |
|-------------------|------|-------|--------|
| 6 to 8 ft.----- | 2.00 | 16.00 | 125.00 |
| 8 to 10 ft.----- | 2.50 | 22.50 | 200.00 |
| 1½ to 1½ in.----- | 3.25 | 27.50 | |
| 1½ to 1¾ in.----- | 3.50 | 32.50 | |
| 1¾ to 2 in.----- | 3.75 | 35.00 | |
| 2 to 2½ in.----- | 4.50 | 37.50 | |
| 2½ to 3 in.----- | 5.00 | 45.00 | |
| 3 to 3½ in.----- | 6.50 | 50.00 | |

Platanus orientalis. European Planetree.

| | | | |
|-------------------|-------|-------|--------|
| 1½ to 1½ in.----- | 3.25 | 27.50 | 250.00 |
| 1½ to 1¾ in.----- | 3.50 | 32.50 | 275.00 |
| 1¾ to 2 in.----- | 5.00 | 45.00 | 375.00 |
| 2 to 2½ in.----- | 6.50 | 50.00 | 450.00 |
| 2½ to 3 in.----- | 7.50 | 60.00 | |
| 3 to 3½ in.----- | 10.00 | | |

Populus alba. White Poplar.

| | each | per 10 | per 100 |
|-------------------|------|--------|---------|
| 6 to 8 ft.----- | 1.10 | 10.00 | 75.00 |
| 8 to 10 ft.----- | 1.25 | 11.00 | 90.00 |
| 10 to 12 ft.----- | 2.00 | 16.00 | 125.00 |
| 1½ to 1¾ in.----- | 2.25 | 20.00 | |
| 1¾ to 2 in.----- | 3.25 | 25.00 | |
| 2 to 2½ in.----- | 4.00 | 30.00 | |

berolinensis. Volga Poplar.

| | | |
|------------------|------|-------|
| 6 to 8 ft.----- | 1.25 | 10.00 |
| 8 to 10 ft.----- | 1.50 | 12.50 |

bolleana. Bolleana Poplar.

| | | | |
|-------------------|-------|-------|--------|
| 6 to 8 ft.----- | 1.75 | 15.00 | 125.00 |
| 8 to 10 ft.----- | 2.00 | 17.50 | 150.00 |
| 1¼ to 1½ in.----- | 2.75 | 22.50 | 200.00 |
| 1½ to 1¾ in.----- | 3.75 | | |
| 1¾ to 2 in.----- | 5.00 | | |
| 2 to 2½ in.----- | 6.50 | | |
| 2½ to 3 in.----- | 10.00 | | |

certinensis. Certinensis Poplar

| | | | |
|-------------------|------|-------|--------|
| 6 to 8 ft.----- | 1.25 | 10.00 | 75.00 |
| 8 to 10 ft.----- | 1.60 | 12.50 | 100.00 |
| 10 to 12 ft.----- | 2.00 | 16.00 | |

nigra italica. Lombardy Poplar.

| | | | |
|---------------------------|------|-------|--------|
| 6 to 8 ft. low branched | .75 | 6.00 | 50.00 |
| 8 to 10 ft. low branched | 1.00 | 7.50 | 65.00 |
| 10 to 12 ft. low branched | 1.50 | 12.50 | 90.00 |
| 1½ to 1¾ in. low branched | 1.75 | 15.00 | 125.00 |
| 1¾ to 2 in. low branched | 2.50 | 20.00 | 175.00 |
| 2 to 2½ in. low branched | 4.50 | 37.50 | |
| 2½ to 3 in. low branched | 6.50 | 50.00 | |

tremuloides. Quaking Aspen.

| | | |
|------------------|------|-------|
| 6 to 8 ft.----- | 1.25 | 10.00 |
| 8 to 10 ft.----- | 1.50 | 12.50 |

trichocarpa. Black Cottonwood.

| | | |
|-------------------|------|-------|
| 6 to 8 ft.----- | 1.25 | 10.00 |
| 8 to 10 ft.----- | 1.60 | 12.50 |
| 10 to 12 ft.----- | 2.00 | 16.00 |

Prunus avium plena. Double White Flowering Cherry.

| | | |
|---------------------------|-------|-------|
| 5 to 6 ft.----- | 4.50 | 37.50 |
| 6 to 8 ft.----- | 6.50 | 50.00 |
| 8 to 10 ft.----- | 10.00 | |
| 3 to 4 in. specimens----- | 25.00 | |

Prunus.

| | | each | per 10 | per 100 |
|--|-------|-------|--------|---------|
| lannesiana. <i>Hitoye Cherry.</i> | | | | |
| 4 to 5 ft. | ----- | 2.00 | 16.00 | |
| 5 to 6 ft. | ----- | 2.50 | 20.00 | |
| 6 to 8 ft. | ----- | 3.75 | 32.50 | |
| 8 to 10 ft. | ----- | 5.00 | 40.00 | |
| padus. <i>European Bird Cherry.</i> | | | | |
| 4 to 5 ft. | ----- | .65 | 5.00 | 40.00 |
| 5 to 6 ft. | ----- | .75 | 6.50 | 50.00 |
| 6 to 8 ft. | ----- | 1.25 | 10.00 | 65.00 |
| 8 to 10 ft. | ----- | 1.60 | 12.50 | |
| persica. (<i>See Amygdalus</i>). | | | | |
| serotina. <i>Wild Black Cherry.</i> | | | | |
| 4 to 5 ft. | ----- | .75 | 6.00 | 50.00 |
| 5 to 6 ft. | ----- | 1.00 | 7.50 | 60.00 |
| 6 to 8 ft. | ----- | 1.25 | 10.00 | 75.00 |
| 8 to 10 ft. | ----- | 1.50 | 12.50 | 100.00 |
| serrulata. <i>Oriental Cherry.</i> | | | | |
| 4 to 5 ft. | ----- | 2.00 | 16.00 | 125.00 |
| 5 to 6 ft. | ----- | 2.50 | 20.00 | 160.00 |
| 6 to 8 ft. | ----- | 3.75 | 32.50 | 225.00 |
| 8 to 10 ft. | ----- | 5.00 | 37.50 | |
| serrulata <i>Higantakura. Dbl. White Flg. Cherry.</i> | | | | |
| 4 to 5 ft. | ----- | 3.25 | | |
| 5 to 6 ft. | ----- | 4.50 | | |
| 6 to 8 ft. | ----- | 6.50 | | |
| serrulata <i>Hisakura. Dbl. Pink Flg. Cherry.</i> | | | | |
| 4 to 5 ft. | ----- | 3.25 | | |
| 5 to 6 ft. | ----- | 4.50 | | |
| 6 to 8 ft. | ----- | 6.50 | | |
| serrulata <i>James H. Veitch.</i> | | | | |
| 4 to 5 ft. | ----- | 3.25 | | |
| 5 to 6 ft. | ----- | 4.50 | | |
| 6 to 8 ft. | ----- | 6.50 | | |
| serrulata <i>sachalinensis. Yama Cherry.</i> | | | | |
| 4 to 5 ft. | ----- | 2.00 | 16.50 | |
| 5 to 6 ft. | ----- | 2.50 | 20.00 | |
| 6 to 8 ft. | ----- | 3.75 | 32.50 | |
| 8 to 10 ft. | ----- | 5.00 | 45.00 | |
| sieboldi. <i>Siebold Cherry.</i> | | | | |
| 5 to 6 ft. | ----- | 6.00 | | |
| 6 to 8 ft. | ----- | 7.50 | | |
| 8 to 10 ft. | ----- | 10.00 | | |

Prunus

| subhirtella. Higan Cherry. | each | per 10 | per 100 |
|-----------------------------------|------|--------|---------|
| 4 to 5 ft.----- | 2.75 | 25.00 | |
| 5 to 6 ft.----- | 3.25 | | |
| 6 to 8 ft.----- | 4.50 | | |
| 8 to 10 ft.----- | 7.50 | | |

| | |
|--|------|
| subhirtella ascendens. Shiro-higan. | |
| 4 to 5 ft., top grafted----- | 5.00 |

subhirtella autumnale.*Autumn flowering Higan Cherry.*

| | | |
|------------------|------|-------|
| 4 to 5 ft.----- | 3.25 | 25.00 |
| 5 to 6 ft.----- | 4.50 | 37.50 |
| 6 to 8 ft.----- | 6.50 | 50.00 |
| 8 to 10 ft.----- | 9.00 | |

subhirtella pendula. Weeping Higan Cherry.

| | |
|------------------------------|------|
| 2 yr. heads, 4 to 6 ft. stem | 6.50 |
|------------------------------|------|

yedoensis. Yoshino Cherry.

| | |
|-----------------|------|
| 5 to 6 ft.----- | 4.50 |
|-----------------|------|

Ptelea trifoliata. Hoptree.

| | | | |
|------------------|------|-------|--------|
| 3 to 4 ft.----- | .65 | 5.00 | 40.00 |
| 4 to 5 ft.----- | .75 | 6.50 | 50.00 |
| 5 to 6 ft.----- | 1.00 | 7.50 | 65.00 |
| 6 to 8 ft.----- | 1.60 | 12.50 | 90.00 |
| 8 to 10 ft.----- | 2.00 | 16.00 | 125.00 |

Quercus alba. White Oak.

| | | |
|-------------------|-------|-------|
| 6 to 8 ft.----- | 3.75 | 32.50 |
| 1½ to 1½ in.----- | 4.50 | 37.50 |
| 1½ to 1¾ in.----- | 5.00 | 45.00 |
| 1¾ to 2 in.----- | 6.50 | 50.00 |
| 2 to 2½ in.----- | 7.50 | 65.00 |
| 2½ to 3 in.----- | 10.00 | 75.00 |

bicolor. Swamp White Oak.

| | |
|-------------------|------|
| 6 to 8 ft.----- | 3.75 |
| 1½ to 1½ in.----- | 4.50 |
| 1½ to 1¾ in.----- | 5.50 |
| 1¾ to 2 in.----- | 6.50 |
| 2 to 2½ in.----- | 7.50 |

cerris. European Turkey Oak.

| | | |
|-------------------|------|-------|
| 1½ to 1½ in.----- | 3.50 | 32.50 |
| 1½ to 1¾ in.----- | 4.00 | 37.50 |
| 1¾ to 2 in.----- | 4.75 | 45.00 |
| 2 to 2½ in.----- | 6.50 | 55.00 |
| 2½ to 3 in.----- | 7.50 | 67.50 |

Quercus

| coccinea. <i>Scarlet Oak.</i> | each | per 10 | per 100 |
|---|-------|--------|---------|
| 1¼ to 1½ in.----- | 4.50 | | |
| 1½ to 1¾ in.----- | 5.00 | | |
| 1¾ to 2 in.----- | 6.50 | | |
| 2 to 2½ in.----- | 7.50 | | |
| 2½ to 3 in.----- | 10.00 | | |
| 3 to 3½ in.----- | 12.50 | | |
| 3½ to 4 in.----- | 17.50 | | |
| ilicifolia. <i>Scrub Oak.</i> | | | |
| 1¼ to 1½ in.----- | 3.50 | 32.50 | |
| 1½ to 1¾ in.----- | 3.75 | 35.00 | |
| 1¾ to 2 in.----- | 4.50 | 37.50 | |
| 2 to 2½ in.----- | 6.50 | 50.00 | |
| macrocarpa. <i>Mossycup Oak.</i> | | | |
| 6 to 8 ft.----- | 3.75 | 32.50 | |
| 1¼ to 1½ in.----- | 4.50 | 37.50 | |
| 1½ to 1¾ in.----- | 5.00 | 45.00 | |
| 2 to 2½ in.----- | 6.50 | 55.00 | |
| palustris. <i>Pin Oak.</i> | | | |
| 6 to 8 ft.----- | 3.25 | 27.50 | |
| 1¼ to 1½ in.----- | 4.50 | 40.00 | |
| 1½ to 1¾ in.----- | 5.00 | 47.50 | |
| 1¾ to 2 in.----- | 6.50 | 55.00 | |
| 2 to 2½ in.----- | 7.50 | 65.00 | |
| 2½ to 3 in.----- | 10.00 | 75.00 | |
| 3 to 3½ in.----- | 12.50 | | |
| 3½ to 4 in.----- | 17.50 | | |
| 4 to 5 in.----- | 25.00 | | |
| phellos. <i>Willow Oak.</i> | | | |
| 6 to 8 ft.----- | 3.75 | 32.50 | |
| 8 to 10 ft.----- | 4.50 | 37.50 | |
| 10 to 12 ft.----- | 5.50 | 50.00 | |
| prinus. <i>Chestnut Oak.</i> | | | |
| 6 to 8 ft.----- | 2.50 | 22.50 | |
| 8 to 10 ft.----- | 3.25 | 25.00 | |
| 1¼ to 1½ in.----- | 3.75 | 32.50 | |
| 1½ to 1¾ in.----- | 5.00 | 45.00 | |
| 1¾ to 2 in.----- | 6.50 | 50.00 | |
| 2 to 2½ in.----- | 7.50 | | |
| 2½ to 3 in.----- | 10.00 | | |

Quercus.

| robur. | <i>English Oak.</i> | each | per 10 | per 100 |
|---------------|---------------------|-------|--------|---------|
| 1½ | to 1¾ in. | 4.50 | 37.50 | |
| 1¾ | to 2 in. | 5.00 | 45.00 | |
| 2 | to 2½ in. | 6.50 | 55.00 | |
| 2½ | to 3 in. | 10.00 | 75.00 | |

| rubra. | <i>Red Oak.</i> | | | |
|---------------|-----------------|-------|-------|--|
| 6 | to 8 ft. | 3.75 | 32.50 | |
| 1¼ | to 1½ in. | 4.50 | 40.00 | |
| 1½ | to 1¾ in. | 5.00 | 47.50 | |
| 1¾ | to 2 in. | 6.50 | 55.00 | |
| 2 | to 2½ in. | 7.50 | 65.00 | |
| 2½ | to 3 in. | 10.00 | 75.00 | |
| 3 | to 3½ in. | 12.50 | | |

| velutina. | <i>Black Oak.</i> | | | |
|------------------|-------------------|-------|-------|--|
| 6 | to 8 ft. | 3.75 | 32.50 | |
| 1¼ | to 1½ in. | 4.50 | 37.50 | |
| 1½ | to 1¾ in. | 5.00 | 45.00 | |
| 1¾ | to 2 in. | 6.50 | 50.00 | |
| 2 | to 2½ in. | 7.50 | 65.00 | |
| 2½ | to 3 in. | 10.00 | 75.00 | |
| 3 | to 3½ in. | 12.50 | | |
| 3½ | to 4 in. | 17.50 | | |

| Robinia | <i>pseudoacacia. Common Locust.</i> | | | |
|----------------|-------------------------------------|------|-------|--------|
| 5 | to 6 ft. | .65 | 5.50 | 45.00 |
| 6 | to 8 ft. | 1.00 | 7.50 | 65.00 |
| 8 | to 10 ft. | 1.60 | 12.50 | 90.00 |
| 10 | to 12 ft. | 2.00 | 16.00 | 125.00 |

| pseudoacacia | <i>bessoniana. Besson Locust.</i> | | | |
|---------------------|-----------------------------------|------|--|--|
| 6 | to 8 ft. | 4.00 | | |

| neomexicana. | <i>New Mexican Locust.</i> | | | |
|---------------------|----------------------------|------|--|--|
| 8 | to 10 ft. | 5.00 | | |

| hispida. | <i>Rose Acacia.</i> | | | |
|-----------------|---------------------|------|--|--|
| 2 yr. standard, | 3 to 4 ft. | 2.00 | | |
| 2 yr. standard, | 4 to 5 ft. | 2.50 | | |

| Salix | <i>babylonica. Babylon Weeping Willow.</i> | | | |
|--------------|--|------|-------|--------|
| 6 | to 8 ft. | 1.60 | 12.50 | 90.00 |
| 8 | to 10 ft. | 2.00 | 16.00 | 125.00 |
| 1¼ | to 1½ in. | 2.25 | 20.00 | |
| 1½ | to 1¾ in. | 2.50 | 22.50 | |
| 1¾ | to 2 in. | 3.25 | 25.00 | |
| 2 | to 2½ in. | 3.75 | 32.50 | |

Salix.

babylonica aurea pendula. *Golden Weeping Willow.*

| | | | each | per 10 | per 100 |
|----|----|--------|------|--------|---------|
| 6 | to | 8 ft. | 1.60 | 12.50 | 100.00 |
| 8 | to | 10 ft. | 2.00 | 16.00 | 125.00 |
| 1¼ | to | 1½ in. | 2.25 | 20.00 | |
| 1½ | to | 1¾ in. | 2.50 | 22.50 | |
| 1¾ | to | 2 in. | 3.25 | 25.00 | |

babylonica dolorosa. *Wisconsin Weeping Willow.*

| | | | | | |
|---|----|--------|------|-------|--|
| 6 | to | 8 ft. | 1.60 | 12.50 | |
| 8 | to | 10 ft. | 2.00 | 16.00 | |

babylonica salamoni. *Salamon Weeping Willow.*

| | | | | | |
|----|----|--------|------|-------|--------|
| 6 | to | 8 ft. | 1.60 | 12.50 | 90.00 |
| 8 | to | 10 ft. | 2.00 | 16.00 | 125.00 |
| 1¼ | to | 1½ in. | 2.25 | 20.00 | 160.00 |
| 1½ | to | 1¾ in. | 2.50 | 22.50 | 200.00 |
| 1¾ | to | 2 in. | 3.25 | 27.50 | |
| 2 | to | 2½ in. | 3.75 | 32.50 | |
| 2½ | to | 3 in. | 5.00 | 37.50 | |
| 3 | to | 3½ in. | 6.50 | | |

caprea. *Goat Willow.*

| | | | | | |
|---|----|--------|------|-------|-------|
| 5 | to | 6 ft. | .75 | 6.50 | 50.00 |
| 6 | to | 8 ft. | 1.00 | 7.50 | 60.00 |
| 8 | to | 10 ft. | 1.25 | 10.00 | |

discolor. *Pussy Willow.*

| | | | | | |
|---|----|-------|------|------|-------|
| 4 | to | 5 ft. | .75 | 6.50 | 50.00 |
| 5 | to | 6 ft. | 1.00 | 7.50 | |

elegantissima. *Thurlow Weeping Willow.*

| | | | | | |
|---|----|--------|------|-------|--|
| 6 | to | 8 ft. | 1.60 | 12.50 | |
| 8 | to | 10 ft. | 2.00 | 16.00 | |

pentandra. *Laurel Willow.*

| | | | | | |
|----|----|--------|------|-------|--|
| 6 | to | 8 ft. | 1.60 | 12.50 | |
| 8 | to | 10 ft. | 2.00 | 16.00 | |
| 1¼ | to | 1½ in. | 2.25 | 20.00 | |
| 1½ | to | 1¾ in. | 2.50 | 22.50 | |
| 1¾ | to | 2 in. | 3.25 | 27.50 | |

regalis. *Royal Willow.*

| | | | | | |
|---|----|--------|------|-------|--|
| 4 | to | 5 ft. | 1.00 | 6.50 | |
| 5 | to | 6 ft. | 1.25 | 10.00 | |
| 6 | to | 8 ft. | 1.60 | 12.50 | |
| 8 | to | 10 ft. | 2.00 | 16.00 | |

rosmarinifolia. *(See Shrubs).*

Salix.

sieboldiana. *Siebold Willow.*

| | each | per 10 | per 100 |
|------------------|------|--------|---------|
| 5 to 6 ft.----- | 1.00 | 7.50 | |
| 6 to 8 ft.----- | 1.25 | 10.00 | |
| 8 to 10 ft.----- | 1.60 | 12.50 | |

vitellina. *Golden Willow.*

| | | | |
|-------------------|------|-------|--------|
| 6 to 8 ft.----- | 1.25 | 10.00 | 75.00 |
| 8 to 10 ft.----- | 1.60 | 12.50 | 100.00 |
| 1¼ to 1½ in.----- | 2.00 | 16.00 | 125.00 |
| 1½ to 1¾ in.----- | 2.25 | 20.00 | 160.00 |
| 1¾ to 2 in.----- | 2.50 | 22.50 | 200.00 |
| 2 to 2½ in.----- | 3.25 | 27.50 | |
| 2½ to 3 in.----- | 3.75 | 32.50 | |

vitellina britzensis. *Bronze Golden Willow.*

| | | | |
|-------------------|------|-------|-------|
| 5 to 6 ft.----- | 1.00 | 7.50 | 65.00 |
| 6 to 8 ft.----- | 1.25 | 10.00 | 75.00 |
| 8 to 10 ft.----- | 1.60 | 12.50 | 90.00 |
| 1½ to 1¾ in.----- | 2.25 | 20.00 | |
| 1¾ to 2 in.----- | 2.50 | 22.50 | |

Sassafras variifolium. *Sassafras.*

| | | | |
|-----------------|------|-------|--------|
| 4 to 5 ft.----- | 1.00 | 7.50 | 60.00 |
| 5 to 6 ft.----- | 1.25 | 10.00 | 75.00 |
| 6 to 8 ft.----- | 1.60 | 12.50 | 100.00 |

Sorbus americana. *American Mountain Ash.*

| | | | |
|-----------------|------|-------|--|
| 6 to 8 ft.----- | 2.50 | 20.00 | |
|-----------------|------|-------|--|

aria latifolia. *White Beam-tree.*

| | | | |
|------------------|------|-------|--|
| 6 to 8 ft.----- | 1.60 | 12.50 | |
| 8 to 10 ft.----- | 2.00 | 16.00 | |

aucuparia. *European Mountain Ash.*

| | | | |
|-------------------|------|-------|--------|
| 6 to 8 ft.----- | 2.00 | 16.00 | 125.00 |
| 8 to 10 ft.----- | 2.50 | 20.00 | 160.00 |
| 1¼ to 1½ in.----- | 3.25 | 25.00 | |
| 1½ to 1¾ in.----- | 3.75 | 32.50 | |
| 1¾ to 2 in.----- | 4.50 | 37.50 | |
| 2 to 2½ in.----- | 6.50 | | |

quercifolia. *Oak-leaf Mountain Ash.*

| | | | |
|-------------------|------|-------|--|
| 6 to 8 ft.----- | 2.25 | 20.00 | |
| 8 to 10 ft.----- | 2.75 | 25.00 | |
| 1¼ to 1½ in.----- | 3.25 | 27.50 | |
| 1½ to 1¾ in.----- | 3.75 | 32.50 | |
| 1¾ to 2 in.----- | 4.50 | 37.50 | |
| 2 to 2½ in.----- | 6.50 | | |

Syringa japonica. (See *Deciduous Shrubs*).

Taxodium distichum. *Common Baldcypress.*

| | each | per 10 | per 100 |
|-----------------|------|--------|---------|
| 4 to 5 ft.----- | 1.75 | | |
| 5 to 6 ft.----- | 2.00 | | |
| 6 to 8 ft.----- | 2.50 | | |

Tilia americana. *American Linden.*

| | | |
|-------------------|-------|-------|
| 6 to 8 ft.----- | 2.75 | 25.00 |
| 8 to 10 ft.----- | 3.75 | 35.00 |
| 1¼ to 1½ in.----- | 4.50 | 40.00 |
| 1½ to 1¾ in.----- | 5.00 | 45.00 |
| 1¾ to 2 in.----- | 6.50 | 50.00 |
| 2 to 2½ in.----- | 7.50 | 65.00 |
| 2½ to 3 in.----- | 10.00 | 75.00 |
| 3 to 3½ in.----- | 12.50 | |
| 3½ to 4 in.----- | 17.50 | |
| 4 to 5 in.----- | 25.00 | |

euchlora. *Crimean Linden.*

| | | |
|-------------------|-------|-------|
| 1¼ to 1½ in.----- | 4.50 | 40.00 |
| 1½ to 1¾ in.----- | 5.00 | 45.00 |
| 1¾ to 2 in.----- | 6.50 | 50.00 |
| 2 to 2½ in.----- | 7.50 | 65.00 |
| 2½ to 3 in.----- | 10.00 | |
| 3 to 3½ in.----- | 15.00 | |

platyphyllos. *Bigleaf European Linden.*

| | | |
|-------------------|-------|-------|
| 6 to 8 ft.----- | 2.75 | 25.00 |
| 8 to 10 ft.----- | 3.75 | 35.00 |
| 1¼ to 1½ in.----- | 4.50 | 40.00 |
| 1½ to 1¾ in.----- | 5.00 | 45.00 |
| 1¾ to 2 in.----- | 6.50 | 50.00 |
| 2 to 2½ in.----- | 7.50 | 65.00 |
| 2½ to 3 in.----- | 10.00 | 75.00 |

tomentosa. *Silver Linden.*

| | | |
|-------------------|-------|--------|
| 1½ to 1¾ in.----- | 6.50 | 50.00 |
| 1¾ to 2 in.----- | 7.50 | 65.00 |
| 2 to 2½ in.----- | 10.00 | 75.00 |
| 3 to 3½ in.----- | 15.00 | 125.00 |
| 3½ to 4 in.----- | 20.00 | 160.00 |
| 4 to 5 in.----- | 25.00 | |

vulgaris. *Common European Linden.*

| | | |
|-------------------|------|-------|
| 6 to 8 ft.----- | 2.75 | 25.00 |
| 8 to 10 ft.----- | 3.75 | 35.00 |
| 1¼ to 1½ in.----- | 4.50 | 40.00 |
| 1½ to 1¾ in.----- | 5.00 | 45.00 |

Tilia.**vulgaris.** *Common European Linden.*

| | each | per 10 | per 100 |
|-----------------|-------|--------|---------|
| 1¾ to 2 in..... | 6.50 | 50.00 | |
| 2 to 2½ in..... | 7.50 | 65.00 | |
| 2½ to 3 in..... | 10.00 | 75.00 | |
| 3 to 3½ in..... | 12.50 | 100.00 | |
| 3½ to 4 in..... | 17.50 | | |
| 4 to 5 in..... | 25.00 | | |

Ulmus americana. *American Elm.*

| | | | |
|------------------|-------|-------|--------|
| 8 to 10 ft..... | 2.50 | 20.00 | 150.00 |
| 1¼ to 1½ in..... | 3.00 | 22.50 | 200.00 |
| 1½ to 1¾ in..... | 3.50 | 30.00 | 250.00 |
| 1¾ to 2 in..... | 4.50 | 40.00 | 325.00 |
| 2 to 2½ in..... | 7.50 | 55.00 | 450.00 |
| 2½ to 3 in..... | 10.00 | 75.00 | |
| 3 to 3½ in..... | 12.50 | | |
| 3½ to 4 in..... | 15.00 | | |

americana moline. *Moline Elm.*

| | | | |
|------------------|------|-------|--------|
| 6 to 8 ft..... | 3.00 | 25.00 | 225.00 |
| 8 to 10 ft..... | 4.00 | 30.00 | 275.00 |
| 1¼ to 1½ in..... | 5.00 | 40.00 | 350.00 |
| 1½ to 1¾ in..... | 6.00 | | |

americana vase-shaped.

| | | | |
|------------------|------|-------|--|
| 6 to 8 ft..... | 3.00 | 25.00 | |
| 8 to 10 ft..... | 3.50 | 30.00 | |
| 1¼ to 1½ in..... | 5.00 | 40.00 | |
| 1½ to 1¾ in..... | 6.00 | | |

campestris. *English Elm.*

| | | | |
|------------------|-------|--------|--|
| 6 to 8 ft..... | 2.75 | 22.50 | |
| 8 to 10 ft..... | 3.50 | 27.50 | |
| 1¼ to 1½ in..... | 3.75 | 32.50 | |
| 1½ to 1¾ in..... | 5.00 | 40.00 | |
| 1¾ to 2 in..... | 6.50 | 50.00 | |
| 2 to 2½ in..... | 7.50 | 65.00 | |
| 2½ to 3 in..... | 10.00 | 75.00 | |
| 3 to 3½ in..... | 12.50 | 100.00 | |

campestris klemmeri. *Klemmer Elm.*

| | | | |
|----------------|------|--|--|
| 6 to 8 ft..... | 5.00 | | |
|----------------|------|--|--|

campestris latifolia. *Belgian Elm.*

| | | | |
|-----------------|------|--|--|
| 6 to 8 ft..... | 5.00 | | |
| 8 to 10 ft..... | 6.00 | | |

Ulmus

| <i>campestris</i> | <i>monumentalis.</i> | <i>Monument</i> | <i>Elm.</i> | | |
|-------------------|----------------------|-----------------|-------------|---------|--|
| | | each | per 10 | per 100 | |
| 6 | to 8 | ft.----- | 4.00 | | |
| 8 | to 10 | ft.----- | 4.50 | | |
| 1¼ | to 1½ | in.----- | 5.00 | | |
| 1½ | to 1¾ | in.----- | 6.50 | | |
| 1¾ | to 2 | in.----- | 7.50 | | |
| 2 | to 2½ | in.----- | 10.00 | | |

| <i>campestris</i> | <i>purpurea.</i> | <i>Purpleleaf</i> | <i>English</i> | <i>Elm.</i> | |
|-------------------|------------------|-------------------|----------------|-------------|--|
| 6 | to 8 | ft.----- | 2.75 | | |
| 1¾ | to 2 | in.----- | 6.50 | | |
| 2 | to 2½ | in.----- | 7.50 | | |

| <i>campestris</i> | <i>vegeta.</i> | <i>Huntingdon</i> | <i>Elm.</i> | | |
|-------------------|----------------|-------------------|-------------|--------|--------|
| 8 | to 10 | ft.----- | 3.50 | 27.50 | 225.00 |
| 1¼ | to 1½ | in.----- | 3.75 | 32.50 | 250.00 |
| 1½ | to 1¾ | in.----- | 5.00 | 40.00 | 325.00 |
| 1¾ | to 2 | in.----- | 6.50 | 50.00 | |
| 2 | to 2½ | in.----- | 7.50 | 65.00 | |
| 2½ | to 3 | in.----- | 10.00 | 75.00 | |
| 3 | to 3½ | in.----- | 12.50 | 100.00 | |
| 3½ | to 4 | in.----- | 17.50 | | |
| 4 | to 5 | in.----- | 25.00 | | |

| <i>fulva.</i> | <i>Slippery</i> | <i>Elm.</i> | | |
|---------------|-----------------|-------------|------|-------|
| 1¼ | to 1½ | in.----- | 3.50 | 27.50 |
| 1½ | to 1¾ | in.----- | 4.50 | 37.50 |
| 1¾ | to 2 | in.----- | 5.50 | 45.00 |
| 2 | to 2½ | in.----- | 6.50 | 50.00 |

| glabra. | <i>Scotch</i> | <i>Elm.</i> | | | |
|----------------|---------------|-------------|-------|--------|--------|
| 8 | to 10 | ft.----- | 3.50 | 27.50 | 225.00 |
| 1¼ | to 1½ | in.----- | 3.75 | 32.50 | 250.00 |
| 1½ | to 1¾ | in.----- | 5.00 | 40.00 | 325.00 |
| 1¾ | to 2 | in.----- | 6.50 | 50.00 | 375.00 |
| 2 | to 2½ | in.----- | 7.50 | 65.00 | |
| 2½ | to 3 | in.----- | 10.00 | 75.00 | |
| 3 | to 3½ | in.----- | 12.50 | 100.00 | |

| <i>glabra</i> | <i>camperdowni.</i> | <i>Camperdown</i> | <i>Elm.</i> | |
|---------------|---------------------|-------------------|-------------|--|
| 6 | ft. stem----- | 5.00 | | |

| <i>japonica.</i> | <i>Japanese</i> | <i>Elm.</i> | |
|------------------|-----------------|-------------|-------|
| 6 | to 8 | ft.----- | 5.00 |
| 8 | to 10 | ft.----- | 6.50 |
| 1¾ | to 2 | in.----- | 10.00 |
| 2 | to 2½ | in.----- | 12.50 |

Ulmus.**parviflora. Chinese Elm.**

| | each | per 10 | per 100 |
|-----------------|------|--------|---------|
| 3 to 4 ft.----- | 1.50 | 12.50 | 100.00 |
| 4 to 5 ft.----- | 2.00 | 17.50 | 150.00 |
| 5 to 6 ft.----- | 2.50 | 22.50 | |

pumila. Dwarf Asiatic Elm.

| | | | |
|------------------|------|-------|--|
| 5 to 6 ft.----- | 1.50 | 13.50 | |
| 6 to 8 ft.----- | 2.00 | 17.50 | |
| 8 to 10 ft.----- | 3.00 | 25.00 | |

racemosa. Rock Elm.

| | | | |
|-------------------|------|-------|--|
| 8 to 10 ft.----- | 3.25 | 25.00 | |
| 1½ to 1¾ in.----- | 5.00 | 37.50 | |
| 2 to 2½ in.----- | 7.50 | | |

Zelkova serrata. Sawleaf Zelkova.

| | | | |
|-----------------|------|-------|--------|
| 3 to 4 ft.----- | 1.25 | 10.00 | 75.00 |
| 4 to 5 ft.----- | 1.50 | 12.50 | 100.00 |

Fruit Trees

We are able to supply all the leading varieties.

| | | each | per 10 | per 100 |
|----------------------|-----------------|------|--------|---------|
| Apples, Crab, | 5 to 7 ft.----- | 1.25 | 10.00 | |
| Dwarf, | 5 to 7 ft.----- | 1.60 | 12.50 | |
| Standard, | 5 to 7 ft.----- | 1.25 | 10.00 | |
| Cherry, Sour, | 5 to 7 ft.----- | 1.70 | 16.00 | |
| Sweet, | 5 to 7 ft.----- | 1.70 | 16.00 | |
| Peaches. | 5 to 7 ft.----- | 1.00 | 6.50 | |
| Pears, Dwarf, | 5 to 6 ft.----- | 1.50 | 12.50 | |
| Standard, | 5 to 7 ft.----- | 1.70 | 15.00 | |
| Plums, | 5 to 7 ft.----- | 1.85 | 17.50 | |
| Quinces, | 4 to 5 ft.----- | 1.70 | 15.00 | |

Small Fruits

| | | | |
|-----------------------------------|-----|------|-------|
| Asparagus ----- | | | 6.00 |
| Blackberries ----- | | 1.00 | 9.50 |
| Currants ----- | .60 | 5.00 | 35.00 |
| Gooseberries ----- | .60 | 5.00 | 35.00 |
| Grapes, 3 yr. strong ----- | .50 | 4.00 | 30.00 |
| Raspberries ----- | | 1.00 | 9.50 |
| Rhubarb ----- | | 2.00 | 12.00 |
| Strawberries ----- | | .75 | 6.00 |

Deciduous Shrubs

The figures printed in italics following each variety, indicate the average height of the plant at maturity.

| | each | per 10 | per 100 |
|--|------|--------|---------|
| Abelia rupestris grandiflora. | | | |
| 15 to 18 in. bushy--B. & B. | 1.25 | 10.00 | 90.00 |
| 18 to 24 in. bushy--B. & B. | 1.50 | 12.50 | 100.00 |
| Acanthopanax pentaphyllum. | | | |
| <i>Five-leaved Aralia. 10'</i> | | | |
| 2 to 3 ft.----- | .50 | 4.00 | 30.00 |
| 3 to 4 ft.----- | .65 | 5.00 | 40.00 |
| 4 to 5 ft.----- | .75 | 6.00 | |
| ricinifolium. Castor Aralia. 25' | | | |
| 8 to 10 ft.----- | 5.00 | | |
| 10 to 12 ft.----- | 7.50 | | |
| Althea. (See Hibiscus). | | | |
| Alnus rugosa. Hazel Alder. 10' | | | |
| 2 to 3 ft.----- | 1.25 | 10.00 | |
| 3 to 4 ft.----- | 1.50 | 12.50 | |
| Amelanchier canadensis. Downy Shadbush. 10' | | | |
| | each | per 10 | per 100 |
| 2 to 3 ft.----- | .65 | 5.50 | 50.00 |
| laevis. Allegheny Serviceberry. 20' | | | |
| 2 to 3 ft.----- | .65 | 5.00 | |
| vulgaris. European Serviceberry. 25' | | | |
| 2 to 3 ft.----- | .65 | 5.50 | 50.00 |
| 3 to 4 ft.----- | .85 | 7.50 | 70.00 |
| Amorpha canescens. Lead Plant. 2' | | | |
| 15 to 18 in.----- | .50 | 4.00 | 32.00 |
| 18 to 24 in.----- | .55 | 4.50 | 40.00 |
| fruticosa. Indigobush. 10' | | | |
| 2 to 3 ft.----- | .40 | 3.00 | 25.00 |
| 3 to 4 ft.----- | .50 | 4.50 | 40.00 |
| 4 to 5 ft.----- | .75 | 6.00 | 50.00 |
| 5 to 6 ft.----- | 1.00 | 7.50 | |
| Amygdalus nana georgica. Russian Almond. 6' | | | |
| 2 to 3 ft.----- | 2.00 | 12.50 | |
| 3 to 4 ft.----- | 2.25 | 16.00 | |
| 4 to 5 ft.----- | 2.50 | 22.50 | |
| 5 to 6 ft.----- | 3.00 | | |

Aralia japonica. *Angelica Tree.* 25'

| | each | per 10 | per 100 |
|------------------|------|--------|---------|
| 3 to 4 ft.----- | .65 | 5.00 | 45.00 |
| 4 to 5 ft.----- | .75 | 6.50 | 55.00 |
| 5 to 6 ft.----- | 1.25 | 10.00 | 75.00 |
| 6 to 8 ft.----- | 1.60 | 12.50 | 100.00 |
| 8 to 10 ft.----- | 3.75 | 32.50 | |

mandshurica. *Manchurian Aralia.* 25'

| | | | |
|-----------------|------|------|-------|
| 3 to 4 ft.----- | .75 | 6.50 | 50.00 |
| 4 to 5 ft.----- | 1.00 | 7.50 | 65.00 |

pentaphyllum. (*See Acanthopanax.*)**spinosa.** *Devil's Walkingstick.* 25'

| | | | |
|--------------------------|------|-------|--------|
| 3 to 4 ft.----- | .65 | 5.50 | 50.00 |
| 4 to 5 ft.----- | 1.00 | 7.50 | 60.00 |
| 5 to 6 ft.----- | 1.25 | 10.00 | 80.00 |
| 6 to 8 ft.----- | 2.00 | 12.50 | 100.00 |
| 8 to 10 ft. clumps----- | 5.00 | | |
| 10 to 12 ft. clumps----- | 6.50 | | |

Aronia arbutifolia. *Red Chokeberry.* 8'

| | | | |
|-----------------|------|-------|-------|
| 2 to 3 ft.----- | .65 | 5.50 | 50.00 |
| 3 to 4 ft.----- | .80 | 7.00 | 65.00 |
| 4 to 5 ft.----- | 1.25 | 10.00 | 75.00 |
| 5 to 6 ft.----- | 1.60 | 12.50 | |

atropurpurea *Purple Chokeberry.* 8'

| | | | |
|-----------------|------|-------|-------|
| 2 to 3 ft.----- | .65 | 5.50 | 50.00 |
| 3 to 4 ft.----- | .80 | 7.00 | 65.00 |
| 4 to 5 ft.----- | 1.25 | 10.00 | 75.00 |

melanocarpa. *Black Chokeberry.* 10'

| | | | |
|-----------------|------|------|-------|
| 2 to 3 ft.----- | .60 | 4.50 | 35.00 |
| 3 to 4 ft.----- | .65 | 5.00 | 40.00 |
| 4 to 5 ft.----- | .75 | 5.50 | 45.00 |
| 5 to 6 ft.----- | 1.00 | 7.50 | 65.00 |

melanocarpa elata. *Glossy Chokeberry.* 6'

| | | | |
|-----------------|-----|------|-------|
| 2 to 3 ft.----- | .60 | 4.50 | 32.00 |
| 3 to 4 ft.----- | .65 | 5.00 | 40.00 |
| 4 to 5 ft.----- | .75 | 5.50 | 45.00 |

Azalea calendulacea. *Flame Azalea.* 6'

| | | | |
|------------------------|------|-------|--------|
| 2 to 3 ft.-----B. & B. | 3.75 | 30.00 | 275.00 |
|------------------------|------|-------|--------|

canescens. *Piedmont Azalea.* 6'

| | | | |
|------------------------|------|-------|--------|
| 2 to 3 ft.-----B. & B. | 3.50 | 27.50 | 250.00 |
|------------------------|------|-------|--------|

kaempferi. *Torch Azalea.*

| | | | |
|--------------------------|------|-------|--|
| 10 to 12 in.-----B. & B. | 2.25 | 20.00 | |
| 12 to 15 in.-----B. & B. | 2.75 | 25.00 | |

Azalea.

mollis. *Chinese Azalea.*

| | each | per 10 | per 100 |
|--------------------------|------|--------|---------|
| 15 to 18 in.-----B. & B. | 2.25 | 20.00 | |
| 18 to 24 in.-----B. & B. | 2.75 | 25.00 | |

nudiflora. *Pinksterbloom.* 4'

| | | | |
|------------------------|------|-------|--------|
| 2 to 3 ft.-----B. & B. | 3.50 | 27.50 | 250.00 |
|------------------------|------|-------|--------|

viscosa. *Swamp Azalea.* 6'

| | | | |
|--------------------------|------|-------|--------|
| 18 to 24 in.-----B. & B. | 2.75 | 25.00 | |
| 24 to 30 in.-----B. & B. | 3.50 | 27.50 | 250.00 |

Baccharis halimifolia. *Groundselbush.* 10'

| | | | |
|-----------------|------|-------|--|
| 2 to 3 ft.----- | .60 | 5.50 | |
| 3 to 4 ft.----- | .75 | 6.50 | |
| 4 to 5 ft.----- | 1.00 | 7.50 | |
| 5 to 6 ft.----- | 1.50 | 10.00 | |

Benzoin aestivale. *Spice Bush.* 12'

| | | | |
|-----------------|------|-------|-------|
| 2 to 3 ft.----- | .75 | 6.00 | 50.00 |
| 3 to 4 ft.----- | 1.00 | 7.50 | 60.00 |
| 4 to 5 ft.----- | 1.50 | 12.50 | |
| 5 to 6 ft.----- | 2.25 | 20.00 | |
| 6 to 8 ft.----- | 3.00 | 25.00 | |

Berberis ilicifolia. *Holly Barberry.* 4'

| | | | |
|-------------------|------|-------|--|
| 18 to 24 in.----- | 1.50 | 12.50 | |
| 24 to 30 in.----- | 1.75 | 15.00 | |

thunbergi. *Japanese Barberry.* 4'

| | | | |
|-------------------------|------|-------|-------|
| 15 to 18 in.----- | .30 | 2.00 | 15.00 |
| 18 to 24 in.----- | .40 | 2.50 | 20.00 |
| 24 to 30 in.----- | .50 | 4.00 | 30.00 |
| 2 to 2½ ft. specimens-- | .75 | 6.50 | |
| 2½ to 3 ft. specimens-- | 1.00 | 8.50 | |
| 3 to 3½ ft. specimens-- | 1.25 | 11.50 | |

thunbergi minor. *Box Barberry.*

| | | | |
|-------------------|-----|------|-------|
| 12 to 15 in.----- | .45 | 4.00 | 35.00 |
| 15 to 18 in.----- | .50 | 4.50 | 40.00 |

thunbergi pluriflora. 5'

| | | | |
|-------------------|-----|------|-------|
| 18 to 24 in.----- | .45 | 3.00 | 22.00 |
| 24 to 30 in.----- | .55 | 4.50 | 30.00 |
| 2½ to 3 ft.----- | .65 | 5.00 | 40.00 |

wilsonae. *Wilson Barberry.*

| | | | |
|-------------------|------|--|--|
| 18 to 24 in.----- | .75 | | |
| 2 to 3 ft.----- | 1.00 | | |

Berchemia racemosa. *Japanese Supplejack.* 3'

| | | | |
|-------------------|-----|------|--|
| 18 to 24 in.----- | .75 | 5.00 | |
|-------------------|-----|------|--|

Buddleia davidi. *Orange-eye Butterfly Bush.* 5'

| | each | per 10 | per 100 |
|-----------------|------|--------|---------|
| 2 to 3 ft.----- | .45 | 3.00 | 25.00 |
| 3 to 4 ft.----- | .65 | 4.50 | 30.00 |

davidi veitchi. *Veitch Butterfly Bush.* 5'

| | | | |
|-----------------|-----|------|-------|
| 2 to 3 ft.----- | .45 | 3.00 | 25.00 |
| 3 to 4 ft.----- | .65 | 4.50 | 30.00 |

farquhari.

| | | | |
|-----------------|-----|------|-------|
| 2 to 3 ft.----- | .50 | 4.00 | 35.00 |
|-----------------|-----|------|-------|

intermedia. *Wisteria Butterfly Bush.* 5'

| | | | |
|-----------------|-----|------|-------|
| 2 to 3 ft.----- | .45 | 3.00 | 25.00 |
| 3 to 4 ft.----- | .65 | 4.50 | 30.00 |

lindleyana. *Lindley Butterfly Bush.* 5'

| | | | |
|-----------------|-----|------|-------|
| 2 to 3 ft.----- | .45 | 3.00 | 25.00 |
| 3 to 4 ft.----- | .65 | 4.50 | 30.00 |

microphylla.

| | | | |
|-----------------|-----|------|--|
| 2 to 3 ft.----- | .50 | 4.00 | |
|-----------------|-----|------|--|

Callicarpa purpurea. *Chinese Beautyberry.* 4'

| | | | |
|-------------------|-----|------|-------|
| 18 to 24 in.----- | .40 | 3.50 | 30.00 |
| 2 to 3 ft.----- | .50 | 4.50 | 40.00 |

japonica. *Japanese Beautyberry.* 4'

| | | | |
|-------------------|-----|------|-------|
| 18 to 24 in.----- | .50 | 4.50 | 40.00 |
|-------------------|-----|------|-------|

Calycanthus floridus. *Sweet Shrub.* 5'

| | | | |
|-------------------|------|-------|--------|
| 18 to 24 in.----- | .65 | 5.50 | |
| 2 to 3 ft.----- | .75 | 7.00 | 65.00 |
| 3 to 4 ft.----- | .85 | 8.00 | 75.00 |
| 4 to 5 ft.----- | 1.35 | 13.00 | 125.00 |

Caragana arborescens. *Siberian Peatree.* 15'

| | | | |
|-----------------|------|-------|-------|
| 2 to 3 ft.----- | .50 | 4.00 | 25.00 |
| 3 to 4 ft.----- | .65 | 4.50 | 30.00 |
| 4 to 5 ft.----- | .75 | 6.50 | 50.00 |
| 5 to 6 ft.----- | 1.25 | 10.00 | |

Caryopteris incana. *Bluebeard.* 4'

| | | | |
|-------------------|-----|------|-------|
| 15 to 18 in.----- | .60 | 5.00 | 45.00 |
| 18 to 24 in.----- | .75 | 6.00 | 50.00 |

Ceanothus americanus. *Jersey Tea.* 3'

| | | | |
|-------------------|-----|------|-------|
| 18 to 24 in.----- | .55 | 4.50 | 40.00 |
| 2 to 3 ft.----- | .65 | 5.50 | |

Cephalanthus occidentalis. *Button Bush.* 6'

| | | | |
|-----------------|-----|------|-------|
| 2 to 3 ft.----- | .50 | 4.50 | 35.00 |
| 3 to 4 ft.----- | .60 | 5.00 | 45.00 |
| 4 to 5 ft.----- | .75 | 6.00 | |

Chionanthus virginica. *White Fringe.* 25'

| | each | per 10 | per 100 |
|-----------------------|------|--------|---------|
| 2 to 3 ft.----- | 2.00 | 12.50 | |
| 3 to 4 ft.----- | 2.25 | 16.00 | |
| 4 to 5 ft.----- | 3.25 | 25.00 | |
| 5 to 6 ft. heavy----- | 5.00 | | |
| 6 to 8 ft. heavy----- | 7.50 | | |

Clerodendron trichotomum. *Harlequin Glorybower.* 6'

| | | | |
|-----------------|------|-------|--|
| 4 to 5 ft.----- | 2.50 | 20.00 | |
|-----------------|------|-------|--|

Clethra alnifolia. *Sweet Pepper Bush.* 5'

| | | | |
|-------------------|-----|------|-------|
| 18 to 24 in.----- | .55 | 4.00 | 35.00 |
| 24 to 30 in.----- | .65 | 5.00 | 40.00 |
| 2½ to 3 ft.----- | .75 | 5.50 | 50.00 |
| 3 to 3½ ft.----- | .85 | 6.50 | 60.00 |

barbinervis. *Tree Clethra.* 5'

| | | | |
|-------------------|------|------|--|
| 18 to 24 in.----- | .90 | 7.50 | |
| 2 to 3 ft.----- | 1.00 | 9.00 | |

Colutea arborescens. *Bladder Senna.* 10'

| | | | |
|-----------------|------|------|-------|
| 2 to 3 ft.----- | .50 | 4.00 | 25.00 |
| 3 to 4 ft.----- | .65 | 4.50 | 30.00 |
| 4 to 5 ft.----- | .75 | 5.50 | 45.00 |
| 5 to 6 ft.----- | 1.00 | 7.50 | 60.00 |

Comptonia asplenifolia. *Sweetfern.* 3'

| | | | |
|-------------------|-----|------|-------|
| 18 to 24 in.----- | .50 | 4.50 | 35.00 |
| 2 to 3 ft.----- | .65 | 5.00 | |

Cornus alba. *Tatarian Dogwood.* 10'

| | | | |
|-----------------|------|------|-------|
| 2 to 3 ft.----- | .45 | 3.00 | 20.00 |
| 3 to 4 ft.----- | .50 | 3.50 | 25.00 |
| 4 to 5 ft.----- | .65 | 5.00 | 40.00 |
| 5 to 6 ft.----- | .75 | 5.50 | 45.00 |
| 6 to 8 ft.----- | 1.00 | 6.50 | 50.00 |

alba elegantissima. *Silverblotch Dogwood.* 6'

| | | | |
|-----------------|------|-------|-------|
| 2 to 3 ft.----- | .55 | 4.50 | 40.00 |
| 3 to 4 ft.----- | .75 | 6.00 | 50.00 |
| 4 to 5 ft.----- | 1.00 | 7.50 | 60.00 |
| 5 to 6 ft.----- | 1.25 | 10.00 | |

alba sibirica. *Coral Dogwood.*

| | | | |
|-----------------|-----|------|-------|
| 2 to 3 ft.----- | .45 | 3.00 | 20.00 |
| 3 to 4 ft.----- | .50 | 3.50 | 25.00 |
| 4 to 5 ft.----- | .65 | 5.00 | 40.00 |
| 5 to 6 ft.----- | .75 | 5.50 | 45.00 |

Cornus.**alba spaethi aurea. Golden variegated Dogwood. 8'**

| | each | per 10 | per 100 |
|-----------------|------|--------|---------|
| 2 to 3 ft.----- | .65 | 5.00 | 45.00 |
| 3 to 4 ft.----- | .75 | 6.50 | 55.00 |
| 4 to 5 ft.----- | 1.00 | 7.50 | 65.00 |
| 5 to 6 ft.----- | 1.25 | 10.00 | |

alternifolia. Pagoda Dogwood. 20'

| | | | |
|-----------------|------|-------|--------|
| 2 to 3 ft.----- | .75 | 6.00 | 50.00 |
| 3 to 4 ft.----- | 1.00 | 8.00 | 70.00 |
| 4 to 5 ft.----- | 1.50 | 12.50 | 100.00 |
| 5 to 6 ft.----- | 1.75 | 15.00 | 125.00 |
| 6 to 8 ft.----- | 2.25 | 20.00 | |

amomum syn. sericea. Silky Dogwood. 10'

| | | | |
|-----------------|------|------|-------|
| 2 to 3 ft.----- | .45 | 3.00 | 20.00 |
| 3 to 4 ft.----- | .50 | 3.50 | 25.00 |
| 4 to 5 ft.----- | .65 | 5.00 | 40.00 |
| 5 to 6 ft.----- | .75 | 5.50 | 45.00 |
| 6 to 8 ft.----- | 1.00 | 6.50 | 50.00 |

baileyi. Bailey Dogwood. 10'

| | | | |
|-----------------|-----|------|-------|
| 2 to 3 ft.----- | .45 | 3.00 | 25.00 |
| 3 to 4 ft.----- | .50 | 4.00 | 30.00 |
| 4 to 5 ft.----- | .75 | 5.50 | 45.00 |
| 5 to 6 ft.----- | .80 | 6.00 | 50.00 |

kousa. Kousa Dogwood. 20'

| | | | |
|-----------------|------|-------|--|
| 2 to 3 ft.----- | 1.25 | 10.00 | |
| 3 to 4 ft.----- | 1.60 | 12.50 | |
| 4 to 5 ft.----- | 2.00 | 17.50 | |

mas. Cornelian Cherry. 20'

| | | | |
|-----------------|------|-------|--|
| 2 to 3 ft.----- | 1.25 | 10.00 | |
| 3 to 4 ft.----- | 1.50 | 12.50 | |
| 4 to 5 ft.----- | 2.00 | 17.50 | |

paniculata. Gray Dogwood. 15'

| | | | |
|-----------------|------|------|-------|
| 2 to 3 ft.----- | .50 | 4.00 | 30.00 |
| 3 to 4 ft.----- | .60 | 4.50 | 40.00 |
| 4 to 5 ft.----- | .75 | 6.00 | 50.00 |
| 5 to 6 ft.----- | 1.00 | 7.50 | 65.00 |
| 6 to 8 ft.----- | 1.25 | 9.00 | |

sanguinea. Bloodtwig Dogwood.

| | | | |
|-----------------|-----|------|-------|
| 2 to 3 ft.----- | .45 | 3.00 | 20.00 |
| 3 to 4 ft.----- | .50 | 3.50 | 25.00 |
| 4 to 5 ft.----- | .60 | 5.00 | 40.00 |
| 5 to 6 ft.----- | .75 | 6.00 | 50.00 |

Cornus.

sanguinea viridissima. *Greentwig Dogwood.* 10'

| | each | per 10 | per 100 |
|-----------------|------|--------|---------|
| 2 to 3 ft.----- | .50 | 4.00 | 30.00 |
| 3 to 4 ft.----- | .65 | 5.00 | 45.00 |
| 4 to 5 ft.----- | .75 | 6.00 | 50.00 |
| 5 to 6 ft.----- | 1.25 | 9.50 | |

stolonifera. *Red Osier Dogwood.* 8'

| | | | |
|------------------|------|-------|-------|
| 2 to 3 ft.----- | .45 | 3.00 | 20.00 |
| 3 to 4 ft.----- | .50 | 3.50 | 25.00 |
| 4 to 5 ft.----- | .65 | 5.00 | 40.00 |
| 5 to 6 ft.----- | .75 | 5.50 | 45.00 |
| 6 to 8 ft.----- | 1.00 | 7.50 | 50.00 |
| 8 to 10 ft.----- | 1.50 | 12.50 | |

stolonifera flaviramea. *Goldentwig Dogwood.* 8'

| | | | |
|-----------------|-----|------|-------|
| 2 to 3 ft.----- | .45 | 3.50 | 25.00 |
| 3 to 4 ft.----- | .50 | 4.00 | 30.00 |
| 4 to 5 ft.----- | .65 | 5.00 | 45.00 |

Corylus americana. *American Hazelnut.* 10'

| | | | |
|-----------------|------|-------|-------|
| 2 to 3 ft.----- | .65 | 5.00 | 40.00 |
| 3 to 4 ft.----- | .80 | 6.50 | 50.00 |
| 4 to 5 ft.----- | 1.00 | 7.50 | 65.00 |
| 5 to 6 ft.----- | 1.25 | 10.00 | 75.00 |
| 6 to 8 ft.----- | 2.00 | 16.00 | |

avellana. *Filbert.* 15'

| | | | |
|------------------|------|-------|--------|
| 2 to 3 ft.----- | .65 | 5.50 | 45.00 |
| 3 to 4 ft.----- | .75 | 6.50 | 55.00 |
| 4 to 5 ft.----- | 1.00 | 8.50 | 75.00 |
| 5 to 6 ft.----- | 1.25 | 10.00 | 90.00 |
| 6 to 8 ft.----- | 1.50 | 12.50 | 100.00 |
| 8 to 10 ft.----- | 2.50 | 17.50 | 125.00 |

Corylus rostrata. *Beaked Hazelnut.* 6'

| | | | |
|-----------------|------|-------|--|
| 2 to 3 ft.----- | 1.00 | 9.00 | |
| 3 to 4 ft.----- | 1.50 | 12.50 | |

Cotoneaster acutifolia. *Blackfruited Quinceberry.* 12'

| | | | |
|-----------------|------|------|-------|
| 2 to 3 ft.----- | .50 | 4.00 | 30.00 |
| 3 to 4 ft.----- | .60 | 5.00 | 40.00 |
| 4 to 5 ft.----- | 1.00 | 7.50 | 55.00 |

adpressa. *Creeping Cotoneaster.* 2'

| | | | |
|---------------------------|------|-------|--------|
| 6 to 8 in. from pots----- | 1.50 | 12.50 | 100.00 |
|---------------------------|------|-------|--------|

ambigua. 6'

| | | | |
|-----------------|------|-------|-------|
| 2 to 3 ft.----- | 1.00 | 7.50 | 65.00 |
| 3 to 4 ft.----- | 1.25 | 10.00 | 75.00 |

Cotoneaster**applanata. 6'**

| | each | per 10 | per 100 |
|-----------------|------|--------|---------|
| 2 to 3 ft.----- | .75 | 6.00 | 50.00 |
| 3 to 4 ft.----- | 1.00 | 7.50 | 60.00 |
| 4 to 5 ft.----- | 1.50 | 12.50 | 75.00 |
| 5 to 6 ft.----- | 2.00 | 15.00 | |

divaricata. Spreading Cotoneaster. 6'

| | | | |
|-----------------|------|------|-------|
| 2 to 3 ft.----- | .75 | 6.00 | 50.00 |
| 3 to 4 ft.----- | 1.00 | 9.00 | 75.00 |

foveolata. Scarlet fruited Quinceberry. 10'

| | | | |
|-----------------|------|-------|-------|
| 2 to 3 ft.----- | .75 | 6.00 | 50.00 |
| 3 to 4 ft.----- | 1.00 | 7.50 | |
| 4 to 5 ft.----- | 1.50 | 12.50 | |

horizontalis. Prostrate Quinceberry. 3'

| | | | |
|------------------------------|------|-------|--------|
| 12 to 15 in. spd. from pots_ | 1.50 | 12.50 | 100.00 |
| 15 to 18 in. spd. from pots_ | 1.75 | 15.00 | 125.00 |

horizontalis perpusilla.

| | | | |
|---------------------------|------|-------|--|
| 6 to 8 in. from pots---- | 1.50 | 12.50 | |
| 8 to 10 in. from pots---- | 2.00 | 15.00 | |

humifusa.

| | | | |
|--------------------------|------|-------|--|
| 6 to 8 in. from pots---- | 1.50 | 12.50 | |
|--------------------------|------|-------|--|

hupehensis. Hupen Cotoneaster. 5'

| | | | |
|-----------------|------|-------|--|
| 2 to 3 ft.----- | 1.00 | 7.50 | |
| 3 to 4 ft.----- | 1.25 | 10.00 | |
| 4 to 5 ft.----- | 1.50 | 12.50 | |

lucida. 12'

| | | | |
|-----------------|------|-------|-------|
| 2 to 3 ft.----- | .75 | 6.00 | 50.00 |
| 3 to 4 ft.----- | 1.00 | 7.50 | 60.00 |
| 4 to 5 ft.----- | 1.25 | 10.00 | |

nitens. 6'

| | | | |
|-----------------|------|-------|-------|
| 2 to 3 ft.----- | 1.00 | 7.50 | 65.00 |
| 3 to 4 ft.----- | 1.25 | 10.00 | 75.00 |
| 4 to 5 ft.----- | 1.50 | 12.50 | 90.00 |

obscura. 10'

| | | | |
|-----------------|------|-------|--|
| 2 to 3 ft.----- | 1.00 | 7.50 | |
| 3 to 4 ft.----- | 1.25 | 10.00 | |

prostrata.

| | | | |
|----------------------------|------|-------|--|
| 8 to 10 in. from pots---- | 1.50 | 12.50 | |
| 10 to 12 in. from pots---- | 2.00 | 15.00 | |

rosea.

| | | | |
|-----------------|------|-------|--------|
| 2 to 3 ft.----- | 1.25 | 10.00 | 75.00 |
| 3 to 4 ft.----- | 1.50 | 12.50 | 100.00 |
| 4 to 5 ft.----- | 1.75 | 15.00 | 125.00 |

Cotoneaster**salicifolia floccosa.**

| | each | per 10 | per 100 |
|----------------------------|------|--------|---------|
| 8 to 10 in. from pots---- | 1.50 | 12.50 | |
| 10 to 12 in. from pots---- | 2.00 | 15.00 | |

tenupes.

| | | | |
|---------------------------|------|-------|--|
| 6 to 8 in. from pots---- | 1.50 | 12.50 | |
| 8 to 10 in. from pots---- | 2.00 | 15.00 | |

wilsoni. Wilson Cotoneaster. 5'

| | | | |
|-----------------|------|-------|-------|
| 2 to 3 ft.----- | 1.00 | 7.50 | 65.00 |
| 3 to 4 ft.----- | 1.25 | 10.00 | 75.00 |

Cydonia japonica. Flowering Quince. 5'

| | | | |
|-----------------|-----|------|-------|
| 2 to 3 ft.----- | .60 | 5.00 | 40.00 |
|-----------------|-----|------|-------|

japonica pygmaea. Dwarf Jap. Quince. 3'

| | | | |
|-------------------|------|-------|-------|
| 18 to 24 in.----- | 1.00 | 7.50 | 60.00 |
| 2 to 3 ft.----- | 1.25 | 10.00 | |

japonica umbilicata. Naval Flowering Quince. 5'

| | | | |
|-----------------|------|-------|-------|
| 2 to 3 ft.----- | .75 | 6.50 | 50.00 |
| 3 to 4 ft.----- | 1.00 | 7.50 | |
| 4 to 5 ft.----- | 1.25 | 10.00 | |

maulei. Lesser Flowering Quince. 5'

| | | | |
|-------------------|------|-------|--|
| 18 to 24 in.----- | 1.00 | 7.50 | |
| 2 to 3 ft.----- | 1.25 | 10.00 | |

Daphne mezereum. February Daphne. 4'

| | | | |
|--------------------------|------|-------|--------|
| 15 to 18 in.-----B. & B. | 1.50 | 13.50 | 125.00 |
| 18 to 24 in.-----B. & B. | 2.00 | | |
| 2 to 2½ ft.-----B. & B. | 3.00 | | |

Desmodium. (See Lespedeza).**Deutzia gracilis. Slender Deutzia. 3'**

| | | | |
|-------------------|-----|------|-------|
| 15 to 18 in.----- | .45 | 3.50 | 25.00 |
| 18 to 24 in.----- | .55 | 4.50 | 35.00 |
| 24 to 30 in.----- | .65 | 5.00 | 40.00 |

gracilis campanulata. Bellflower Deutzia. 5'

| | | | |
|-------------------|-----|------|-------|
| 18 to 24 in.----- | .50 | 4.00 | 30.00 |
| 24 to 30 in.----- | .60 | 5.00 | 40.00 |
| 2½ to 3 ft.----- | .75 | 6.00 | 50.00 |

gracilis carminea. Carmine Deutzia. 4'

| | | | |
|-------------------|-----|------|-------|
| 18 to 24 in.----- | .60 | 5.00 | 40.00 |
| 2 to 3 ft.----- | .70 | 6.00 | 50.00 |

gracilis rosea. Rose-panicle Deutzia. 4'

| | | | |
|-------------------|-----|------|-------|
| 18 to 24 in.----- | .60 | 5.00 | 40.00 |
| 24 to 30 in.----- | .70 | 6.00 | 50.00 |
| 2½ to 3 ft.----- | .75 | 6.50 | 60.00 |

Deutzia**gracilis venusta.** *White-panicle Deutzia.* 5'

| | each | per 10 | per 100 |
|-------------------|------|--------|---------|
| 18 to 24 in.----- | .50 | 4.00 | 30.00 |
| 24 to 30 in.----- | .60 | 5.00 | 40.00 |
| 2½ to 3 ft.----- | .75 | 6.00 | |

lemoinei. *Lemoine Deutzia.* 5'

| | | | |
|-------------------|-----|------|-------|
| 18 to 24 in.----- | .45 | 3.50 | 25.00 |
| 24 to 30 in.----- | .55 | 4.50 | 35.00 |
| 2½ to 3 ft.----- | .70 | 5.50 | |

lemoine avalanche. *Avalanche Deutzia.* 4'

| | | | |
|------------------|------|------|-------|
| 2 to 2½ ft.----- | .75 | 6.00 | 50.00 |
| 2½ to 3 ft.----- | 1.00 | 7.50 | |

parviflora. *Mongolian Deutzia.* 5'

| | | | |
|-------------------|-----|------|-------|
| 18 to 24 in.----- | .50 | 4.00 | 30.00 |
| 2 to 3 ft.----- | .60 | 5.00 | 40.00 |

scabra. *Fuzzy Deutzia.* 12'

| | | | |
|-----------------|-----|------|-------|
| 2 to 3 ft.----- | .45 | 3.50 | 25.00 |
| 3 to 4 ft.----- | .50 | 4.00 | 30.00 |
| 4 to 5 ft.----- | .65 | 5.00 | 40.00 |
| 5 to 6 ft.----- | .75 | 5.50 | 50.00 |

scabra candidissima. *Snowflake Deutzia.* 12'

| | | | |
|-----------------|-----|------|-------|
| 2 to 3 ft.----- | .45 | 3.50 | 25.00 |
| 3 to 4 ft.----- | .50 | 4.00 | 30.00 |
| 4 to 5 ft.----- | .65 | 5.00 | 40.00 |
| 5 to 6 ft.----- | .75 | 5.50 | 50.00 |

scabra Pride of Rochester. 12'

| | | | |
|-----------------|-----|------|-------|
| 2 to 3 ft.----- | .45 | 3.50 | 25.00 |
| 3 to 4 ft.----- | .50 | 4.00 | 30.00 |
| 4 to 5 ft.----- | .65 | 5.00 | 40.00 |
| 5 to 6 ft.----- | .75 | 5.50 | 50.00 |

scabra rosea plena. 12'

| | | | |
|-----------------|-----|------|-------|
| 2 to 3 ft.----- | .45 | 3.50 | 25.00 |
| 3 to 4 ft.----- | .50 | 4.00 | 30.00 |
| 4 to 5 ft.----- | .65 | 5.00 | 40.00 |
| 5 to 6 ft.----- | .75 | 6.00 | 50.00 |

scabra watereri. *Waterer's Deutzia.* 12'

| | | | |
|-----------------|-----|------|-------|
| 2 to 3 ft.----- | .45 | 3.50 | 25.00 |
| 3 to 4 ft.----- | .50 | 4.00 | 30.00 |
| 4 to 5 ft.----- | .65 | 5.00 | 40.00 |
| 5 to 6 ft.----- | .75 | 5.50 | 50.00 |

scabra wellsi. *Wells Deutzia.* 12'

| | | | |
|-----------------|-----|------|--|
| 2 to 3 ft.----- | .50 | 4.00 | |
| 3 to 4 ft.----- | .60 | 5.00 | |

Deutzia.

vilmorinae. Vilmorin Deutzia. 10'

| | each | per 10 | per 100 |
|-----------------|------|--------|---------|
| 3 to 4 ft.----- | .75 | 6.00 | |
| 4 to 5 ft.----- | 1.00 | | |

Diervilla sessilifolia. Southern Bush Honeysuckle. 5'

| | | | |
|------------------|-----|------|-------|
| 2½ to 3 ft.----- | .60 | 4.50 | 40.00 |
| 3 to 4 ft.----- | .75 | 5.50 | 45.00 |
| 4 to 5 ft.----- | .90 | 6.50 | |

trifida. Dwarf Bush Honeysuckle. 3'

| | | | |
|-----------------|-----|------|-------|
| 2 to 3 ft.----- | .55 | 4.50 | 40.00 |
| 3 to 4 ft.----- | .65 | 5.00 | |

(See also *Weigela*)*Elaeagnus angustifolia. Russian Olive. 20'*

| | | | |
|------------------|------|-------|--------|
| 3 to 4 ft.----- | .60 | 5.00 | 40.00 |
| 4 to 5 ft.----- | .75 | 6.50 | 55.00 |
| 5 to 6 ft.----- | 1.25 | 10.00 | 75.00 |
| 6 to 8 ft.----- | 1.50 | 12.50 | 100.00 |
| 8 to 10 ft.----- | 2.00 | 15.00 | |

argentea. Silverberry. 12'

| | | | |
|-----------------|------|-------|-------|
| 3 to 4 ft.----- | .60 | 4.50 | 40.00 |
| 4 to 5 ft.----- | .75 | 6.50 | 50.00 |
| 5 to 6 ft.----- | 1.00 | 7.50 | |
| 6 to 8 ft.----- | 1.25 | 10.00 | |

longipes. Cherry Elaeagnus. 6'

| | | | |
|-----------------|------|-------|--|
| 2 to 3 ft.----- | 1.00 | 8.50 | |
| 3 to 4 ft.----- | 1.25 | 10.00 | |

umbellata. Autumn Elaeagnus. 12'

| | | | |
|------------------|------|-------|--------|
| 2 to 3 ft.----- | .55 | 4.50 | 40.00 |
| 3 to 4 ft.----- | .65 | 5.50 | 50.00 |
| 4 to 5 ft.----- | .75 | 6.50 | 60.00 |
| 5 to 6 ft.----- | 1.25 | 10.00 | 75.00 |
| 6 to 8 ft.----- | 2.50 | 15.00 | 125.00 |
| 8 to 10 ft.----- | 3.00 | 25.00 | 225.00 |

Elsholtzia stauntoni. 4'

| | | | |
|-------------------|-----|------|-------|
| 18 to 24 in.----- | .50 | 4.50 | 40.00 |
| 2 to 3 ft.----- | .65 | 5.50 | 50.00 |

Enkianthus campanulatus. Redvein Enkianthus. 15'

| | | | |
|-------------------|------|-------|--|
| 12 to 18 in.----- | 2.00 | 17.50 | |
|-------------------|------|-------|--|

Euonymus alatus. Winged Euonymus. 10'

| | | | |
|-----------------|------|-------|--------|
| 2 to 3 ft.----- | 1.60 | 12.50 | 100.00 |
| 3 to 4 ft.----- | 2.00 | 16.00 | 150.00 |
| 4 to 5 ft.----- | 3.00 | 25.00 | |

Euonymus**americanus.** *Brook Euonymus.* 8'

| | each | per 10 | per 100 |
|-----------------|------|--------|---------|
| 2 to 3 ft.----- | .65 | 5.00 | 40.00 |
| 3 to 4 ft.----- | .75 | 6.00 | 50.00 |
| 4 to 5 ft.----- | 1.00 | 7.50 | 60.00 |

atropurpureus. *Native Wahoo.* 15'

| | | | |
|-----------------|------|------|-------|
| 2 to 3 ft.----- | .60 | 5.00 | 40.00 |
| 3 to 4 ft.----- | .70 | 6.00 | 50.00 |
| 4 to 5 ft.----- | .75 | 7.00 | 60.00 |
| 5 to 6 ft.----- | 1.00 | 8.50 | 75.00 |

bungeanus. *Winterberry Euonymus.* 15'

| | | | |
|-----------------|------|-------|--------|
| 2 to 3 ft.----- | .60 | 5.00 | 40.00 |
| 3 to 4 ft.----- | .70 | 6.00 | 50.00 |
| 4 to 5 ft.----- | .85 | 7.00 | 60.00 |
| 5 to 6 ft.----- | 1.00 | 8.50 | 75.00 |
| 6 to 8 ft.----- | 1.50 | 12.50 | 100.00 |

europaeus. *European Burning Bush.* 15'

| | | | |
|-----------------|------|-------|--------|
| 2 to 3 ft.----- | .60 | 5.00 | 40.00 |
| 3 to 4 ft.----- | .70 | 6.00 | 50.00 |
| 4 to 5 ft.----- | .85 | 7.00 | 60.00 |
| 5 to 6 ft.----- | 1.00 | 8.50 | 75.00 |
| 6 to 8 ft.----- | 1.50 | 12.50 | 100.00 |

europaeus fructu-coccineus. 15'

| | | | |
|-----------------|-----|------|-------|
| 2 to 3 ft.----- | .60 | 5.00 | 45.00 |
| 3 to 4 ft.----- | .75 | 6.00 | 55.00 |
| 4 to 5 ft.----- | .85 | 7.00 | 65.00 |

latifolius. *Broadleaf Burning Bush.* 10'

| | | |
|-----------------|------|------|
| 3 to 4 ft.----- | .75 | 6.50 |
| 4 to 5 ft.----- | 1.00 | 7.50 |

maacki. 10'

| | | | |
|-----------------|------|-------|-------|
| 2 to 3 ft.----- | .75 | 6.50 | 50.00 |
| 3 to 4 ft.----- | 1.00 | 7.50 | 60.00 |
| 4 to 5 ft.----- | 1.25 | 10.00 | |

yedoensis. *Yeddo Euonymus.* 10'

| | | | |
|-----------------|------|-------|-------|
| 2 to 3 ft.----- | .75 | 6.00 | 50.00 |
| 3 to 4 ft.----- | 1.00 | 7.50 | 65.00 |
| 4 to 5 ft.----- | 1.25 | 10.00 | 75.00 |
| 5 to 6 ft.----- | 1.60 | 12.50 | |

Exochorda grandiflora. *Pearl Bush.* 10'

| | each | per 10 | per 100 |
|---------------------------|------|--------|---------|
| 2 to 3 ft.----- | .50 | 4.00 | 30.00 |
| 3 to 4 ft.----- | .60 | 5.00 | 40.00 |
| 4 to 5 ft.----- | .75 | 6.50 | 50.00 |
| 5 to 6 ft.----- | 1.25 | 10.00 | 65.00 |
| 5 to 6 ft. specimens----- | 5.00 | | |
| 6 to 7 ft. specimens----- | 7.00 | | |

Fontanesia fortunei. *Fortune Fontanesia.* 15'

| | | | |
|------------------|------|-------|-------|
| 3 to 4 ft.----- | .75 | 6.50 | 50.00 |
| 4 to 5 ft.----- | 1.25 | 10.00 | |
| 5 to 6 ft.----- | 1.60 | 12.50 | |
| 6 to 8 ft.----- | 2.00 | 16.00 | |
| 8 to 10 ft.----- | 2.50 | 20.00 | |

Forsythia intermedia. *Border Forsythia.* 8'

| | | | |
|-----------------|------|-------|-------|
| 2 to 3 ft.----- | .45 | 3.50 | 25.00 |
| 3 to 4 ft.----- | .50 | 4.00 | 30.00 |
| 4 to 5 ft.----- | .65 | 5.00 | 40.00 |
| 5 to 6 ft.----- | .75 | 6.50 | 50.00 |
| 6 to 7 ft.----- | 1.25 | 10.00 | |

intermedia spectabilis. *Showy Border Forsythia.* 8'

| | | | |
|-----------------|-----|------|-------|
| 2 to 3 ft.----- | .45 | 3.50 | 25.00 |
| 3 to 4 ft.----- | .50 | 4.00 | 35.00 |
| 4 to 5 ft.----- | .65 | 5.00 | |
| 5 to 6 ft.----- | .75 | 6.50 | |

suspensa. *Weeping Forsythia.*

| | | | |
|-----------------|-----|------|-------|
| 2 to 3 ft.----- | .50 | 4.00 | 35.00 |
| 3 to 4 ft.----- | .65 | 5.00 | 40.00 |
| 4 to 5 ft.----- | .75 | 6.00 | 50.00 |

suspensa atrocaulis. *Purple stem Forsythia.* 6'

| | | | |
|-----------------|------|------|--|
| 2 to 3 ft.----- | .75 | 6.00 | |
| 3 to 4 ft.----- | 1.00 | 8.50 | |

suspensa fortunei. *Golden Bell.* 8'

| | | | |
|-----------------|-----|------|-------|
| 2 to 3 ft.----- | .45 | 3.00 | 25.00 |
| 3 to 4 ft.----- | .50 | 4.00 | 30.00 |
| 4 to 5 ft.----- | .65 | 5.00 | 45.00 |
| 5 to 6 ft.----- | .75 | 6.50 | 50.00 |

suspensa sieboldi. *Siebold Forsythia.*

| | | | |
|-----------------|-----|------|-------|
| 2 to 3 ft.----- | .45 | 3.00 | 25.00 |
| 3 to 4 ft.----- | .50 | 4.00 | 30.00 |
| 4 to 5 ft.----- | .65 | 5.00 | |
| 5 to 6 ft.----- | .75 | 6.50 | |

Forsythia.**viridissima. Greenstem Forsythia. 8'**

| | each | per 10 | per 100 |
|-----------------|------|--------|---------|
| 2 to 3 ft.----- | .45 | 3.50 | 25.00 |
| 3 to 4 ft.----- | .50 | 4.00 | 30.00 |
| 4 to 5 ft.----- | .65 | 5.00 | 40.00 |
| 5 to 6 ft.----- | .75 | 6.00 | 50.00 |

Genista tinctoria. Woadwaxen. 3'

| | | | |
|-------------------|-----|------|--|
| 18 to 24 in.----- | .60 | 5.00 | |
| 2 to 3 ft.----- | .75 | 6.00 | |

scoparia andreana. Paradise Broom. 10'

| | | | |
|-------------------|-----|------|-------|
| 12 to 18 in.----- | .75 | 5.00 | 40.00 |
|-------------------|-----|------|-------|

Halesia. (See Trees).**Hamamelis virginiana. Witch Hazel. 15'**

| | | | |
|-----------------|------|-------|-------|
| 2 to 3 ft.----- | .75 | 5.50 | 45.00 |
| 3 to 4 ft.----- | 1.00 | 7.50 | 55.00 |
| 4 to 5 ft.----- | 1.25 | 10.00 | 75.00 |
| 5 to 6 ft.----- | 2.50 | 17.50 | |
| 6 to 8 ft.----- | 3.00 | 25.00 | |

Hibiscus syriacus. Shrub Althea. 12'**double varieties.**

| | | | |
|------------------------|------|-------|-------|
| 2 to 3 ft.----- | .50 | 3.50 | 25.00 |
| 3 to 4 ft.----- | .60 | 4.50 | 35.00 |
| 4 to 5 ft.----- | .75 | 6.50 | 45.00 |
| 5 to 6 ft.----- | 1.00 | 7.50 | 60.00 |
| 6 to 8 ft.----- | 1.25 | 10.00 | 75.00 |
| 8 to 10 ft. heavy----- | 3.25 | 25.00 | |

Ardens—Purple.**Banner—Blush.****Jeanne d'Arc—White.****Lady Stanley—White, shaded rose.****Rubra Plena—Red.****Speciosa Plena—Pink.****single varieties.**

| | | | |
|-----------------|------|-------|-------|
| 2 to 3 ft.----- | .50 | 4.00 | 30.00 |
| 3 to 4 ft.----- | .65 | 5.00 | 40.00 |
| 4 to 5 ft.----- | 1.00 | 6.00 | 50.00 |
| 5 to 6 ft.----- | 1.25 | 10.00 | 75.00 |
| 6 to 8 ft.----- | 1.75 | 12.50 | |

Coelestis—Blue.**Rosea—White, crimson eye.****Rubis—Red.****Totus albus—White.**

Hibiscus.

| | | | | |
|--------------------|----------------------------------|------|--------|---------|
| variegatus. | <i>Variegated leaved Althea.</i> | 8' | | |
| | | each | per 10 | per 100 |
| 2 to 3 ft.----- | | 1.00 | 7.50 | |
| 3 to 4 ft.----- | | 1.25 | 10.00 | |

| | | | | |
|----------------------------|------------------------------------|------|------|--|
| variegatus meehani. | <i>Meehan's Variegated Althea.</i> | 6' | | |
| 2 to 3 ft.----- | | 1.00 | 7.50 | |

| | | | | |
|------------------------------|-----------------------|------|------|--|
| Hippophae rhamnoides. | <i>Sea-buckthorn.</i> | 12' | | |
| 2 to 3 ft.----- | | .75 | 6.50 | |
| 3 to 4 ft.----- | | 1.00 | 7.50 | |

| | | | | |
|------------------------|--------------------|------|-------|--|
| Hovenia dulcis. | <i>Raisintree.</i> | 6' | | |
| 2 to 3 ft.----- | | 1.50 | 12.50 | |
| 3 to 4 ft.----- | | 2.00 | 15.00 | |

| | | | | |
|-------------------------------|--------------------------|------|------|-------|
| Hydrangea arborescens. | <i>Smooth Hydrangea.</i> | 6' | | |
| 2 to 3 ft.----- | | .65 | 5.00 | 40.00 |
| 3 to 4 ft.----- | | .75 | 6.00 | 50.00 |
| 4 to 5 ft.----- | | 1.00 | 7.50 | 60.00 |

| | | | | |
|---------------------------------|----------------------------|-----|------|-------|
| arborescens grandiflora. | <i>Snowhill Hydrangea.</i> | 6' | | |
| 2 to 3 ft.----- | | .65 | 5.00 | 40.00 |
| 3 to 4 ft.----- | | .75 | 6.00 | 50.00 |

| | | | | |
|--------------------------|------------------------|------|------|-------|
| cineria sterilis. | <i>Ashy Hydrangea.</i> | 6' | | |
| 2 to 3 ft.----- | | .75 | 6.00 | 50.00 |
| 3 to 4 ft.----- | | 1.00 | 7.50 | 60.00 |

| | | | | |
|--------------------------|--|------|------|-------|
| opuloides Otaksa. | | | | |
| 4 year ----- | | 1.00 | 7.50 | 60.00 |

| | | | | |
|------------------------------|--|------|------|-------|
| opuloides Thos. Hogg. | | | | |
| 4 year ----- | | 1.00 | 7.50 | 60.00 |

| | | | | |
|--------------------|---------------------------|------|------|-------|
| paniculata. | <i>Panicle Hydrangea.</i> | 10' | | |
| 2 to 3 ft.----- | | .60 | 4.50 | 40.00 |
| 3 to 4 ft.----- | | .75 | 6.00 | 50.00 |
| 4 to 5 ft.----- | | 1.00 | 7.50 | |

| | | | | |
|--------------------------------|--------------------------|------|-------|-------|
| paniculata grandiflora. | <i>Peegee Hydrangea.</i> | 10' | | |
| 2 to 3 ft.----- | | .50 | 4.00 | 35.00 |
| 3 to 4 ft.----- | | .60 | 5.00 | 45.00 |
| 4 to 5 ft.----- | | 1.00 | 7.50 | |
| 3 to 4 ft. tree form----- | | 1.25 | 10.00 | |
| 4 to 5 ft. tree form----- | | 1.60 | 12.50 | |

| | | | | |
|---------------------|---------------------------|------|-------|--------|
| quercifolia. | <i>Oakleaf Hydrangea.</i> | 4' | | |
| 18 to 24 in.----- | | 1.25 | 10.00 | 75.00 |
| 2 to 3 ft.----- | | 1.60 | 12.50 | 100.00 |

| | | | | |
|-----------------|------------------------------|-----|------|--|
| radiata. | <i>Silverleaf Hydrangea.</i> | 6' | | |
| 2 to 3 ft.----- | | .60 | 5.00 | |
| 3 to 4 ft.----- | | .75 | 6.50 | |

| | | | |
|---|------|--------|---------|
| Hypericum aureum. Golden St. Johnswort. 4' | | | |
| | each | per 10 | per 100 |
| 18 to 24 in.----- | .50 | 4.00 | 35.00 |
| 2 to 3 ft.----- | .65 | 5.00 | 45.00 |
| calycinum. (See Perennials). | | | |
| kalmianum. 4' | | | |
| 18 to 24 in.----- | .50 | 4.00 | |
| 2 to 3 ft.----- | .65 | 5.00 | |
| moserianum. Goldflower. 2' | | | |
| 15 to 18 in.----- | .50 | 4.00 | 30.00 |
| 18 to 24 in.----- | .65 | 5.00 | 40.00 |
| patulum henryi. Henry Hypericum. 4' | | | |
| 18 to 24 in.----- | .50 | 4.00 | 30.00 |
| 2 to 3 ft.----- | .65 | 5.00 | 40.00 |
| prolificum. Shrubby St. Johnswort. 5' | | | |
| 18 to 24 in.----- | .50 | 4.00 | |
| Ilex monticola. Mountain Winterberry. 10' | | | |
| 2 to 3 ft.----- | .75 | 6.50 | |
| 3 to 4 ft.----- | 1.00 | 7.50 | |
| sieboldi. 12' | | | |
| 2 to 3 ft.----- | 1.50 | 12.50 | |
| verticillata. Common Winterberry. 6' | | | |
| 2 to 3 ft.----- | .75 | 6.00 | 50.00 |
| 3 to 4 ft.----- | 1.25 | 10.00 | |
| Itea virginica. Sweetspire. 3' | | | |
| 2 to 3 ft.----- | .75 | 6.00 | |
| Jasminum nudiflorum. Winter Jasmine. 3' | | | |
| 15 to 18 in.----- | .50 | 4.00 | 30.00 |
| 18 to 24 in.----- | .75 | 5.00 | 40.00 |
| Kerria japonica. Kerria. | | | |
| 18 to 24 in.----- | .75 | 6.00 | |
| 2 to 3 ft.----- | 1.00 | 7.50 | |
| japonica florepleno. Double Kerria. | | | |
| 2 to 3 ft.----- | 1.00 | 7.50 | |
| 3 to 4 ft.----- | 1.25 | 10.00 | |
| Kolkwitzia amabilis. Beauty Bush. 8' | | | |
| 18 to 24 in.----- | 2.00 | 15.00 | |
| 2 to 3 ft.----- | 2.50 | 20.00 | |
| Lespedeza bicolor. Shrub Bushclover. 6' | | | |
| 2 to 3 ft.----- | .50 | 4.00 | 35.00 |
| 3 to 4 ft.----- | .60 | 5.00 | 40.00 |
| 4 to 5 ft.----- | .75 | 6.00 | |

Lespedeza.

formosa, syn. penduliflorum. Purple Bushclover. 4'

| | each | per 10 | per 100 |
|-------------|------|--------|---------|
| 2 year..... | .65 | 4.50 | 40.00 |
| 3 year..... | .75 | 5.00 | |

formosa albiflora. Japanese Bushclover. 5'

| | | | |
|-------------|-----|------|-------|
| 2 year..... | .65 | 5.00 | 40.00 |
|-------------|-----|------|-------|

Ligustrum acuminatum. 10'

| | | | |
|----------------|-----|------|-------|
| 2 to 3 ft..... | .40 | 2.50 | 20.00 |
| 3 to 4 ft..... | .50 | 3.50 | 25.00 |
| 4 to 5 ft..... | .60 | 5.00 | |

acuminatum macrocarpum. Bigberry Privet. 10'

| | | | |
|------------------|-----|------|-------|
| 18 to 24 in..... | .45 | 3.00 | 25.00 |
| 2 to 3 ft..... | .50 | 4.00 | 30.00 |
| 3 to 4 ft..... | .65 | 4.50 | 40.00 |

amurensis. Amur Privet. 15'

| | | | |
|------------------|------|-------|-------|
| 18 to 24 in..... | .20 | 1.80 | 15.00 |
| 24 to 30 in..... | .25 | 2.00 | 18.00 |
| 2 to 3 ft..... | .30 | 2.50 | 20.00 |
| 3 to 4 ft..... | .40 | 3.00 | 25.00 |
| 4 to 5 ft..... | .50 | 4.00 | 35.00 |
| 5 to 6 ft..... | .75 | 6.00 | 50.00 |
| 6 to 8 ft..... | 1.25 | 10.00 | |

ibolium. Ibolium Privet.

| | | | |
|------------------|-----|------|-------|
| 18 to 24 in..... | .30 | 2.50 | 20.00 |
| 2 to 3 ft..... | .35 | 3.00 | 25.00 |
| 3 to 4 ft..... | .50 | 4.00 | |

ibota. Iбота Privet. 10'

| | | | |
|----------------|-----|------|-------|
| 2 to 3 ft..... | .40 | 2.50 | 20.00 |
| 3 to 4 ft..... | .50 | 3.00 | 25.00 |
| 4 to 5 ft..... | .60 | 5.00 | 40.00 |

ibota nanum. Pygmy Privet.

| | | | |
|------------------|-----|------|-------|
| 18 to 24 in..... | .35 | 3.00 | 25.00 |
| 2 to 3 ft..... | .40 | 3.50 | 30.00 |
| 3 to 4 ft..... | .50 | 4.50 | 40.00 |

ibota regelianum. Regel Privet.

| | | | |
|-------------------------|------|------|-------|
| 18 to 24 in. spread.... | .50 | 4.00 | 30.00 |
| 24 to 30 in. spread.... | .65 | 4.50 | 35.00 |
| 2½ to 3 ft. spread.... | .75 | 6.00 | 45.00 |
| 3 to 3½ ft. spread.... | 1.00 | 7.50 | 65.00 |

lodense. Dwarf Privet. 2½'

| | | | |
|------------------|-----|------|-------|
| 12 to 15 in..... | .40 | 3.00 | 25.00 |
| 15 to 18 in..... | .45 | 3.50 | 30.00 |

Ligustrum.

| | | | |
|---|------|--------|---------|
| ovalifolium. California Privet. 10' | | | |
| | each | per 10 | per 100 |
| 18 to 24 in.----- | .20 | 1.00 | 6.50 |
| 24 to 30 in.----- | .25 | 1.20 | 7.50 |
| 3 to 4 ft.----- | .40 | 3.50 | |
| ovalifolium variegatum. Golden Privet. 10' | | | |
| 2 to 3 ft.----- | .50 | 4.50 | |
| 3 to 4 ft.----- | .75 | 6.50 | |
| vulgare. European Privet. 12' | | | |
| 2 to 3 ft.----- | .45 | 3.50 | 20.00 |
| 3 to 4 ft.----- | .50 | 4.00 | 25.00 |
| 4 to 5 ft.----- | .60 | 4.50 | 35.00 |
| 5 to 6 ft.----- | .75 | 6.00 | |
| vulgare foliosum. 10' | | | |
| 2 to 3 ft.----- | .50 | 3.50 | 30.00 |
| 3 to 4 ft.----- | .60 | 5.00 | 40.00 |
| vulgare leucocarpum. Yellowberry Privet. | | | |
| 2 to 3 ft.----- | .50 | 4.00 | 30.00 |
| 3 to 4 ft.----- | .60 | 4.50 | |
| 4 to 5 ft.----- | .75 | 6.00 | |
| Lindera benzoin. (See Benzoin aestivale). | | | |
| Lonicera bella albid. White Belle Honeysuckle. 10' | | | |
| 2 to 3 ft.----- | .45 | 3.50 | 25.00 |
| 3 to 4 ft.----- | .50 | 4.00 | 30.00 |
| 4 to 5 ft.----- | .65 | 5.00 | 40.00 |
| 5 to 6 ft.----- | .75 | 5.50 | 45.00 |
| 6 to 8 ft.----- | 1.00 | 7.50 | 60.00 |
| 8 to 10 ft.----- | 1.25 | 10.00 | 75.00 |
| bella rosea. Belle Honeysuckle. 10' | | | |
| 2 to 3 ft.----- | .45 | 3.50 | 25.00 |
| 3 to 4 ft.----- | .50 | 4.00 | 30.00 |
| 4 to 5 ft.----- | .65 | 5.00 | 40.00 |
| billardi. 8' | | | |
| 2 to 3 ft.----- | .45 | 3.50 | 25.00 |
| 3 to 4 ft.----- | .50 | 4.00 | 30.00 |
| 4 to 5 ft.----- | .60 | 5.00 | 40.00 |
| 5 to 6 ft.----- | .75 | 6.50 | 50.00 |
| 6 to 8 ft.----- | 1.00 | 7.50 | 60.00 |
| chrysantha. Coralline Honeysuckle. 10' | | | |
| 2 to 3 ft.----- | .50 | 4.00 | 25.00 |
| 3 to 4 ft.----- | .60 | 4.50 | 30.00 |
| 4 to 5 ft.----- | .65 | 5.00 | 40.00 |
| 5 to 6 ft.----- | .75 | 6.50 | 55.00 |
| 6 to 8 ft.----- | 1.00 | 7.50 | |

Lonicera**conjugalis. 8'**

| | each | per 10 | per 100 |
|------------------|------|--------|---------|
| 3 to 4 ft.----- | .50 | 4.50 | 40.00 |
| 4 to 5 ft.----- | .65 | 5.00 | 45.00 |
| 5 to 6 ft.----- | .75 | 6.50 | 55.00 |
| 6 to 8 ft.----- | 1.00 | 8.50 | 70.00 |
| 8 to 10 ft.----- | 1.25 | 10.00 | 75.00 |

fragrantissima. Winter Honeysuckle. 8'

| | | | |
|-----------------|-----|------|-------|
| 2 to 3 ft.----- | .50 | 4.00 | 30.00 |
| 3 to 4 ft.----- | .60 | 4.50 | 35.00 |
| 4 to 5 ft.----- | .75 | 6.00 | |

gracilipes. Spangled Honeysuckle. 6'

| | | | |
|-----------------|-----|------|-------|
| 2 to 3 ft.----- | .50 | 3.50 | 25.00 |
| 3 to 4 ft.----- | .60 | 4.50 | 35.00 |
| 4 to 5 ft.----- | .65 | 5.00 | 45.00 |
| 5 to 6 ft.----- | .80 | 7.00 | |

kesselringi. Black fruited Honeysuckle. 10'

| | | | |
|-----------------|-----|------|-------|
| 3 to 4 ft.----- | .60 | 4.50 | 35.00 |
| 4 to 5 ft.----- | .65 | 5.00 | |
| 5 to 6 ft.----- | .75 | 6.50 | |

korolkowi floribunda.*Broad Blueleaf Honeysuckle. 10'*

| | | | |
|-----------------|------|------|--|
| 2 to 3 ft.----- | .65 | 5.00 | |
| 3 to 4 ft.----- | .75 | 6.50 | |
| 4 to 5 ft.----- | 1.00 | 7.50 | |

ledebouri.

| | | | |
|-----------------|-----|------|--|
| 2 to 3 ft.----- | .40 | 3.50 | |
| 3 to 4 ft.----- | .50 | 4.00 | |
| 4 to 5 ft.----- | .65 | 5.00 | |

macki. Amur Honeysuckle. 10'

| | | | |
|-----------------|------|-------|-------|
| 3 to 4 ft.----- | .60 | 4.50 | 35.00 |
| 4 to 5 ft.----- | .75 | 5.50 | 45.00 |
| 5 to 6 ft.----- | 1.00 | 7.50 | 60.00 |
| 6 to 7 ft.----- | 1.25 | 10.00 | |

morrowi. Japanese Bush Honeysuckle. 8'

| | | | |
|-----------------|------|------|-------|
| 2 to 3 ft.----- | .45 | 3.50 | 25.00 |
| 3 to 4 ft.----- | .50 | 4.00 | 30.00 |
| 4 to 5 ft.----- | .65 | 5.00 | 40.00 |
| 5 to 6 ft.----- | .75 | 6.50 | 50.00 |
| 6 to 8 ft.----- | 1.00 | 7.50 | |

Lonicera**morrowi.** (*Yellow Fruited*). 8'

| | each | per 10 | per 100 |
|-----------------|------|--------|---------|
| 2 to 3 ft.----- | .45 | 3.50 | 25.00 |
| 3 to 4 ft.----- | .50 | 4.00 | 30.00 |
| 4 to 5 ft.----- | .65 | 5.00 | 40.00 |
| 5 to 6 ft.----- | .75 | 6.50 | |
| 6 to 8 ft.----- | 1.00 | 7.50 | |

muendeniensi. *Muenden Honeysuckle.* 8'

| | | | |
|-----------------|------|------|-------|
| 2 to 3 ft.----- | .45 | 3.50 | 25.00 |
| 3 to 4 ft.----- | .50 | 4.00 | 30.00 |
| 4 to 5 ft.----- | .65 | 5.50 | 45.00 |
| 5 to 6 ft.----- | .75 | 6.00 | 50.00 |
| 6 to 8 ft.----- | 1.00 | 7.50 | 60.00 |

pileata. *Privet Honeysuckle.* 2'

| | | | |
|------------------|-----|------|--|
| 6 to 12 in.----- | .50 | 4.00 | |
|------------------|-----|------|--|

quinquelocularis. *Mistletoe Honeysuckle.* 10'

| | | | |
|-----------------|-----|------|-------|
| 3 to 4 ft.----- | .65 | 5.00 | 40.00 |
| 4 to 5 ft.----- | .75 | 6.00 | 50.00 |

ruprechtiana. *Manchurian Honeysuckle.* 10'

| | | | |
|-----------------|-----|------|-------|
| 2 to 3 ft.----- | .45 | 3.50 | 25.00 |
| 3 to 4 ft.----- | .50 | 4.00 | 30.00 |
| 4 to 5 ft.----- | .65 | 5.00 | 40.00 |
| 5 to 6 ft.----- | .75 | 6.00 | 50.00 |

spinosa alberti. *Thorn Honeysuckle.* 2'

| | | | |
|-------------------|-----|------|-------|
| 12 to 15 in.----- | .50 | 4.50 | 40.00 |
| 15 to 18 in.----- | .65 | 5.00 | 45.00 |
| 18 to 24 in.----- | .75 | 6.00 | 50.00 |

standishi. 5'

| | | | |
|-----------------|-----|------|--|
| 3 to 4 ft.----- | .75 | 6.00 | |
|-----------------|-----|------|--|

syringantha. *Lilac Honeysuckle.*

| | | | |
|-------------------|-----|------|--|
| 18 to 24 in.----- | .75 | 6.00 | |
|-------------------|-----|------|--|

tatarica. *Red Tatarian Honeysuckle.* 10'

| | | | |
|-----------------|------|------|-------|
| 2 to 3 ft.----- | .45 | 3.00 | 25.00 |
| 3 to 4 ft.----- | .50 | 4.00 | 30.00 |
| 4 to 5 ft.----- | .65 | 5.00 | 45.00 |
| 5 to 6 ft.----- | .75 | 6.00 | 50.00 |
| 6 to 7 ft.----- | 1.25 | 9.00 | 75.00 |

tatarica alba. *White Tatarian Honeysuckle.* 10'

| | | | |
|-----------------|------|------|-------|
| 2 to 3 ft.----- | .45 | 3.50 | 25.00 |
| 3 to 4 ft.----- | .50 | 4.00 | 30.00 |
| 4 to 5 ft.----- | .65 | 5.00 | 40.00 |
| 5 to 6 ft.----- | .75 | 6.00 | 50.00 |
| 6 to 8 ft.----- | 1.25 | 9.00 | 75.00 |

Lonicera.**tatarica grandiflora.** *Pink Tatarian Honeysuckle.* 10'

| | each | per 10 | per 100 |
|-----------------|------|--------|---------|
| 2 to 3 ft.----- | .45 | 3.50 | 25.00 |
| 3 to 4 ft.----- | .50 | 4.00 | 30.00 |
| 4 to 5 ft.----- | .65 | 5.00 | 40.00 |
| 5 to 6 ft.----- | .75 | 6.00 | 50.00 |
| 6 to 7 ft.----- | 1.25 | 9.00 | |

tatarica siberica. *Siberian Honeysuckle.* 10'

| | | | |
|-----------------|-----|------|--|
| 2 to 3 ft.----- | .60 | 5.00 | |
|-----------------|-----|------|--|

thibetica. *Tibetan Honeysuckle.*

| | | | |
|-------------|------|-------|--|
| 2 yr. ----- | 1.25 | 10.00 | |
|-------------|------|-------|--|

translucens. *White-fruited Honeysuckle.* 10'

| | | | |
|-----------------|------|------|-------|
| 3 to 4 ft.----- | .50 | 4.50 | 40.00 |
| 4 to 5 ft.----- | .75 | 6.00 | 50.00 |
| 5 to 6 ft.----- | 1.00 | 7.50 | 60.00 |

virginalis alba. *Maiden Honeysuckle.* 10'

| | | | |
|-----------------|-----|------|-------|
| 2 to 3 ft.----- | .45 | 3.00 | 25.00 |
| 3 to 4 ft.----- | .50 | 4.00 | 30.00 |
| 4 to 5 ft.----- | .65 | 5.00 | 40.00 |
| 5 to 6 ft.----- | .75 | 6.00 | 50.00 |

xylosteum. *Fly Honeysuckle.* 8'

| | | | |
|-----------------|------|------|-------|
| 2 to 3 ft.----- | .45 | 3.50 | 25.00 |
| 3 to 4 ft.----- | .50 | 4.00 | 30.00 |
| 4 to 5 ft.----- | .65 | 5.00 | 40.00 |
| 5 to 6 ft.----- | .75 | 5.50 | 45.00 |
| 6 to 8 ft.----- | 1.00 | 7.50 | 60.00 |

Lycium chinense. *Chinese Matrimony Vine.* 5'

| | | | |
|-----------------|-----|------|-------|
| 2 to 3 ft.----- | .35 | 2.50 | 20.00 |
| 3 to 4 ft.----- | .45 | 3.00 | 25.00 |
| 4 to 5 ft.----- | .50 | 4.00 | 35.00 |

halimifolium. *Common Matrimony Vine.*

| | | | |
|-----------------|-----|------|-------|
| 2 to 3 ft.----- | .40 | 3.00 | 20.00 |
| 3 to 4 ft.----- | .45 | 4.00 | 25.00 |

Myrica carolinensis. *Northern Bayberry.* 5'

| | | | |
|-------------------|-----|------|-------|
| 18 to 24 in.----- | .75 | 6.00 | 55.00 |
|-------------------|-----|------|-------|

cerifera. *Southern Waxmyrtle.* 5'

| | | | |
|-------------------|-----|------|-------|
| 18 to 24 in.----- | .75 | 6.00 | 55.00 |
|-------------------|-----|------|-------|

gale. *Sweetgale.* 4'

| | | | |
|-------------------|-----|------|--|
| 18 to 24 in.----- | .65 | 5.50 | |
| 2 to 3 ft.----- | .75 | 7.00 | |

Neillia sinensis. *Tube Neillia.* 4'

| | | | |
|-----------------|------|-------|--|
| 2 to 3 ft.----- | 1.50 | 12.50 | |
|-----------------|------|-------|--|

Oxydendrum arboreum. *Sourwood.* 40'

| | each | per 10 | per 100 |
|-----------------|------|--------|---------|
| 2 to 3 ft.----- | 1.00 | 7.50 | 65.00 |
| 3 to 4 ft.----- | 1.60 | 12.50 | 90.00 |
| 4 to 5 ft.----- | 2.00 | 16.00 | 125.00 |
| 5 to 6 ft.----- | 3.00 | 22.50 | 200.00 |
| 6 to 8 ft.----- | 4.00 | 30.00 | |

Philadelphus Albatre.

| | | | |
|-----------------|-----|------|--|
| 2 to 3 ft.----- | .75 | 6.00 | |
|-----------------|-----|------|--|

Banniere.

| | | | |
|-----------------|-----|------|--|
| 2 to 3 ft.----- | .75 | 6.00 | |
|-----------------|-----|------|--|

coronarius. *Sweet Mockorange.* 10'

| | | | |
|-----------------|------|------|-------|
| 2 to 3 ft.----- | .45 | 3.50 | 25.00 |
| 3 to 4 ft.----- | .50 | 4.00 | 30.00 |
| 4 to 5 ft.----- | .65 | 5.00 | 40.00 |
| 5 to 6 ft.----- | .75 | 5.50 | 45.00 |
| 6 to 8 ft.----- | 1.00 | 6.50 | |

coronarius aureus. *Golden Mockorange.* 4'

| | | | |
|-------------------|-----|------|-------|
| 18 to 24 in.----- | .75 | 6.50 | 50.00 |
|-------------------|-----|------|-------|

coronarius nanus. 4'

| | | | |
|-------------------|------|------|--|
| 12 to 15 in.----- | 1.00 | 7.50 | |
|-------------------|------|------|--|

coronarius multiflorus plenus. 6'

| | | | |
|-----------------|-----|------|--|
| 2 to 3 ft.----- | .55 | 4.50 | |
|-----------------|-----|------|--|

coronarius speciosissimus. *Roundleaf Mockorange.* 10'

| | | | |
|-----------------|-----|------|-------|
| 2 to 3 ft.----- | .45 | 3.50 | 25.00 |
| 3 to 4 ft.----- | .50 | 4.00 | 30.00 |
| 4 to 5 ft.----- | .65 | 5.00 | 40.00 |

dianthiflorus plenus. 4'

| | | | |
|-------------------|------|------|--|
| 18 to 24 in.----- | .50 | 4.50 | |
| 2 to 3 ft.----- | .65 | 5.00 | |
| 3 to 4 ft.----- | 1.00 | 7.50 | |

falconeri. *Star Mockorange.* 8'

| | | | |
|-----------------|------|------|-------|
| 3 to 4 ft.----- | .50 | 4.00 | 30.00 |
| 4 to 5 ft.----- | .65 | 5.00 | 45.00 |
| 5 to 6 ft.----- | .75 | 6.00 | 50.00 |
| 6 to 8 ft.----- | 1.00 | 7.50 | 60.00 |

gordonianus. *Gordon Mockorange.* 12'

| | | | |
|------------------|------|------|-------|
| 2 to 3 ft.----- | .45 | 3.50 | 25.00 |
| 3 to 4 ft.----- | .50 | 4.00 | 30.00 |
| 4 to 5 ft.----- | .65 | 5.00 | 40.00 |
| 5 to 6 ft.----- | .75 | 5.50 | 45.00 |
| 6 to 8 ft.----- | .85 | 6.00 | 50.00 |
| 8 to 10 ft.----- | 1.00 | 7.50 | |

Philadelphus**grandiflorus.** *Big Scentless Mockorange.* 8'

| | each | per 10 | per 100 |
|------------------|------|--------|---------|
| 2 to 3 ft.----- | .45 | 3.50 | 25.00 |
| 3 to 4 ft.----- | .50 | 4.00 | 30.00 |
| 4 to 5 ft.----- | .65 | 5.00 | 40.00 |
| 5 to 6 ft.----- | .75 | 5.50 | 45.00 |
| 6 to 8 ft.----- | .85 | 6.00 | 50.00 |
| 8 to 10 ft.----- | 1.00 | 7.50 | |

lemoinei Avalanche. 5'

| | | | |
|-----------------|-----|------|-------|
| 2 to 3 ft.----- | .50 | 4.50 | 40.00 |
| 3 to 4 ft.----- | .65 | 5.50 | 50.00 |

lemoinei Bouquet Blanc. 5'

| | | | |
|-----------------|-----|------|--|
| 2 to 3 ft.----- | .65 | 5.00 | |
|-----------------|-----|------|--|

lemoinei erectus. 5'

| | | | |
|-----------------|-----|------|-------|
| 2 to 3 ft.----- | .50 | 4.50 | 40.00 |
| 3 to 4 ft.----- | .65 | 5.50 | 50.00 |

lewisi. *Lewis Mockorange.* 10'

| | | | |
|-----------------|-----|------|-------|
| 2 to 3 ft.----- | .45 | 3.00 | 22.00 |
| 3 to 4 ft.----- | .50 | 4.00 | 30.00 |
| 4 to 5 ft.----- | .65 | 5.00 | 40.00 |
| 5 to 6 ft.----- | .75 | 5.50 | 45.00 |
| 6 to 8 ft.----- | .85 | 6.50 | |

nepalensis. *Nepal Mockorange.* 10'

| | | | |
|-----------------|-----|------|-------|
| 3 to 4 ft.----- | .50 | 4.00 | 30.00 |
| 4 to 5 ft.----- | .65 | 5.00 | 40.00 |
| 5 to 6 ft.----- | .75 | 5.50 | 45.00 |

nivalis. *Snowbank Mockorange.* 10'

| | | | |
|------------------|------|------|-------|
| 2 to 3 ft.----- | .45 | 3.00 | 25.00 |
| 3 to 4 ft.----- | .50 | 4.00 | 30.00 |
| 4 to 5 ft.----- | .65 | 5.00 | 40.00 |
| 5 to 6 ft.----- | .75 | 5.50 | 45.00 |
| 6 to 8 ft.----- | .85 | 6.50 | 50.00 |
| 8 to 10 ft.----- | 1.00 | 7.50 | 60.00 |

Norma.

| | | | |
|-----------------|-----|------|-------|
| 2 to 3 ft.----- | .75 | 6.00 | 50.00 |
|-----------------|-----|------|-------|

Pavillon Blanc. 8'

| | | | |
|-----------------|------|-------|-------|
| 2 to 3 ft.----- | .75 | 6.00 | 50.00 |
| 3 to 4 ft.----- | 1.00 | 7.50 | 60.00 |
| 4 to 5 ft.----- | 1.25 | 10.00 | 75.00 |

zeyheri. *Zeyher Mockorange.* 10'

| | | | |
|-----------------|-----|------|-------|
| 3 to 4 ft.----- | .50 | 4.00 | 30.00 |
| 4 to 5 ft.----- | .65 | 5.00 | 45.00 |
| 5 to 6 ft.----- | .75 | 6.50 | |

Philadelphus**virginal. 8'**

| | each | per 10 | per 100 |
|-----------------|------|--------|---------|
| 2 to 3 ft.----- | .75 | 6.00 | 50.00 |
| 3 to 4 ft.----- | 1.00 | 7.50 | 60.00 |

Photinia villosa. 8'

| | | | |
|-----------------|------|-------|--|
| 3 to 4 ft.----- | 1.50 | 12.50 | |
| 4 to 5 ft.----- | 1.75 | 15.00 | |

Physocarpus intermedia parviflora. Dwarf Ninebark. 4'

| | | | |
|-------------------|-----|------|--|
| 18 to 24 in.----- | .50 | 4.00 | |
| 2 to 3 ft.----- | .60 | 5.00 | |

opulifolius. Ninebark. 10'

| | | | |
|---------------------------|------|------|-------|
| 2 to 3 ft.----- | .45 | 3.00 | 22.00 |
| 3 to 4 ft.----- | .50 | 3.50 | 30.00 |
| 4 to 5 ft.----- | .60 | 5.00 | 40.00 |
| 5 to 6 ft.----- | .75 | 5.50 | 45.00 |
| 6 to 8 ft.----- | .85 | 6.50 | 55.00 |
| 6 to 8 ft. specimens----- | 3.50 | | |

opulifolius aureus. Goldleaf Ninebark. 10'

| | | | |
|---------------------------|------|------|-------|
| 2 to 3 ft.----- | .45 | 3.00 | 22.00 |
| 3 to 4 ft.----- | .50 | 3.50 | 30.00 |
| 4 to 5 ft.----- | .60 | 5.00 | 40.00 |
| 5 to 6 ft.----- | .75 | 5.50 | 45.00 |
| 6 to 8 ft.----- | .85 | 6.50 | 55.00 |
| 6 to 8 ft. specimens----- | 3.50 | | |

Potentilla fruticosa. Shrubby Cinquefoil. 4'

| | | | |
|-------------------|-----|------|-------|
| 18 to 24 in.----- | .50 | 4.50 | 40.00 |
| 2 to 3 ft.----- | .65 | 5.00 | 45.00 |

Prunus americana. American Plum. 20'

| | | | |
|------------------|------|-------|--|
| 4 to 5 ft.----- | .60 | 5.00 | |
| 5 to 6 ft.----- | .75 | 6.00 | |
| 6 to 8 ft.----- | 1.00 | 7.50 | |
| 8 to 10 ft.----- | 1.25 | 10.00 | |

americana Newport. Purple-leaved American Plum. 20'

| | | | |
|-----------------|------|-------|--|
| 3 to 4 ft.----- | 1.25 | 10.00 | |
| 4 to 5 ft.----- | 1.50 | 12.50 | |
| 5 to 6 ft.----- | 1.75 | 15.00 | |

besseyi. Bessey Cherry. 8'

| | | | |
|-----------------|------|------|-------|
| 2 to 3 ft.----- | .65 | 5.00 | 45.00 |
| 3 to 4 ft.----- | .75 | 6.50 | 55.00 |
| 4 to 5 ft.----- | 1.00 | 7.50 | |

Prunus

| | | | |
|---|------|--------|---------|
| cerasifera pissardi. Purpleleaf Plum. 12' | | | |
| | each | per 10 | per 100 |
| 4 to 5 ft.----- | 1.00 | 7.50 | 60.00 |
| 5 to 6 ft.----- | 1.25 | 10.00 | 75.00 |
| 6 to 8 ft.----- | 1.50 | 12.50 | 100.00 |
| 8 to 10 ft.----- | 1.75 | 15.00 | |
| glandulosa. Flowering Almond. 10' | | | |
| 2 to 3 ft.----- | .75 | 6.50 | 50.00 |
| 3 to 4 ft.----- | 1.00 | 7.50 | 60.00 |
| glandulosa sinensis. Double Pinkflowering Almond. 6' | | | |
| 2 to 3 ft.----- | .75 | 6.00 | 55.00 |
| 3 to 4 ft.----- | 1.00 | 7.50 | 65.00 |
| 4 to 5 ft.----- | 1.25 | 10.00 | |
| 2 to 3 ft. own roots----- | 1.50 | 12.50 | |
| 3 to 4 ft. own roots----- | 2.00 | 15.00 | |
| glandulosa albiplena. | | | |
| Double Whiteflowering Almond. 6' | | | |
| 2 to 3 ft.----- | .75 | 6.00 | 55.00 |
| 3 to 4 ft.----- | 1.00 | 7.50 | 65.00 |
| 4 to 5 ft.----- | 1.25 | 10.00 | |
| 2 to 3 ft. own roots----- | 1.50 | 12.50 | |
| maacki. Amur Cherry. 12' | | | |
| 6 to 8 ft.----- | 1.60 | 12.50 | 85.00 |
| 8 to 10 ft.----- | 2.00 | 15.00 | 100.00 |
| maritima. Beech Plum. 12' | | | |
| 2 to 3 ft.----- | .65 | 5.50 | 50.00 |
| 3 to 4 ft.----- | .75 | 6.50 | 55.00 |
| 4 to 5 ft.----- | 1.00 | 7.50 | |
| pennsylvanica. Pin Cherry. 25' | | | |
| 5 to 6 ft.----- | .75 | 6.00 | 50.00 |
| 6 to 8 ft.----- | 1.00 | 7.50 | 60.00 |
| 8 to 10 ft.----- | 1.25 | 10.00 | 75.00 |
| 10 to 12 ft.----- | 1.75 | 15.00 | |
| spinosa. Blackthorn. 12' | | | |
| 3 to 4 ft.----- | .75 | 6.00 | 50.00 |
| 4 to 5 ft.----- | .80 | 6.50 | 60.00 |
| 5 to 6 ft.----- | 1.00 | 7.50 | 65.00 |
| 6 to 8 ft.----- | 1.25 | 9.00 | |
| tomentosa. Nanking Cherry. 8' | | | |
| 2 to 3 ft.----- | .65 | 5.00 | 40.00 |
| 3 to 4 ft.----- | .75 | 6.50 | 50.00 |
| 4 to 5 ft.----- | 1.00 | 7.50 | 65.00 |
| 5 to 6 ft.----- | 1.25 | 10.00 | |

Prunus**triloba.** *Doubleflowering Plum.* 10'

| | | |
|------------|------|-------|
| 3 to 4 ft. | 1.25 | 10.00 |
| 4 to 5 ft. | 1.50 | 12.50 |
| 5 to 6 ft. | 2.00 | 15.00 |

virginiana. *Chokecherry.* 30'

| | | | |
|------------|------|-------|-------|
| 3 to 4 ft. | .65 | 5.00 | 45.00 |
| 4 to 5 ft. | .75 | 6.50 | 50.00 |
| 5 to 6 ft. | 1.00 | 7.50 | 65.00 |
| 6 to 8 ft. | 1.25 | 10.00 | |

Pyrus arbutifolia. (*See Aronia.*)**Rhamnus caroliniana.** *Carolina Buckthorn.* 25'

| | | | |
|------------|-----|------|-------|
| 2 to 3 ft. | .45 | 3.00 | 25.00 |
| 3 to 4 ft. | .50 | 4.00 | 30.00 |
| 4 to 5 ft. | .65 | 5.00 | 45.00 |

cathartica. *Buckthorn.* 12'

| | | | |
|------------|-----|------|-------|
| 3 to 4 ft. | .50 | 4.00 | 30.00 |
| 4 to 5 ft. | .55 | 4.50 | |

dahurica. *Dahurian Buckthorn.* 12'

| | | | |
|------------|-----|------|-------|
| 2 to 3 ft. | .40 | 2.50 | 20.00 |
| 3 to 4 ft. | .45 | 3.50 | 25.00 |
| 4 to 5 ft. | .55 | 4.50 | 30.00 |
| 5 to 6 ft. | .70 | 5.00 | 40.00 |
| 6 to 8 ft. | .90 | 6.50 | 50.00 |

frangula. *Glossy Buckthorn.* 12'

| | | | |
|-------------|------|------|-------|
| 3 to 4 ft. | .45 | 3.50 | 25.00 |
| 4 to 5 ft. | .55 | 4.50 | 30.00 |
| 5 to 6 ft. | .70 | 5.00 | 40.00 |
| 6 to 8 ft. | .90 | 6.50 | 50.00 |
| 8 to 10 ft. | 1.00 | 8.50 | 75.00 |

purshiana. *Cascara Buckthorn.* 12'

| | | | |
|------------|-----|------|-------|
| 3 to 4 ft. | .45 | 3.50 | 25.00 |
| 4 to 5 ft. | .55 | 4.00 | 30.00 |
| 5 to 6 ft. | .65 | 5.00 | 40.00 |
| 6 to 8 ft. | .90 | 6.50 | 50.00 |

Rhodotypos kerrioides. *Jetbead.* 6'

| | | | |
|--------------|------|-------|-------|
| 18 to 24 in. | .45 | 3.50 | 30.00 |
| 2 to 3 ft. | .50 | 4.00 | 35.00 |
| 18 to 24 in. | .50 | 4.50 | 40.00 |
| 5 to 6 ft. | 1.25 | 10.00 | |

Rhus canadensis. *Fragrant Sumac.* 6'

| | | | |
|------------|------|------|-------|
| 2 to 3 ft. | .75 | 6.50 | 60.00 |
| 3 to 4 ft. | 1.00 | 7.50 | |

Rhus

copallina. Shining Sumac. 20'

| | each | per 10 | per 100 |
|-----------------|------|--------|---------|
| 2 to 3 ft.----- | .60 | 5.00 | 40.00 |
| 3 to 4 ft.----- | .75 | 6.00 | 50.00 |
| 4 to 5 ft.----- | 1.00 | 7.50 | |

cotinus. Purple Fringe or Smoketree. 12'

| | | | |
|-----------------|------|-------|--------|
| 2 to 3 ft.----- | 1.25 | 10.00 | 75.00 |
| 3 to 4 ft.----- | 1.60 | 12.50 | 100.00 |
| 4 to 5 ft.----- | 2.00 | 15.00 | |
| 5 to 6 ft.----- | 2.25 | 20.00 | |

glabra. Smooth Sumac. 12'

| | | | |
|-----------------|-----|------|-------|
| 2 to 3 ft.----- | .45 | 3.00 | 25.00 |
| 3 to 4 ft.----- | .50 | 4.00 | 30.00 |

glabra laciniata. Cutleaf Sumac. 5'

| | | | |
|-----------------|------|------|--|
| 2 to 3 ft.----- | .75 | 6.50 | |
| 3 to 4 ft.----- | 1.00 | 7.50 | |

javanica syn. osbecki. Java Sumac. 18'

| | | | |
|-----------------|------|-------|--|
| 3 to 4 ft.----- | 1.00 | 7.50 | |
| 4 to 5 ft.----- | 1.25 | 10.00 | |
| 5 to 6 ft.----- | 2.00 | 15.00 | |
| 6 to 8 ft.----- | 2.50 | 20.00 | |

typhina. Staghorn Sumac. 25'

| | | | |
|-----------------|------|------|-------|
| 2 to 3 ft.----- | .45 | 3.00 | 22.00 |
| 3 to 4 ft.----- | .50 | 4.00 | 30.00 |
| 4 to 5 ft.----- | .65 | 5.00 | 40.00 |
| 5 to 6 ft.----- | .75 | 5.50 | 45.00 |
| 6 to 8 ft.----- | 1.00 | 6.50 | 55.00 |

typhina laciniata. Shredded Sumac. 25'

| | | | |
|-----------------|------|------|-------|
| 2 to 3 ft.----- | .50 | 4.00 | 30.00 |
| 3 to 4 ft.----- | .60 | 5.00 | 40.00 |
| 4 to 5 ft.----- | .75 | 6.50 | 50.00 |
| 5 to 6 ft.----- | 1.00 | 7.50 | 60.00 |

Ribes aureum. Slender Golden Currant. 10'

| | | | |
|-----------------|-----|------|-------|
| 2 to 3 ft.----- | .50 | 4.00 | 30.00 |
| 3 to 4 ft.----- | .60 | 4.50 | 40.00 |
| 4 to 5 ft.----- | .65 | 5.50 | 50.00 |
| 5 to 6 ft.----- | .75 | 7.00 | 60.00 |

alpinum. Mountain Currant. 4'

| | | | |
|-------------------|------|-------|-------|
| 18 to 24 in.----- | .65 | 5.50 | 50.00 |
| 2 to 3 ft.----- | .75 | 7.00 | 65.00 |
| 3 to 4 ft.----- | 1.25 | 10.00 | |

fasciculatum. Winterberry Currant.

| | | | |
|-------------------|-----|------|-------|
| 18 to 24 in.----- | .65 | 5.00 | 45.00 |
| 2 to 3 ft.----- | .75 | 6.50 | 55.00 |

Ribes**gordonianum.** *Gordon Currant.* 8'

| | each | per 10 | per 100 |
|-----------------|------|--------|---------|
| 3 to 4 ft.----- | .60 | 4.50 | |
| 4 to 5 ft.----- | .65 | 6.00 | |
| 5 to 6 ft.----- | .85 | 7.00 | |

sanguineum. *Ruby Winter Currant.*

| | | | |
|-----------------|-----|------|--|
| 2 to 3 ft.----- | .60 | 4.50 | |
| 3 to 4 ft.----- | .65 | 5.00 | |

Robinia viscosa. *Clammy Locust.* 10'

| | | | |
|-----------------|------|------|-------|
| 2 to 3 ft.----- | .75 | 6.50 | 60.00 |
| 3 to 4 ft.----- | 1.00 | 7.50 | |

kelseyi. *Kelsey Locust.* 8'

| | | | |
|-------------------|------|--|--|
| 18 to 24 in.----- | 2.00 | | |
|-------------------|------|--|--|

Rosa acicularis. *Prickly Rose.* 5'

| | | | |
|-----------------|-----|------|-------|
| 2 to 3 ft.----- | .50 | 4.00 | 30.00 |
| 3 to 4 ft.----- | .60 | 4.50 | 40.00 |

blanda. *Meadow Rose.* 5'

| | | | |
|-------------------|-----|------|-------|
| 18 to 24 in.----- | .50 | 4.00 | 30.00 |
| 2 to 3 ft.----- | .60 | 4.50 | 40.00 |
| 3 to 4 ft.----- | .65 | 5.00 | 45.00 |

canina. *Dogbrier.* 8'

| | | | |
|-----------------|-----|------|-------|
| 2 to 3 ft.----- | .45 | 4.00 | 30.00 |
| 3 to 4 ft.----- | .50 | 4.50 | 40.00 |

foetida. *Austrian Copper Rose.*

| | | | |
|-----------------|------|-------|--|
| 2 to 3 ft.----- | 1.60 | 12.50 | |
|-----------------|------|-------|--|

helenae. *Helen Rose.*

| | | | |
|--------------|------|--|--|
| 2 year ----- | 1.00 | | |
|--------------|------|--|--|

hugonis. *Hugonis Rose.* 6'

| | | | |
|-----------------|------|-------|--------|
| 2 to 3 ft.----- | 1.35 | 12.50 | 100.00 |
|-----------------|------|-------|--------|

humilis. *Pasture Rose.* 5'

| | | | |
|-------------------|-----|------|-------|
| 18 to 24 in.----- | .50 | 4.00 | 30.00 |
| 2 to 3 ft.----- | .55 | 4.50 | 40.00 |
| 3 to 4 ft.----- | .60 | 5.00 | 45.00 |

lucida. *Virginia Rose.* 6'

| | | | |
|-------------------|-----|------|-------|
| 18 to 24 in.----- | .50 | 4.00 | 30.00 |
| 2 to 3 ft.----- | .55 | 4.50 | 40.00 |
| 3 to 4 ft.----- | .60 | 5.00 | 45.00 |

multiflora. *Japanese Rose.*

| | | | |
|-----------------|-----|------|-------|
| 2 to 3 ft.----- | .50 | 3.50 | 25.00 |
| 3 to 4 ft.----- | .55 | 4.00 | 30.00 |
| 4 to 5 ft.----- | .65 | 5.00 | 40.00 |

multiflora cathayensis. *Cathay Rose.* 6'

| | | | |
|-----------------|------|------|--|
| 3 to 4 ft.----- | 1.00 | 7.50 | |
|-----------------|------|------|--|

Rosa

| <i>nitida. Bristly Rose. 3'</i> | each | per 10 | per 100 |
|---|------|--------|---------|
| 18 to 24 in.----- | .50 | 4.00 | 30.00 |
| 2 to 3 ft.----- | .60 | 4.50 | 40.00 |
| 3 to 4 ft.----- | .65 | 5.00 | |
| <i>palustris. Swamp Rose. 8'</i> | | | |
| 18 to 24 in.----- | .50 | 4.00 | 30.00 |
| 2 to 3 ft.----- | .55 | 4.50 | 40.00 |
| 3 to 4 ft.----- | .60 | 5.00 | 45.00 |
| <i>rubiginosa. Sweetbrier. 6'</i> | | | |
| 2 to 3 ft.----- | .50 | 4.00 | 30.00 |
| 3 to 4 ft.----- | .60 | 4.50 | 40.00 |
| 4 to 5 ft.----- | .65 | 5.00 | 45.00 |
| <i>rubiginosa hybrids. Lady Penzance, Lord Penzance, Green Mantle, Lucy Ashton, Jeannie Deans, and Flora McIvor. 6'</i> | | | |
| 2 to 3 ft.----- | 1.00 | 7.50 | |
| <i>rubrifolia. Redleaf Rose. 6'</i> | | | |
| 2 to 3 ft.----- | .65 | 5.00 | 45.00 |
| 3 to 4 ft.----- | .75 | 6.50 | 55.00 |
| 4 to 5 ft.----- | 1.00 | 7.50 | 65.00 |
| <i>rugosa. Rugosa Rose. 6'</i> | | | |
| 18 to 24 in.----- | .45 | 3.50 | 30.00 |
| 2 to 3 ft.----- | .50 | 4.00 | 35.00 |
| 3 to 4 ft.----- | .60 | 5.00 | 45.00 |
| <i>rugosa alba. White Rugosa Rose. 6'</i> | | | |
| 18 to 24 in.----- | .50 | 4.50 | 40.00 |
| 2 to 3 ft.----- | .65 | 5.50 | 50.00 |
| 3 to 4 ft.----- | .75 | 6.50 | 60.00 |
| <i>rugosa hybrids.</i> | | | |
| 2 to 3 ft.----- | 1.00 | 7.50 | |
| 3 to 4 ft.----- | 1.10 | 10.00 | |
| <i>Varieties:—Blanche de Coubert, C. F. Meyer</i> | | | |
| <i>C. F. Worth, Agnes Carmen, New Century,</i> | | | |
| <i>Nova Zembla, Mad. Geo. Bruant, Mrs. An-</i> | | | |
| <i>thony Waterer, Belle Poitevine, Sir Thomas</i> | | | |
| <i>Lipton.</i> | | | |
| <i>sericea. 4'</i> | | | |
| 2 to 3 ft.----- | 1.00 | | |
| <i>setigera. Prairie Rose. 6'</i> | | | |
| 2 to 3 ft.----- | .45 | 3.00 | 25.00 |
| 3 to 4 ft.----- | .50 | 4.00 | 30.00 |
| 4 to 5 ft.----- | .60 | 4.50 | 40.00 |

Rosa**spinosissima altaica. Altai Rose. 4'**

| | each | per 10 | per 100 |
|-------------------|------|--------|---------|
| 18 to 24 in.----- | .60 | 5.00 | 40.00 |
| 2 to 3 ft.----- | .75 | 6.00 | 50.00 |

wichuraiana. Wichurian Rose. 2'

| | | | |
|--------------|-----|------|-------|
| 2 year ----- | .50 | 4.00 | 30.00 |
| 3 year ----- | .65 | 5.00 | 40.00 |
| 4 year ----- | .75 | 6.50 | |

wichuraiana hybrids.

| | | | |
|--------------|-----|------|--|
| 2 year ----- | .75 | 6.50 | |
|--------------|-----|------|--|

Jersey Beauty, Sweetheart, Universal Favorite,
Manda's Triumph, South Orange Perfection.

Roses

| | each | per 10 | per 100 |
|--|------|--------|---------|
| Hybrid Perpetuals. 2 year No. 1 | .90 | 6.50 | |

| | |
|---------------------|-------------------------|
| Alfred Colomb | J. B. Clark |
| Anne de Diesbach | Mrs. John Laing |
| Baroness Rothschild | M. P. Wilder |
| Baron de Bonstettin | Magna Charta |
| Clio | Marg. de St. Amande |
| Coq. des Alps | Margaret Dickson |
| Earl of Dufferin | Paul Neyron |
| Eugene Furst | Prince Camille de Rohan |
| Francois Levet | Tom Wood |
| Gen. Jacqueminot | Ulrich Brunner |
| John Hopper | |

| | | |
|---------------------------------------|------|------|
| Hybrid Teas. 2 year No. 1----- | 1.10 | 9.00 |
|---------------------------------------|------|------|

| | |
|-------------------------|-----------------------|
| British Queen | Mad. Abel Chatenay |
| Chateau de Clos Vougeot | Mad. Caroline Testout |
| Etoile de France | Marquise De Sinety |
| Harry Kirk | Mrs. A. R. Waddell |
| Jonkheer J. L. Mock | Ophelia |
| Killarney | Pharisaer |
| Lady Hillingdon | Sunburst |
| Mrs. McKean | White Killarney |

| | | |
|------------------------------------|------|-------|
| American Beauty ----- | 1.00 | 7.50 |
| Frau Karl Druschki ----- | 1.00 | 7.50 |
| Gloire de Chedane-Guinoisseau ---- | 1.00 | 7.50 |
| Gruss an Teplitz ----- | 1.00 | 7.50 |
| Soliel d'Or ----- | 1.25 | 10.00 |

| Climbing roses. | | each | per 10 | per 100 |
|--|--|------|--------|---------|
| American Beauty (climbing) _ | | .75 | 6.00 | |
| American Pillar _ _ _ _ _ | | .75 | 6.00 | |
| Baltimore Belle _ _ _ _ _ | | .65 | 5.00 | |
| Dr. W. Van Fleet _ _ _ _ _ | | 1.00 | 7.50 | |
| Dorothy Perkins, 2 year _ _ _ | | .65 | 5.50 | 45.00 |
| Dorothy Perkins, 3 year _ _ _ | | .75 | 6.00 | 50.00 |
| Excelsa _ _ _ _ _ | | .75 | 6.00 | |
| Gardenia _ _ _ _ _ | | 1.00 | 7.50 | |
| Hiawatha _ _ _ _ _ | | .75 | 6.00 | 50.00 |
| Paul's Scarlet Climber _ _ _ _ | | 1.00 | 7.50 | 65.00 |
| Prairie Queen _ _ _ _ _ | | .65 | 5.00 | |
| Silver Moon _ _ _ _ _ | | 1.00 | 7.50 | 65.00 |
| White Dorothy Perkins _ _ _ _ | | .75 | 6.00 | 50.00 |
| Ramblers: | | | | |
| Blue _ _ _ _ _ | | .75 | 6.50 | |
| Crimson _ _ _ _ _ | | .75 | 6.50 | |
| White _ _ _ _ _ | | .75 | 6.50 | |
| Yellow _ _ _ _ _ | | .75 | 6.50 | |
| Baby Rambler _ _ _ _ _ | | .90 | 7.00 | |
| Erna Teschendorf _ _ _ _ _ | | .90 | 7.00 | |
| Ellen Poulsen _ _ _ _ _ | | .90 | 7.00 | |
| Persian Yellow _ _ _ _ _ | | 1.00 | 7.50 | |
| Rubus deliciosus. Boulder Raspberry. 5' | | | | |
| 2 to 3 ft. _ _ _ _ _ | | 1.25 | | |
| 3 to 4 ft. _ _ _ _ _ | | 1.50 | | |
| odoratus. Flowering Raspberry. 6' | | | | |
| 2 to 3 ft. _ _ _ _ _ | | .55 | 4.00 | 30.00 |
| 3 to 4 ft. _ _ _ _ _ | | .60 | 4.50 | 40.00 |
| 4 to 5 ft. _ _ _ _ _ | | .65 | 5.00 | 45.00 |
| pheonicolasius. Wineberry. 8' | | | | |
| 2 to 3 ft. _ _ _ _ _ | | .75 | 5.00 | |
| 3 to 4 ft. _ _ _ _ _ | | 1.00 | | |
| Salix incana. syn. rosmarinifolia. | | | | |
| Rosemary Willow. 20' | | | | |
| 2 to 3 ft. shrub form _ _ _ _ | | .45 | 3.50 | 30.00 |
| 3 to 4 ft. shrub form _ _ _ _ | | .55 | 4.00 | 35.00 |
| 4 to 5 ft. shrub form _ _ _ _ | | .65 | 5.00 | 45.00 |
| 5 to 6 ft. shrub form _ _ _ _ | | .75 | 6.00 | |
| 6 to 8 ft. shrub form _ _ _ _ | | 1.25 | 10.00 | |

Salix irrorata. *Bluestem Willow.* 12'

| | each | per 10 | per 100 |
|------------------|------|--------|---------|
| 3 to 4 ft.----- | .75 | 6.50 | 50.00 |
| 4 to 5 ft.----- | 1.25 | 10.00 | |
| 5 to 6 ft.----- | 1.50 | 12.50 | |
| 6 to 8 ft.----- | 2.00 | 15.00 | |
| 8 to 10 ft.----- | 2.50 | 20.00 | |

mutabilis. 5'

| | | | |
|-----------------|-----|------|--|
| 2 to 3 ft.----- | .60 | 5.00 | |
| 3 to 4 ft.----- | .75 | 6.00 | |

uralensis 15'

| | | | |
|-----------------|-----|------|-------|
| 2 to 3 ft.----- | .45 | 3.50 | 30.00 |
| 3 to 4 ft.----- | .55 | 4.00 | 35.00 |
| 4 to 5 ft.----- | .65 | 5.00 | 45.00 |

vitellina glauca. *Blue Russian Willow.* 20'

| | | | |
|------------------|------|-------|-------|
| 6 to 8 ft.----- | 1.00 | 7.50 | 65.00 |
| 8 to 10 ft.----- | 1.25 | 10.00 | |

Sambucus canadensis. *American Elder.* 10'

| | | | |
|-----------------|------|------|-------|
| 2 to 3 ft.----- | .45 | 3.50 | 25.00 |
| 3 to 4 ft.----- | .50 | 4.00 | 30.00 |
| 4 to 5 ft.----- | .65 | 5.00 | 40.00 |
| 5 to 6 ft.----- | .75 | 6.00 | 50.00 |
| 6 to 8 ft.----- | 1.00 | 7.50 | |

canadensis acutiloba. *Cutleaved Elder.* 10'

| | | | |
|-----------------|------|------|-------|
| 2 to 3 ft.----- | .45 | 3.50 | 25.00 |
| 3 to 4 ft.----- | .50 | 4.00 | 30.00 |
| 4 to 5 ft.----- | .65 | 5.00 | 40.00 |
| 5 to 6 ft.----- | .75 | 6.00 | 50.00 |
| 6 to 8 ft.----- | 1.00 | 7.50 | |

nigra. *European Elder.* 15'

| | | | |
|-----------------|-----|------|--|
| 2 to 3 ft.----- | .55 | 4.00 | |
| 3 to 4 ft.----- | .65 | 5.00 | |
| 4 to 5 ft.----- | .75 | 6.50 | |

nigra aurea. *Golden European Elder.* 15'

| | | | |
|-----------------|------|------|-------|
| 2 to 3 ft.----- | .55 | 4.00 | 30.00 |
| 3 to 4 ft.----- | .65 | 5.00 | 40.00 |
| 4 to 5 ft.----- | .75 | 6.50 | 50.00 |
| 5 to 6 ft.----- | 1.00 | 7.50 | 60.00 |

nigra variegata. *Variegated Elder.* 10'

| | | | |
|-----------------|-----|------|--|
| 3 to 4 ft.----- | .65 | 4.50 | |
| 4 to 5 ft.----- | .75 | 5.50 | |

Sambucus

| | each | per 10 | per 100 |
|--|-------|--------|---------|
| pubens. <i>Scarlet Elder.</i> 8' | | | |
| 3 to 4 ft.----- | .75 | 6.00 | 50.00 |
| 4 to 5 ft.----- | 1.00 | 7.50 | 60.00 |
| 5 to 6 ft.----- | 1.25 | 10.00 | 75.00 |
| racemosa. <i>European Red Elder.</i> 8' | | | |
| 3 to 4 ft.----- | .75 | 6.00 | 50.00 |
| 4 to 5 ft.----- | 1.00 | 7.50 | 60.00 |
| 5 to 6 ft.----- | 1.25 | 10.00 | 75.00 |
| 6 to 7 ft.----- | 1.60 | 12.50 | 90.00 |
| Shepherdia argentea. <i>Silver Buffaloberry.</i> 15' | | | |
| 2 to 3 ft.----- | 1.25 | 10.00 | |
| 3 to 4 ft.----- | 1.60 | 12.50 | |
| 4 to 5 ft.----- | 2.00 | 15.00 | |
| 5 to 6 ft.----- | 2.50 | 20.00 | |
| Sophora japonica. <i>Chinese Scholartree.</i> 25' | | | |
| 2 to 3 ft.----- | 1.25 | 10.00 | |
| 3 to 4 ft.----- | 1.60 | 12.50 | |
| 4 to 5 ft. specimens----- | 5.00 | | |
| 5 to 6 ft. specimens----- | 7.50 | | |
| 6 to 8 ft. specimens----- | 10.00 | | |
| Sorbaria aitchisoni. <i>Kashmir False Spiraea.</i> 8' | | | |
| 3 to 4 ft.----- | .65 | 5.00 | 45.00 |
| 4 to 5 ft.----- | .75 | 6.50 | 50.00 |
| 5 to 6 ft.----- | 1.00 | 7.50 | 65.00 |
| 6 to 8 ft.----- | 1.25 | | |
| glabrata. 8' | | | |
| 3 to 4 ft.----- | .75 | 6.50 | 50.00 |
| 4 to 5 ft.----- | 1.00 | 7.50 | 65.00 |
| 5 to 6 ft.----- | 1.25 | 10.00 | 75.00 |
| lindleyana. <i>Lindley False Spiraea.</i> 8' | | | |
| 2 to 3 ft.----- | .55 | 4.00 | 35.00 |
| 3 to 4 ft.----- | .65 | 5.00 | 45.00 |
| sorbifolia. <i>Ural False Spiraea.</i> 4' | | | |
| 2 to 3 ft.----- | .60 | 5.00 | 40.00 |
| 3 to 4 ft.----- | .75 | 5.50 | 45.00 |
| 4 to 5 ft.----- | 1.00 | 6.50 | 55.00 |
| Spiraea arguta. <i>Garland Spiraea.</i> 6' | | | |
| 2 to 3 ft.----- | .50 | 4.00 | 30.00 |
| 3 to 4 ft.----- | .65 | 5.00 | 40.00 |
| 4 to 5 ft.----- | .70 | 5.50 | |
| 5 to 6 ft.----- | 1.00 | 7.50 | |

Spiraea**aitchisoni.** (*See Sorbaria*).

| billiardi. <i>Billiard Spiraea.</i> 6' | each | per 10 | per 100 |
|---|------|--------|---------|
| 3 to 4 ft.----- | .50 | 3.50 | 25.00 |
| 4 to 5 ft.----- | .65 | 5.00 | 40.00 |
| 5 to 6 ft.----- | .75 | 5.50 | 50.00 |

bumalda. *Bumalda Spiraea.* 3'

| | | | |
|-------------------|-----|------|-------|
| 18 to 24 in.----- | .50 | 4.00 | 30.00 |
| 24 to 30 in.----- | .65 | 5.00 | 40.00 |

bumalda Anthony Waterer.*Anthony Waterer Spiraea.* 3'

| | | | |
|-------------------|-----|------|-------|
| 18 to 24 in.----- | .50 | 4.00 | 30.00 |
| 24 to 30 in.----- | .65 | 5.00 | 40.00 |
| 2½ to 3 ft.----- | .75 | 6.50 | |

bumalda walluffi. 3'

| | | | |
|-------------------|-----|------|-------|
| 18 to 24 in.----- | .65 | 5.00 | 40.00 |
| 24 to 30 in.----- | .75 | 5.50 | 45.00 |

callosa alba. (*See japonica ovalifolia*).**chamaedryfolia ulmifolia.** *Elmleaf Spiraea.* 6'

| | | | |
|-----------------|-----|------|--|
| 2 to 3 ft.----- | .55 | 4.50 | |
|-----------------|-----|------|--|

douglasi. *Douglas Spiraea.* 8'

| | | | |
|-----------------|-----|------|-------|
| 2 to 3 ft.----- | .45 | 3.00 | 20.00 |
| 3 to 4 ft.----- | .50 | 3.50 | 25.00 |
| 4 to 5 ft.----- | .60 | 4.50 | 40.00 |
| 5 to 6 ft.----- | .75 | 6.00 | 50.00 |

fortunei. *Fortune Spiraea.* 4'

| | | | |
|-----------------|-----|------|-------|
| 2 to 3 ft.----- | .45 | 3.00 | 25.00 |
| 3 to 4 ft.----- | .50 | 4.50 | 40.00 |
| 4 to 5 ft.----- | .65 | 5.50 | 50.00 |
| 5 to 6 ft.----- | .85 | 7.00 | 60.00 |

froebeli. *Froebel Spiraea.* 4'

| | | | |
|-----------------|-----|------|-------|
| 2 to 3 ft.----- | .50 | 4.00 | 30.00 |
| 3 to 4 ft.----- | .65 | 5.00 | 40.00 |

japonica ovalifolia. *White Japanese Spiraea.* 3'

| | | | |
|-------------------|-----|------|-------|
| 18 to 24 in.----- | .50 | 4.00 | 30.00 |
| 24 to 30 in.----- | .65 | 5.00 | 40.00 |
| 2½ to 3 ft.----- | .70 | 5.50 | 50.00 |

japonica ruberrima. *Pink Japanese Spiraea.* 5'

| | | | |
|-------------------|-----|------|-------|
| 18 to 24 in.----- | .45 | 3.00 | 25.00 |
| 2 to 3 ft.----- | .50 | 4.00 | 30.00 |

latifolia. *Pink Meadow Spirea.* 6'

| | | | |
|-----------------|-----|------|-------|
| 3 to 4 ft.----- | .50 | 4.00 | 30.00 |
| 4 to 5 ft.----- | .65 | 5.00 | 40.00 |

lindleyana. (*See Sorbaria*).

Spiraea

| | | | |
|---|------|--------|---------|
| margaritae. <i>Margarita Spiraea.</i> 5' | | | |
| | each | per 10 | per 100 |
| 2 to 3 ft.----- | .50 | 4.00 | 30.00 |
| 3 to 4 ft.----- | .60 | 5.00 | 40.00 |
| nipponica rotundifolia. <i>Big Nippon Spiraea.</i> 10' | | | |
| 3 to 4 ft.----- | .60 | 5.00 | |
| 4 to 5 ft.----- | .65 | 6.00 | |
| prunifolia. <i>Bridal Wreath.</i> 8' | | | |
| 2 to 3 ft.----- | .50 | 4.50 | 40.00 |
| 3 to 4 ft.----- | .65 | 5.50 | 50.00 |
| reevesiana. <i>Reeves Spiraea.</i> 8' | | | |
| 2 to 3 ft.----- | .50 | 4.00 | 30.00 |
| 3 to 4 ft.----- | .60 | 4.50 | 40.00 |
| 4 to 5 ft.----- | .65 | 5.00 | 45.00 |
| 5 to 6 ft.----- | .75 | 6.50 | 50.00 |
| reevesiana fl. pl. <i>Double Reeves Spiraea.</i> 8' | | | |
| 2 to 3 ft.----- | .50 | 4.00 | 30.00 |
| 3 to 4 ft.----- | .65 | 5.00 | 40.00 |
| 4 to 5 ft.----- | .75 | 6.00 | 50.00 |
| salicifolia. <i>Willowleaf Spiraea.</i> 5' | | | |
| 2 to 3 ft.----- | .45 | 3.00 | 20.00 |
| 3 to 4 ft.----- | .50 | 3.50 | 25.00 |
| 4 to 5 ft.----- | .65 | 5.00 | 40.00 |
| 5 to 6 ft.----- | .75 | 6.00 | 50.00 |
| sorbifolia. (<i>See Sorbaria</i>). | | | |
| superba. <i>Striped Spiraea.</i> 4' | | | |
| 24 to 30 in.----- | .65 | 5.00 | |
| syringiflora. <i>Lilac Spiraea.</i> 3' | | | |
| 18 to 24 in.----- | .50 | 4.00 | 35.00 |
| 2 to 3 ft.----- | .60 | 4.50 | 40.00 |
| thunbergi. <i>Thunberg Spiraea.</i> 5' | | | |
| 18 to 24 in.----- | .45 | 3.00 | 20.00 |
| 24 to 30 in.----- | .50 | 3.50 | 25.00 |
| 2½ to 3 ft.----- | .65 | 5.00 | 40.00 |
| 3 to 4 ft.----- | .75 | 6.50 | 50.00 |
| 4 to 5 ft.----- | 1.00 | 7.50 | 65.00 |
| trichocarpa. <i>Korean Spirea.</i> 4' | | | |
| 2 to 3 ft.----- | 1.50 | 12.50 | |
| tomentosa. <i>Hardhack.</i> 4' | | | |
| 2 to 3 ft.----- | .50 | 4.00 | 30.00 |
| 3 to 4 ft.----- | .60 | 4.50 | 40.00 |

Spiraea

| | each | per 10 | per 100 |
|---|------|--------|---------|
| van houttei. <i>Vanhoutte Spiraea.</i> 10' | | | |
| 2 to 3 ft.----- | .45 | 3.00 | 20.00 |
| 3 to 4 ft.----- | .50 | 3.50 | 25.00 |
| 4 to 5 ft.----- | .65 | 5.00 | 40.00 |
| 5 to 6 ft.----- | .75 | 6.00 | 50.00 |
| wilsoni. <i>Wilson Spirea.</i> | | | |
| 3 to 4 ft.----- | 1.50 | 10.00 | |
| Staphylea bumalda. <i>Bumalda Bladdernut.</i> 8' | | | |
| 2 to 3 ft.----- | .60 | 5.00 | |
| 3 to 4 ft.----- | .75 | 6.00 | |
| colchica. <i>Colchis Bladdernut.</i> 12' | | | |
| 3 to 4 ft.----- | 1.60 | 12.50 | |
| 4 to 5 ft.----- | 2.00 | | |
| 5 to 6 ft.----- | 2.25 | | |
| 6 to 8 ft.----- | 3.50 | | |
| pinnata. <i>European Bladdernut.</i> 12' | | | |
| 3 to 4 ft.----- | .75 | 6.00 | |
| 4 to 5 ft.----- | 1.00 | | |
| 5 to 6 ft.----- | 1.25 | | |
| 6 to 8 ft.----- | 1.50 | | |
| trifolia. <i>American Bladdernut.</i> 12' | | | |
| 2 to 3 ft.----- | .60 | 5.00 | |
| 3 to 4 ft.----- | .65 | 6.00 | |
| 4 to 5 ft.----- | .75 | | |
| 5 to 6 ft.----- | 1.00 | | |
| 6 to 8 ft.----- | 1.25 | | |
| Stephanandra flexuosa. <i>Cutleaf Stephanandra.</i> 6' | | | |
| 2 to 3 ft.----- | .50 | 4.50 | 35.00 |
| 3 to 4 ft.----- | .65 | 5.50 | 45.00 |
| Stewartia pentagyna. <i>Mountain Stewartia.</i> 15' | | | |
| 2 to 3 ft.----- | 2.25 | | |
| 3 to 4 ft.----- | 3.25 | | |
| 4 to 5 ft.----- | 5.00 | | |
| 5 to 6 ft.----- | 6.50 | | |
| Styrax japonica. <i>Japanese Snowbell.</i> 20' | | | |
| 2 to 3 ft.----- | .65 | 5.00 | 45.00 |
| 3 to 4 ft.----- | 1.00 | 6.50 | 50.00 |
| 4 to 5 ft.----- | 1.25 | 10.00 | 75.00 |
| 5 to 6 ft.----- | 1.50 | 12.50 | 100.00 |
| 6 to 8 ft.----- | 2.00 | 17.50 | |
| obassia. <i>Fragrant Snowbell.</i> 20' | | | |
| 2 to 3 ft.----- | 2.50 | | |

Symphoricarpus chenaulti. 5'

| | each | per 10 | per 100 |
|-------------------|------|--------|---------|
| 18 to 24 in.----- | 1.25 | 10.00 | |
| 2 to 3 ft.----- | 1.50 | 12.50 | |

mollis. Spreading Snowberry. 6'

| | | | |
|-----------------|-----|------|-------|
| 2 to 3 ft.----- | .45 | 3.50 | 25.00 |
| 3 to 4 ft.----- | .60 | 4.50 | 35.00 |

racemosus. Snowberry. 6'

| | | | |
|-----------------|------|------|-------|
| 2 to 3 ft.----- | .45 | 3.50 | 25.00 |
| 3 to 4 ft.----- | .60 | 4.50 | 35.00 |
| 4 to 5 ft.----- | .75 | 6.50 | 50.00 |
| 5 to 6 ft.----- | 1.00 | 7.50 | |

vulgaris. Coralberry. 5'

| | | | |
|-----------------|-----|------|-------|
| 2 to 3 ft.----- | .45 | 3.00 | 20.00 |
| 3 to 4 ft.----- | .50 | 3.50 | 25.00 |
| 4 to 5 ft.----- | .65 | 5.00 | 45.00 |

Symplocos paniculata. syn. crataegoides.**Asiatic Sweetleaf. 10'**

| | | | |
|-----------------|-------|--|--|
| 3 to 4 ft.----- | 2.50 | | |
| 4 to 5 ft.----- | 5.00 | | |
| 5 to 6 ft.----- | 7.50 | | |
| 6 to 8 ft.----- | 10.00 | | |

Syringa chinensis. syn. rothomagensis.**Chinese Lilac. 10'**

| | | | |
|-----------------|------|-------|-------|
| 2 to 3 ft.----- | .60 | 4.50 | 40.00 |
| 3 to 4 ft.----- | .75 | 5.50 | 50.00 |
| 4 to 5 ft.----- | 1.00 | 7.50 | 70.00 |
| 5 to 6 ft.----- | 1.25 | 10.00 | 90.00 |

chinensis saugeana. Purple Chinese Lilac. 10'

| | | | |
|-----------------|------|-------|-------|
| 2 to 3 ft.----- | .60 | 4.50 | 40.00 |
| 3 to 4 ft.----- | .75 | 5.50 | 50.00 |
| 4 to 5 ft.----- | 1.00 | 7.50 | 70.00 |
| 5 to 6 ft.----- | 1.25 | 10.00 | 90.00 |

emodi. Himalayan Lilac. 8'

| | | | |
|-----------------|------|-------|--|
| 3 to 4 ft.----- | .75 | 6.50 | |
| 4 to 5 ft.----- | 1.25 | 10.00 | |
| 5 to 6 ft.----- | 1.60 | 12.50 | |
| 6 to 8 ft.----- | 2.25 | 20.00 | |

japonica. Japanese Tree Lilac. 20'

| | | | |
|------------------|------|-------|-------|
| 3 to 4 ft.----- | 1.25 | 10.00 | 75.00 |
| 4 to 5 ft.----- | 1.60 | 12.50 | 90.00 |
| 5 to 6 ft.----- | 2.00 | 16.00 | |
| 6 to 8 ft.----- | 3.50 | 25.00 | |
| 8 to 10 ft.----- | 4.00 | 30.00 | |

Syringa**josikaea. Hungarian Lilac. 10'**

| | each | per 10 | per 100 |
|-----------------|------|--------|---------|
| 2 to 3 ft.----- | .75 | 6.00 | 50.00 |
| 3 to 4 ft.----- | 1.00 | 7.50 | 60.00 |
| 4 to 5 ft.----- | 1.25 | 10.00 | 75.00 |
| 5 to 6 ft.----- | 2.50 | 20.00 | |

pekinensis. Peking Lilac. 15'

| | | | |
|---------------------------|------|-------|-------|
| 2 to 3 ft.----- | .65 | 5.00 | 45.00 |
| 3 to 4 ft.----- | .75 | 6.50 | 50.00 |
| 4 to 5 ft.----- | 1.00 | 7.50 | 65.00 |
| 5 to 6 ft.----- | 1.25 | 10.00 | 75.00 |
| 6 to 8 ft.----- | 1.60 | 12.50 | 90.00 |
| 6 to 8 ft. specimens---- | 5.00 | | |
| 8 to 10 ft. specimens---- | 7.50 | | |

persica. Persian Lilac. 10'

| | | | |
|-----------------|-----|------|-------|
| 2 to 3 ft.----- | .65 | 5.00 | 45.00 |
| 3 to 4 ft.----- | .75 | 6.50 | 55.00 |

persica alba. White Persian Lilac. 10'

| | | | |
|-----------------|-----|------|-------|
| 2 to 3 ft.----- | .70 | 5.50 | 50.00 |
| 3 to 4 ft.----- | .85 | 7.00 | 65.00 |

villosa. Late Lilac. 8'

| | | | |
|-----------------|------|-------|-------|
| 2 to 3 ft.----- | .60 | 5.00 | 40.00 |
| 3 to 4 ft.----- | 1.00 | 7.00 | 55.00 |
| 4 to 5 ft.----- | 1.25 | 10.00 | 75.00 |
| 5 to 6 ft.----- | 2.50 | 20.00 | |

vulgaris. Common Purple Lilac. 15'

| | | | |
|------------------------|------|-------|-------|
| 2 to 3 ft.----- | .50 | 4.00 | 30.00 |
| 3 to 4 ft.----- | .65 | 5.00 | 40.00 |
| 4 to 5 ft.----- | .75 | 6.50 | |
| 5 to 6 ft.----- | 1.25 | 10.00 | |
| 4 to 5 ft. clumps----- | 4.00 | | |
| 5 to 6 ft. clumps----- | 5.00 | | |

vulgaris alba. Common White Lilac. 15'

| | | | |
|------------------------|------|------|-------|
| 2 to 3 ft.----- | .60 | 5.00 | 45.00 |
| 3 to 4 ft.----- | .75 | 6.00 | 55.00 |
| 4 to 5 ft.----- | 1.00 | 8.00 | |
| 4 to 5 ft. clumps----- | 4.00 | | |

vulgaris. Named Varieties.

| | | | |
|-----------------|------|-------|-------|
| 2 to 3 ft.----- | 1.00 | 8.00 | 75.00 |
| 3 to 4 ft.----- | 1.25 | 11.00 | 90.00 |
| 4 to 5 ft.----- | 2.50 | | |
| 5 to 6 ft.----- | 3.50 | | |

Syringa Belle de Nancy—Double Rose.

2-3' 3-4' 4-5'

Chas. Joly—Dark Purplish Red.

2-3' 3-4'

Frau Dammann—Single White.

2-3' 3-4'

La Tour d'Auvergne—Double Purple.

2-3' 3-4' 4-5'

Ludwig Spaeth—Single Red.

2-3' 3-4'

Mad. Abel Chatenay—Double White.

2-3' 3-4' 4-5'

Mad. Casimer Perier—Double Creamy White.

2-3' 3-4' 4-5'

Mad. Lemoine—Large Double White.

2-3' 3-4' 4-5'

Marie Le Graye—Single White.

2-3' 3-4'

Pres. Grevy—Double Blue.

2-3' 3-4' 4-5' 5-6'

Princess Alexandra—Single White.

2-3' 3-4' 4-5'

We have a limited quantity of the newer varieties of Lemoine's hybrid named lilacs, which we offer as follows. A list of varieties will be forwarded on request.

| | each | per 10 | per 100 |
|---|------|--------|---------|
| 2 to 3 ft.----- | 2.00 | | |
| 3 to 4 ft.----- | 2.50 | | |
| 4 to 5 ft.----- | 3.50 | | |
| 5 to 6 ft.----- | 4.50 | | |
| <i>Tamarix africana. African Tamarix. 15'</i> | | | |
| 3 to 4 ft.----- | .50 | 3.50 | 30.00 |
| 4 to 5 ft.----- | .65 | 5.00 | 40.00 |
| 5 to 6 ft.----- | .75 | 5.50 | 50.00 |
| 6 to 8 ft.----- | 1.00 | 6.50 | 60.00 |
| <i>gallica. French Tamarix. 10'</i> | | | |
| 3 to 4 ft.----- | .50 | 3.50 | 30.00 |
| 4 to 5 ft.----- | .65 | 5.00 | 40.00 |
| 5 to 6 ft.----- | .75 | 5.50 | 50.00 |
| <i>gallica indica. India Tamarix. 10'</i> | | | |
| 3 to 4 ft.----- | .50 | 3.50 | 30.00 |
| 4 to 5 ft.----- | .65 | 5.00 | 40.00 |
| 5 to 6 ft.----- | .75 | 5.50 | 50.00 |
| 6 to 8 ft.----- | 1.00 | 6.50 | 55.00 |

Tamarix.**odessana. *Odessa Tamarix.* 6'**

| | each | per 10 | per 100 |
|-----------------|------|--------|---------|
| 3 to 4 ft.----- | .50 | 3.50 | 30.00 |
| 4 to 5 ft.----- | .65 | 5.00 | 40.00 |
| 5 to 6 ft.----- | .75 | 5.50 | 50.00 |
| 6 to 8 ft.----- | 1.00 | 7.50 | 60.00 |

pentandra. *Fivestamen Tamarix.* 12'

| | | | |
|-----------------|------|------|-------|
| 3 to 4 ft.----- | .65 | 5.00 | 40.00 |
| 4 to 5 ft.----- | 1.00 | 6.50 | 50.00 |
| 5 to 6 ft.----- | 1.25 | 7.50 | |

tetandra *purpurea.* *Fourstamen Tamarix.* 10'

| | | | |
|-----------------|-----|------|--|
| 3 to 4 ft.----- | .75 | 5.00 | |
|-----------------|-----|------|--|

Vaccinium corymbosum.* *Highbush Blueberry.

| | | | |
|------------------------|------|-------|--|
| 2 to 3 ft.-----B. & B. | 3.00 | 25.00 | |
|------------------------|------|-------|--|

***Viburnum acerfolium.* *Mapleleaf Viburnum.* 5'**

| | | | |
|-------------------|------|------|--|
| 18 to 24 in.----- | .65 | 5.00 | |
| 2 to 3 ft.----- | .75 | 6.50 | |
| 3 to 4 ft.----- | 1.00 | 7.50 | |

***alnifolium.* *Hobblebush.* 15'**

| | | | |
|-----------------|-----|------|-------|
| 2 to 3 ft.----- | .55 | 4.00 | 30.00 |
| 3 to 4 ft.----- | .65 | 5.50 | 45.00 |

***americanum.* *American Cranberrybush.* 10'**

| | | | |
|-----------------|------|-------|-------|
| 2 to 3 ft.----- | .60 | 5.00 | 45.00 |
| 3 to 4 ft.----- | .75 | 6.50 | 55.00 |
| 4 to 5 ft.----- | 1.25 | 10.00 | |

***bitchuiense.* *Yeddo Viburnum.* 6'**

| | | | |
|------------------------|------|-------|--|
| 2 to 3 ft.-----B. & B. | 3.00 | 25.00 | |
| 3 to 4 ft.-----B. & B. | 3.50 | 30.00 | |

***carlesi.* *Fragrant Viburnum.* 4'**

| | | | |
|--------------------------|------|-------|--|
| 18 to 24 in.-----B. & B. | 2.50 | 20.00 | |
| 2 to 3 ft.-----B. & B. | 3.00 | 25.00 | |

***cassinoides.* *Withe Rod.* 6'**

| | | | |
|-----------------|------|------|-------|
| 2 to 3 ft.----- | .75 | 6.50 | 50.00 |
| 3 to 4 ft.----- | 1.00 | 7.50 | 65.00 |

***dentatum.* *Arrowwood.* 12'**

| | | | |
|-----------------|------|-------|-------|
| 2 to 3 ft.----- | .50 | 4.00 | 30.00 |
| 3 to 4 ft.----- | .60 | 5.00 | 40.00 |
| 4 to 5 ft.----- | .75 | 6.00 | 50.00 |
| 5 to 6 ft.----- | 1.00 | 7.50 | 65.00 |
| 6 to 8 ft.----- | 1.25 | 10.00 | 75.00 |

***dilatatum.* *Linden Viburnum.* 10'**

| | | | |
|-----------------|------|--|--|
| 2 to 3 ft.----- | 1.25 | | |
| 3 to 4 ft.----- | 1.60 | | |

Viburnum**lantana.** *Wayfaring Tree.* 15'

| | each | per 10 | per 100 |
|-----------------|------|--------|---------|
| 2 to 3 ft.----- | .60 | 5.00 | 45.00 |
| 3 to 4 ft.----- | .75 | 6.50 | 55.00 |
| 4 to 5 ft.----- | 1.00 | 8.50 | 75.00 |
| 5 to 6 ft.----- | 1.50 | 12.50 | |

lentago. *Nannyberry.* 20'

| | | | |
|---------------------------|------|-------|-------|
| 3 to 4 ft.----- | 1.00 | 7.50 | 60.00 |
| 4 to 5 ft.----- | 1.25 | 10.00 | 75.00 |
| 5 to 6 ft.----- | 1.60 | 12.50 | |
| 6 to 7 ft.----- | 2.00 | 16.00 | |
| 6 to 7 ft. specimens----- | 4.50 | | |

molle. *Kentucky Viburnum.* 10'

| | | | |
|-----------------|------|-------|-------|
| 2 to 3 ft.----- | .50 | 4.00 | 30.60 |
| 3 to 4 ft.----- | .60 | 5.00 | 40.00 |
| 4 to 5 ft.----- | .75 | 6.00 | 50.00 |
| 5 to 6 ft.----- | 1.00 | 7.50 | 60.00 |
| 6 to 8 ft.----- | 1.25 | 10.00 | |

nudum. *Smooth Withe Rod.* 8'

| | | | |
|-----------------|------|-------|--|
| 2 to 3 ft.----- | 1.00 | 7.50 | |
| 3 to 4 ft.----- | 1.25 | 10.00 | |
| 4 to 5 ft.----- | 1.50 | 12.50 | |

opulus. *High Bush Cranberry.* 10'

| | | | |
|---------------------------|------|-------|-------|
| 2 to 3 ft.----- | .60 | 5.00 | 45.00 |
| 3 to 4 ft.----- | .75 | 6.50 | 55.00 |
| 4 to 5 ft.----- | 1.00 | 8.50 | 75.00 |
| 5 to 6 ft.----- | 1.50 | 12.50 | |
| 6 to 8 ft.----- | 2.50 | | |
| 6 to 8 ft. specimens----- | 6.50 | | |

opulus nanum. *Dwarf Cranberry bush.* 2'

| | | | |
|-------------------|-----|------|-------|
| 10 to 12 in.----- | .50 | 4.50 | 40.00 |
| 12 to 15 in.----- | .65 | 5.00 | 45.00 |

opulus sterile. *Common Snowball.* 10'

| | | | |
|-----------------|------|-------|-------|
| 2 to 3 ft.----- | .65 | 5.50 | 45.00 |
| 3 to 4 ft.----- | .75 | 6.50 | 55.00 |
| 4 to 5 ft.----- | 1.00 | 9.00 | |
| 5 to 6 ft.----- | 1.50 | 12.50 | |
| 6 to 8 ft.----- | 2.50 | 20.00 | |

prunifolium. *Blackhaw.* 12'

| | | | |
|-----------------|------|-------|--|
| 3 to 4 ft.----- | 1.60 | 12.50 | |
| 4 to 5 ft.----- | 2.00 | 16.00 | |

pubescens. *Downy Viburnum.* 6'

| | | | |
|-----------------|------|-------|--|
| 2 to 3 ft.----- | 1.00 | 7.50 | |
| 3 to 4 ft.----- | 1.25 | 10.00 | |

Viburnum**rhytidophyllum.** *Leatherleaf Viburnum.* 8'

| | each | per 10 | per 100 |
|--------------------------|------|--------|---------|
| 18 to 24 in.-----B. & B. | 3.25 | 25.00 | |
| 2 to 3 ft.-----B. & B. | 4.00 | 32.50 | |

rufidulum. *Southern Blackhaw.* 10'

| | | | |
|-----------------|------|-------|--|
| 2 to 3 ft.----- | 1.25 | 10.00 | |
|-----------------|------|-------|--|

sargentii. *Sargent Cranberrybush.* 10'

| | | | |
|-----------------|------|------|-------|
| 2 to 3 ft.----- | .65 | 5.50 | 50.00 |
| 3 to 4 ft.----- | .75 | 6.50 | 60.00 |
| 4 to 5 ft.----- | 1.00 | 9.00 | 80.00 |

sieboldii. *Siebold Viburnum.* 10'

| | | | |
|-----------------|------|-------|--|
| 3 to 4 ft.----- | 1.25 | 10.00 | |
| 4 to 5 ft.----- | 1.60 | 12.50 | |
| 5 to 6 ft.----- | 2.25 | 20.00 | |
| 6 to 8 ft.----- | 3.50 | 25.00 | |

tomentosum. *Doublefile Viburnum.* 8'

| | | | |
|-----------------|------|------|-------|
| 2 to 3 ft.----- | .75 | 6.00 | 50.00 |
| 3 to 4 ft.----- | 1.00 | 7.50 | 60.00 |

tomentosum plicatum. *Japanese Snowball.* 8'

| | | | |
|-----------------|------|-------|-------|
| 2 to 3 ft.----- | 1.00 | 7.50 | 65.00 |
| 3 to 4 ft.----- | 1.25 | 10.00 | 75.00 |
| 4 to 5 ft.----- | 2.00 | 16.00 | |
| 5 to 6 ft.----- | 2.50 | 20.00 | |

wrightii. *Wright Viburnum.* 8'

| | | | |
|-----------------|------|-------|--|
| 2 to 3 ft.----- | 1.25 | 10.00 | |
|-----------------|------|-------|--|

Vitex agnus castus. *Chaste-tree.* 4'

| | | | |
|-----------------|-----|------|-------|
| 2 to 3 ft.----- | .45 | 3.50 | 25.00 |
| 3 to 4 ft.----- | .55 | 4.00 | 30.00 |

agnus castus alba. *White Chaste-tree.* 4'

| | | | |
|-----------------|-----|------|-------|
| 2 to 3 ft.----- | .50 | 4.00 | 30.00 |
| 3 to 4 ft.----- | .60 | 4.50 | |

macrophylla. *Hemp-tree.* 4'

| | | | |
|-----------------|-----|------|--|
| 2 to 3 ft.----- | .50 | 4.00 | |
|-----------------|-----|------|--|

Weigela Abel Carriere. 10'

| | | | |
|-----------------|------|------|-------|
| 2 to 3 ft.----- | .45 | 3.50 | 25.00 |
| 3 to 4 ft.----- | .60 | 4.50 | 35.00 |
| 4 to 5 ft.----- | .75 | 5.50 | 45.00 |
| 5 to 6 ft.----- | 1.00 | 7.50 | |

amabilis. *Rose Weigela.* 8'

| | | | |
|-----------------|------|------|-------|
| 2 to 3 ft.----- | .45 | 3.50 | 25.00 |
| 3 to 4 ft.----- | .60 | 4.50 | 35.00 |
| 4 to 5 ft.----- | .75 | 5.50 | 45.00 |
| 5 to 6 ft.----- | 1.00 | 7.50 | |

Weigela**candida.** *Snow Weigela.* 8'

| | each | per 10 | per 100 |
|-----------------|------|--------|---------|
| 2 to 3 ft.----- | .50 | 4.00 | 30.00 |
| 3 to 4 ft.----- | .65 | 5.00 | 40.00 |
| 4 to 5 ft.----- | .75 | 6.50 | 55.00 |
| 5 to 6 ft.----- | 1.00 | 7.50 | |

desboisi. *Desbois Weigela.* 8'

| | | | |
|-----------------|------|------|-------|
| 2 to 3 ft.----- | .45 | 3.50 | 25.00 |
| 3 to 4 ft.----- | .60 | 4.50 | 35.00 |
| 4 to 5 ft.----- | .75 | 5.50 | 45.00 |
| 5 to 6 ft.----- | 1.00 | 7.50 | 65.00 |

Eva Rathke. 5'

| | | | |
|-----------------|-----|------|-------|
| 2 to 3 ft.----- | .50 | 4.00 | 30.00 |
| 3 to 4 ft.----- | .75 | 5.00 | 40.00 |

floribunda. *Crimson Weigela.* 8'

| | | | |
|-----------------|-----|------|-------|
| 2 to 3 ft.----- | .60 | 4.50 | 35.00 |
| 3 to 4 ft.----- | .75 | 5.50 | 45.00 |

groenewegeni. *Greenway Weigela.* 8'

| | | | |
|-----------------|------|------|-------|
| 3 to 4 ft.----- | .60 | 4.50 | 35.00 |
| 4 to 5 ft.----- | .75 | 5.50 | 45.00 |
| 5 to 6 ft.----- | 1.00 | 7.50 | |

Gustav Mallot. 8'

| | | | |
|-----------------------|------|-------|-------|
| 2 to 3 ft.----- | .45 | 3.50 | 25.00 |
| 3 to 4 ft.----- | .60 | 4.50 | 35.00 |
| 4 to 5 ft.----- | .75 | 5.50 | 45.00 |
| 5 to 6 ft.----- | 1.00 | 7.50 | |
| 6 to 8 ft. heavy----- | 1.60 | 12.50 | |

hortensis rubra. 8'

| | | | |
|-----------------|-----|------|-------|
| 2 to 3 ft.----- | .45 | 3.50 | 25.00 |
| 3 to 4 ft.----- | .60 | 4.50 | 35.00 |
| 4 to 5 ft.----- | .75 | 5.50 | 45.00 |

rosea. *Pink Weigela.* 8'

| | | | |
|-----------------|------|------|-------|
| 2 to 3 ft.----- | .45 | 3.50 | 25.00 |
| 3 to 4 ft.----- | .60 | 4.50 | 35.00 |
| 4 to 5 ft.----- | .75 | 5.50 | 45.00 |
| 5 to 6 ft.----- | 1.00 | 7.50 | |

rosea nana variegata. *Dwarf Variegated Weigela.* 5'

| | | | |
|-----------------|-----|------|-------|
| 2 to 3 ft.----- | .45 | 3.50 | 25.00 |
| 3 to 4 ft.----- | .60 | 4.50 | 35.00 |
| 4 to 5 ft.----- | .75 | 5.50 | 45.00 |

Weigela**sieboldi argenteomarginata.**

| <i>Variegated Weigela. 8'</i> | each | per 10 | per 100 |
|-------------------------------|------|--------|---------|
| 3 to 4 ft.----- | .65 | 5.00 | 35.00 |
| 4 to 5 ft.----- | .75 | 6.50 | |
| 5 to 6 ft.----- | 1.00 | 7.50 | |
| 6 to 8 ft.----- | 1.25 | 10.00 | |

Vanhoutte. Van Houtte Weigela. 8'

| | | | |
|-----------------|-----|------|-------|
| 2 to 3 ft.----- | .45 | 3.50 | 25.00 |
| 3 to 4 ft.----- | .60 | 4.50 | 35.00 |
| 4 to 5 ft.----- | .75 | 5.50 | 45.00 |

Zanthorhiza apiifolia. Yellowroot. 3'

| | | | |
|--------------------------|-----|------|-------|
| 12 to 15 in. clumps----- | .45 | 3.50 | 25.00 |
| 15 to 18 in. clumps----- | .50 | 4.00 | 30.00 |

Zanthoxylum americanum. Prickly Ash. 15'

| | | | |
|-----------------|------|------|-------|
| 2 to 3 ft.----- | .65 | 5.00 | |
| 3 to 4 ft.----- | .75 | 6.50 | 50.00 |
| 4 to 5 ft.----- | 1.00 | 7.50 | |

Vines**Actinidia arguta. Bower Actinidia.**

| | | | |
|--------------|-----|------|-------|
| 2 year ----- | .75 | 6.00 | 50.00 |
|--------------|-----|------|-------|

polygama. Silver Vine.

| | | | |
|--------------|------|------|--|
| 2 year ----- | 1.00 | 7.50 | |
|--------------|------|------|--|

Akebia quinata. Fiveleaf Akebia.

| | | | |
|--------------|-----|------|-------|
| 2 year ----- | .65 | 5.00 | 45.00 |
| 3 year ----- | .75 | 6.00 | 50.00 |

Ampelopsis aconitifolia. Monkshood Vine.

| | | | |
|--------------|-----|------|-------|
| 2 year ----- | .45 | 3.50 | 25.00 |
| 3 year ----- | .50 | 4.00 | 30.00 |

henryana. Silvervein Creeper.

| | | | |
|-----------------|------|--|--|
| from pots ----- | 1.00 | | |
|-----------------|------|--|--|

heterophylla. Porcelain Ampelopsis.

| | | | |
|--------------|-----|------|-------|
| 2 year ----- | .40 | 3.00 | 20.00 |
| 3 year ----- | .50 | 3.50 | 25.00 |
| 4 year ----- | .65 | 5.00 | 40.00 |

heterophylla variegata, syn. sieboldi.

| | | | |
|--------------|-----|------|-------|
| 2 year ----- | .50 | 4.00 | 30.00 |
| 3 year ----- | .65 | 5.00 | 40.00 |

quinquefolia. Virginia Creeper.

| | | | |
|--------------|-----|------|-------|
| 2 year ----- | .40 | 3.00 | 20.00 |
| 3 year ----- | .45 | 3.50 | 25.00 |

Ampelopsis

| | | | |
|---|------|--------|---------|
| quinquefolia engelmanni. Englemann Creeper. | | | |
| | each | per 10 | per 100 |
| 2 year ----- | .40 | 3.00 | 20.00 |
| 3 year ----- | .45 | 3.50 | 25.00 |
| 4 year ----- | .65 | 4.50 | |
| quinquefolia saintpauli. St. Paul Creeper. | | | |
| 2 year ----- | 1.00 | 6.50 | 50.00 |
| tricuspidata syn. veitchi. Boston Ivy. | | | |
| 2 year ----- | .65 | 5.00 | 40.00 |
| 3 year ----- | .75 | 6.00 | 50.00 |
| tricuspidata lowi. Geranium Ivy. | | | |
| 2 year, from pots ----- | 1.10 | 10.00 | 80.00 |
| Aristolochia siphon. Dutchman's Pipe. | | | |
| 2 year ----- | 1.25 | 10.00 | |
| Bignonia grandiflora. Chinese Trumpet creeper. | | | |
| 2 year ----- | .75 | 5.00 | 45.00 |
| 3 year ----- | 1.00 | 6.50 | 50.00 |
| grandiflora Mad. Gallen. | | | |
| 2 year ----- | 1.00 | 7.50 | |
| radicans. Trumpet creeper. | | | |
| 2 year ----- | .45 | 3.00 | 20.00 |
| 3 year ----- | .50 | 3.50 | 25.00 |
| speciosa rubra. Painted Trumpet creeper. | | | |
| 2 year ----- | .65 | 5.00 | |
| 3 year ----- | 1.00 | 6.50 | |
| Celastrus articulatus. Japanese Bittersweet. | | | |
| 2 year ----- | .45 | 3.00 | 25.00 |
| 3 year ----- | .50 | 3.50 | 30.00 |
| 4 year ----- | .65 | 5.00 | 40.00 |
| scandens. Native Bittersweet. | | | |
| 2 year ----- | .45 | 3.50 | 30.00 |
| 3 year ----- | .50 | 4.00 | 35.00 |
| Clematis apiifolia. October Clematis. | | | |
| 2 year ----- | 1.00 | 6.50 | 50.00 |
| coccinea. (See texensis). | | | |
| hybrids. Large Flowering Clematis. | | | |
| 2 year ----- | 1.10 | 10.00 | |
| Jackmanni, Mad. Ed. Andre, Henryi, Duchess of Edinburgh. | | | |
| ligusticifolia. Western Virgins-bower. | | | |
| from pots ----- | .60 | 5.00 | |
| orientalis. Oriental Clematis. | | | |
| 2 year ----- | .50 | 4.00 | 35.00 |

Clematis**paniculata.** *Sweet Autumn Clematis.*

| | each | per 10 | per 100 |
|--------------|------|--------|---------|
| 2 year ----- | .40 | 3.00 | 20.00 |
| 3 year ----- | .50 | 3.50 | 25.00 |

tangutica. *Golden Clematis.*

| | | | |
|--------------|-----|------|-------|
| 2 year ----- | .75 | 5.00 | 45.00 |
|--------------|-----|------|-------|

texensis syn. coccinea. *Scarlet Clematis.*

| | | | |
|--------------|-----|------|--|
| 2 year ----- | .65 | 5.00 | |
|--------------|-----|------|--|

virginiana. *Virgins-bower.*

| | | | |
|--------------|-----|------|-------|
| 2 year ----- | .50 | 4.00 | 30.00 |
| 3 year ----- | .65 | 5.00 | 40.00 |

vitalba. *Travelers-joy.*

| | | | |
|--------------|-----|------|--|
| 2 year ----- | .60 | 5.00 | |
|--------------|-----|------|--|

viticella. *Italian Clematis.*

| | | | |
|--------------|-----|------|--|
| 2 year ----- | .60 | 5.00 | |
|--------------|-----|------|--|

Hedera helix. *English Ivy.*

| | | | |
|-------------------------|------|------|-------|
| 2 year, 4 in. pots----- | .60 | 5.00 | 40.00 |
| 3 year, 4 in. pots----- | 1.00 | 7.50 | 50.00 |

helix gracilis. *Small-leaved English Ivy.*

| | | | |
|-------------------------|------|------|-------|
| 2 year, 3 in. pots----- | .60 | 5.00 | 40.00 |
| 3 year, 3 in. pots----- | 1.00 | 7.50 | 50.00 |

Lonicera caprifolium. *Sweet Honeysuckle.*

| | | | |
|--------------|-----|------|-------|
| 2 year ----- | .50 | 4.00 | 35.00 |
| 3 year ----- | .65 | 5.00 | 45.00 |

browni plantieriensis. *Orange Honeysuckle.*

| | | | |
|--------------|-----|------|-------|
| 2 year ----- | .65 | 5.00 | 45.00 |
|--------------|-----|------|-------|

fuchsioides.

| | | | |
|--------------|-----|------|--|
| 2 year ----- | .75 | 6.00 | |
|--------------|-----|------|--|

heckrottii. *Everblooming Honeysuckle.*

| | | | |
|--------------|-----|------|-------|
| 2 year ----- | .65 | 4.50 | 35.00 |
|--------------|-----|------|-------|

henryi. *Honeysuckle.*

| | | | |
|--------------|------|------|-------|
| 2 year ----- | 1.00 | 7.50 | 50.00 |
|--------------|------|------|-------|

hirsuta. *Hoary Honeysuckle.*

| | | | |
|--------------|------|------|--|
| 2 year ----- | 1.00 | 7.50 | |
|--------------|------|------|--|

japonica. *Japanese Honeysuckle.*

| | | | |
|--------------|-----|------|-------|
| 2 year ----- | .45 | 3.00 | 20.00 |
| 3 year ----- | .50 | 3.50 | 25.00 |

japonica halleana. *Hall Japanese Honeysuckle.*

| | | | |
|--------------|-----|------|-------|
| 2 year ----- | .45 | 3.00 | 20.00 |
| 3 year ----- | .50 | 3.50 | 25.00 |

japonica reticulata aurea.*Yellow Japanese Honeysuckle.*

| | | | |
|--------------|-----|------|-------|
| 2 year ----- | .45 | 3.50 | 25.00 |
|--------------|-----|------|-------|

Lonicera**periclymenum belgica.** *Dutch Woodbine.*

| | each | per 10 | per 100 |
|--------------|------|--------|---------|
| 2 year ----- | .50 | 4.50 | 40.00 |
| 3 year ----- | .65 | 5.50 | 50.00 |

prolifera syn. sullivanti. *Grape Honeysuckle.*

| | | | |
|--------------|-----|------|--|
| 3 year ----- | .65 | 5.50 | |
|--------------|-----|------|--|

sempervirens. *Trumpet Honeysuckle.*

| | | | |
|--------------|-----|------|-------|
| 2 year ----- | .45 | 3.00 | 20.00 |
| 3 year ----- | .50 | 3.50 | 25.00 |

verna.

| | | | |
|--------------|-----|------|--|
| 2 year ----- | .65 | 4.50 | |
|--------------|-----|------|--|

Lycium. (*See Shrubs*).**Periploca graeca.** *Silk Vine.*

| | | | |
|--------------|-----|------|-------|
| 2 year ----- | .40 | 3.00 | 20.00 |
| 3 year ----- | .45 | 3.50 | 25.00 |
| 4 year ----- | .60 | 4.00 | 30.00 |

Polygonum auberti. *China Fleecevine.*

| | | | |
|--------------|------|------|-------|
| 2 year ----- | 1.00 | 7.50 | 65.00 |
|--------------|------|------|-------|

baldschuanicum. *Silver Fleecevine.*

| | | | |
|--------------|------|------|--|
| 2 year ----- | 1.00 | 7.50 | |
|--------------|------|------|--|

Pueraria thunbergiana. *Kudzu-bean.*

| | | | |
|--------------|-----|------|-------|
| 2 year ----- | .45 | 3.00 | 20.00 |
|--------------|-----|------|-------|

Schizophragma hydrangeoides.*Japanese Hydrangea-vine.*

| | | | |
|-----------------|------|-------|--|
| from pots ----- | 1.25 | 10.00 | |
|-----------------|------|-------|--|

Solanum dulcamara. *True Bittersweet.*

| | | | |
|--------------|-----|------|-------|
| 2 year ----- | .45 | 3.00 | 20.00 |
|--------------|-----|------|-------|

Tecoma. (*See Bignonia*).**Vinca minor.** *Periwinkle.*

| | | | |
|-------------------|-----|------|-------|
| 8 to 12 in. ----- | .20 | 1.50 | 10.00 |
|-------------------|-----|------|-------|

minor alba. *White Periwinkle.*

| | | | |
|--------------|-----|------|-------|
| 2 year ----- | .50 | 4.00 | 35.00 |
|--------------|-----|------|-------|

minor rubra plena. *Dbl. Red Periwinkle.*

| | | | |
|--------------|-----|------|-------|
| 2 year ----- | .50 | 4.00 | 35.00 |
|--------------|-----|------|-------|

Vitis aestivalis. *Summer Grape.*

| | | | |
|--------------|-----|------|-------|
| 2 year ----- | .45 | 3.50 | 25.00 |
| 3 year ----- | .50 | 4.00 | 30.00 |

coignetiae. *Gloryvine.*

| | | | |
|--------------|------|-------|-------|
| 2 year ----- | 1.00 | 7.50 | 65.00 |
| 3 year ----- | 1.25 | 10.00 | |

Vitis cordifolia. *Frost or Winter Grape.*

| | each | per 10 | per 100 |
|--------------|------|--------|---------|
| 2 year ----- | .45 | 3.50 | 25.00 |
| 3 year ----- | .50 | 4.00 | 30.00 |

labrusca. *Fox Grape.*

| | | | |
|--------------|-----|------|-------|
| 2 year ----- | .45 | 3.50 | 25.00 |
| 3 year ----- | .50 | 4.00 | 35.00 |

vulpina. *Riverbank Grape.*

| | | | |
|--------------|-----|------|-------|
| 2 year ----- | .45 | 3.50 | 25.00 |
| 3 year ----- | .50 | 4.00 | 35.00 |

Wistaria frutescens. *American Wistaria.*

| | | | |
|--------------|-----|------|-------|
| 2 year ----- | .50 | 4.00 | 30.00 |
| 3 year ----- | .65 | 5.00 | 40.00 |

frutescens magnifica. *Yelloweye Wistaria.*

| | | | |
|--------------|-----|------|-------|
| 2 year ----- | .50 | 4.00 | 30.00 |
| 3 year ----- | .65 | 5.00 | 40.00 |

multijuga. *Japanese Wistaria.*

| | | | |
|--------------|-----|------|-------|
| 2 year ----- | .65 | 5.50 | 50.00 |
| 3 year ----- | .75 | 6.50 | 55.00 |

sinensis. *Chinese Purple Wistaria.*

| | | | |
|--------------------------|------|-------|-------|
| 2 year ----- | .65 | 5.50 | 50.00 |
| 3 year ----- | .75 | 7.00 | 65.00 |
| 3 to 4 ft. standard----- | 1.60 | 12.50 | |
| 4 to 5 ft. standard----- | 2.50 | 20.00 | |

sinensis alba. *Chinese White Wistaria.*

| | | | |
|----------------|------|------|-------|
| 2 year ----- | .65 | 5.50 | 50.00 |
| 3 year ----- | .75 | 7.00 | 65.00 |
| 6 year XX----- | 4.50 | | |

Hardy Perennials

Young transplanted, field grown stock. We are prepared to deliver from pots such kinds as are difficult to transplant or whose dormant period in the spring is brief.

| | | |
|---|--------|-------|
| Acanthus mollis. Purple Rose, July, 4'---- | \$2.50 | |
| mollis latifolius. Rose, July, 2-3'---- | 2.50 | |
| Achillea ageratum. Yellow, July, 1'----- | 1.50 | 12.00 |
| filipendulina. Yellow, June, July, 3'-- | 1.50 | 12.00 |
| millefolium Cerise Queen. Rose, | | |
| July, 2' ----- | 1.50 | 12.00 |
| ptarmica fl. pl. White, July, 2'----- | 1.50 | 12.00 |
| ptarmica Boule de Neige. White, June, | | |
| July, 2' ----- | 1.50 | 12.00 |
| ptarmica Perry White. June, July, 2'--- | 1.50 | 12.00 |
| tomentosa. Yellow, June, 1'----- | 1.50 | 12.00 |

Less than five at double the rate per hundred.

| | per 10 | per 100 |
|---|--------|---------|
| <i>Aconitum autumnale</i> . Blue, July, August, 4' ----- | 3.00 | 25.00 |
| <i>fischeri</i> . Blue, September, 3' ----- | 2.50 | 20.00 |
| <i>fischeri wilsoni</i> . Violet blue, Sept., 5' ----- | 5.00 | 45.00 |
| <i>japonicum</i> . Violet, summer, 2' ----- | 3.00 | 25.00 |
| <i>napellus</i> . Light blue, July, Aug., 4' -- | 3.00 | 25.00 |
| <i>lycoctonum</i> . Yellow, June, July, 3' --- | 3.00 | 25.00 |
| <i>napellus Spark's</i> . Violet blue July, Aug. 5' ----- | 3.00 | 25.00 |
| <i>Actaea alba</i> . White, May, June, 3-4' ----- | 1.50 | 12.00 |
| <i>rubra</i> . Red, May, June, 3-4' ----- | 1.50 | 12.00 |
| <i>Aegopodium podagraria variegatum</i> . Variegated foliage, 1' ----- | 1.50 | 12.00 |
| <i>Aethionema persicum</i> . Pink, June, July, 9" ----- | 3.00 | 25.00 |
| <i>Agrostemma</i> . (See <i>Lychnis</i>). | | |
| <i>Ajuga genevensis</i> . Bright blue, May, 6" -- | 1.50 | 12.00 |
| <i>reptans</i> . Blue, May, 6" ----- | 1.50 | 12.00 |
| <i>Allium thibetica</i> . Lilac mauve, June, July, 8" ----- | 5.00 | 40.00 |
| <i>Althea rosea</i> . Hollyhock. | | |
| Double. Separate colors, July, Aug., 5' ----- | 1.50 | 12.00 |
| Double. Chater's strain, separate colors ----- | 2.20 | 18.00 |
| Fringed Allegheny. July, August, 5' -- | 1.50 | 12.00 |
| Single. Mixed colors, July, Aug., 5' --- | 1.50 | 12.00 |
| <i>Alyssum argenteum</i> . Yellow, July, Aug., 6" ----- | 1.50 | 12.00 |
| <i>rostratum</i> . Yellow, June, July, 12" --- | 2.00 | 15.00 |
| <i>saxatile compactum</i> . Yellow, May 1' -- | 1.50 | 12.00 |
| <i>saxatile sulphureum</i> . Yellow, May, 1' -- | 2.50 | |
| <i>serpyllifolium</i> . Yellow, June, July, 4" ----- | 2.50 | 20.00 |
| <i>Amsonia tabernaemontana</i> . Blue, May, June, 3' ----- | 1.50 | 12.00 |
| <i>Anchusa capensis</i> . Blue, all summer, 1½' -- | 1.80 | 15.00 |
| <i>italica</i> . Blue, June, 4' ----- | 1.50 | 12.00 |
| <i>italica Dropmorei</i> . Blue, June, 4-5' -- | 1.50 | 12.00 |
| <i>myosotidiflora</i> . Bright blue, May, 1' -- | 3.00 | 25.00 |
| <i>Anemone hupehensis</i> . Mauve, Aug., Sept. 1' ----- | 2.20 | 18.00 |
| <i>japonica alba</i> . White, Fall, 3' ----- | 2.50 | 22.00 |
| <i>japonica Geante des Blanches</i> . White, Fall, 3' ----- | 3.00 | 25.00 |
| <i>japonica Lady Ardilaun</i> . White, Fall, 4' ----- | 3.00 | 25.00 |
| <i>japonica Prince Heinrich</i> . Deep pink, Fall, 3' ----- | 3.00 | 25.00 |

Less than five at double the rate per hundred.

Anemone

japonica Queen Charlotte.

| | | |
|----------------------|----------------|------------------|
| Rose, Fall, 3' ----- | per 10 3.00 | per 100 25.00 |
|----------------------|----------------|------------------|

japonica Richard Ahrends.

| | | |
|----------------------------|------|-------|
| Shell pink, Fall, 2' ----- | 3.00 | 25.00 |
|----------------------------|------|-------|

japonica Rose d' Autumn.

| | | |
|----------------------|------|-------|
| Pink, Fall, 3' ----- | 3.00 | 25.00 |
|----------------------|------|-------|

| | | |
|--|------|-------|
| japonica rubra. Red, Fall, 2' ----- | 3.00 | 25.00 |
|--|------|-------|

| | | |
|---|------|-------|
| japonica Whirlwind. Pure white, Fall, 3' ----- | 3.00 | 25.00 |
|---|------|-------|

| | | |
|--|------|--|
| pennsylvanica. White, July, 1½' ----- | 1.50 | |
|--|------|--|

| | | |
|---|------|-------|
| pulsatilla. Blue, April, 15" ----- | 2.50 | 20.00 |
|---|------|-------|

| | | |
|---|------|-------|
| pulsatilla rubra. Dark red, April, 12" ----- | 2.50 | 20.00 |
|---|------|-------|

| | | |
|--|------|--|
| Antennaria dioica. White, May, 6" ----- | 3.50 | |
|--|------|--|

| | | |
|--|------|-------|
| Anthemis tinctoria. Yellow, July, Aug., 3' -- | 1.50 | 12.00 |
|--|------|-------|

tinctoria E. C. Buxton.

| | | |
|------------------------------------|------|-------|
| Lemon yellow, July, Aug., 3' ----- | 2.50 | 20.00 |
|------------------------------------|------|-------|

| | | |
|--|------|-------|
| tinctoria kelwayi. Yellow, July, Aug., 3' ----- | 1.50 | 12.00 |
|--|------|-------|

| | | |
|--|------|-------|
| Aquilegia alpina. Blue, May, June, 1' ----- | 1.50 | 12.00 |
|--|------|-------|

| | | |
|---|------|-------|
| caerulea. Blue, May, June, 1½' ----- | 2.20 | 18.00 |
|---|------|-------|

| | | |
|---|------|-------|
| caerulea helenae. Blue, May, June, 2' -- | 1.80 | 15.00 |
|---|------|-------|

| | | |
|---|------|-------|
| caerulea hybrida. Various, June, 2' -- | 1.50 | 12.00 |
|---|------|-------|

| | | |
|---|------|-------|
| canadensis. Scarlet, May, June, 2' ----- | 1.50 | 12.00 |
|---|------|-------|

californica. (See *formosa truncata*.)

| | | |
|--|------|-------|
| chrysantha. Yellow, June, July, 3' ---- | 1.80 | 15.00 |
|--|------|-------|

| | | |
|---|------|-------|
| chrysantha alba. White, June, July, 3' ----- | 1.80 | 15.00 |
|---|------|-------|

| | | |
|---|------|-------|
| formosa truncata. Various, June, 2' -- | 1.50 | 12.00 |
|---|------|-------|

| | | |
|--|------|-------|
| glandulosa. Lilac blue, June, 1½' ----- | 1.50 | 12.00 |
|--|------|-------|

hybrida. Mrs. Scott Elliott.

| | | |
|-------------------------|------|-------|
| Various, June, 2' ----- | 2.20 | 18.00 |
|-------------------------|------|-------|

| | | |
|---|------|-------|
| monstrosa fl. pl. Pink, June, 2' ----- | 2.50 | 20.00 |
|---|------|-------|

| | | |
|---|------|-------|
| rosea. Long spurred pink, June, 2' ----- | 1.80 | 15.00 |
|---|------|-------|

| | | |
|--|------|--|
| rosea fl. pl. Dbl. Pink, June, 18" ---- | 2.20 | |
|--|------|--|

| | | |
|--|------|-------|
| skinneri. Red and yellow, May 2' ---- | 1.50 | 12.00 |
|--|------|-------|

| | | |
|--|------|-------|
| vulgaris. Purple, May, June, 2' ----- | 1.50 | 12.00 |
|--|------|-------|

| | | |
|---|------|-------|
| vulgaris nivea. White, May, 2' ----- | 1.50 | 12.00 |
|---|------|-------|

| | | |
|---|------|-------|
| vulgaris olympica. Purple, May, June, 2' ----- | 1.50 | 12.00 |
|---|------|-------|

| | | |
|--|------|-------|
| Arabis alpina. White, April, May, 6" ---- | 1.80 | 15.00 |
|--|------|-------|

| | | |
|--|------|-------|
| Arenaria balearica. White, July, Aug., 3" ----- | 2.50 | 22.00 |
|--|------|-------|

| | | |
|--|------|-------|
| grandiflora. White, May, 4" ----- | 2.50 | 20.00 |
|--|------|-------|

| | | |
|--------------------------------------|------|-------|
| montana. White, May, 4" ----- | 2.50 | 20.00 |
|--------------------------------------|------|-------|

| | | |
|---|------|-------|
| verna. White, June, July, 3" ----- | 2.50 | 20.00 |
|---|------|-------|

| | | |
|--|------|-------|
| Arisaema dracontium. Purple, May, 1' ---- | 1.50 | 12.00 |
|--|------|-------|

Less than five at double the rate per hundred.

| | per 10 | per 100 |
|--|--------|---------|
| Armeria cephalotes rubra. | | |
| Bright pink, May, June, 6"----- | 2.20 | 18.00 |
| lauchiana. Crimson, May, June, 8"-- | 1.50 | 12.00 |
| martima. Pink, May, June, 6"----- | 1.50 | 12.00 |
| maritima alba. White, May, June, 6"-- | 1.50 | 12.00 |
| mauritanica. Pink, July, August, 8"-- | 1.50 | 12.00 |
| robusta. Crimson, May, June, 6"----- | 1.50 | 12.00 |
| Artemisia abrotanum. Fragrant foliage, 5' | 1.50 | 12.00 |
| argentea. Silver foliage, 2'----- | 1.50 | 12.00 |
| lactiflora. White, August, 4'----- | 1.80 | 15.00 |
| Silver King. White foliage, 3'----- | 2.00 | 15.00 |
| stelleriana. White, Summer, 2'----- | 1.50 | 12.00 |
| Asarum canadense. Chocolate, May, 6"-- | 1.50 | 12.00 |
| Asclepias incarnata. Red, August, 4'----- | 1.50 | 12.00 |
| tuberosa. Orange, July, August, 2"-- | 1.50 | 12.00 |
| Asperula hexaphylla. White, June, 1'----- | 1.50 | 12.00 |
| odorata. White, May, 8"----- | 1.50 | 12.00 |
| Asphodeline lutea. Yellow, July, 3'----- | 1.50 | 12.00 |
| Aster alpinus. Blue, June, July, 8"----- | 1.80 | 15.00 |
| alpinus albus. White, June, July, 8"-- | 1.80 | 15.00 |
| amellus bessarabicus. Violet blue, Fall-- | 1.80 | 15.00 |
| amellus Rud. Goethe. | | |
| Lavender blue, Fall, 2'----- | 2.50 | 20.00 |
| Anita Ballard. Soft lavender, Fall, 4'-- | 2.50 | 20.00 |
| Beauty of Colwall. Fine blue, Sept., 3' | 1.50 | 12.00 |
| Beauty of Orleans. Bright mauve, Fall, 4' | 2.50 | |
| Blanchette. Mauve blush, Fall, 4'----- | 2.50 | 20.00 |
| Climax. Blue, Sept., Oct., 3'----- | 1.50 | 12.00 |
| diplostephioides. Blue, July, 2'----- | 1.80 | 15.00 |
| dranunculoides. Light blue, July, 2'-- | 3.00 | 25.00 |
| farrereri Big Bear. Violet, July, 10"----- | 5.00 | 40.00 |
| Feltham Blue. Blue, Sept., Oct., 3'----- | 1.50 | 12.00 |
| grandiflorus. Dark violet, Sept., 3'----- | 3.50 | |
| Heather Glow. Rose, Fall, 4'----- | 3.00 | 25.00 |
| ibericus ultramarin. Dark blue, Sept., 3' | 2.50 | |
| Joan Vaughan. Dbl. Mauve-blue, Sept., 3' | 2.50 | 20.00 |
| laevis. Lavender, Sept., 4'----- | 1.50 | 12.00 |
| Mad. Emil Thoury. Violet, Sept., 5'-- | 3.00 | 25.00 |
| Mad. Soyneuse. Light blue, Sept., Oct., 3' | 1.50 | 12.00 |
| Mauve Cushion. Mauve, Oct. 12"----- | 2.50 | |
| Mrs. Raynor. Crimson, Sept., 3'----- | 1.80 | |
| novae-angliae. Purple, Sept., Oct., 4'-- | 1.50 | 12.00 |

Less than five at double the rate per hundred.

Aster

| | per 10 | per 100 |
|--|--------|---------|
| <i>novae-angliae roseus</i> . Rose, Sept., 4'---- | 1.80 | 15.00 |
| <i>porteri</i> . White, July, Aug., 18"----- | 2.50 | 20.00 |
| <i>Robt. Parker</i> . Lavender, Sept., Oct., 5'----- | 1.50 | 12.00 |
| <i>Rue des Hatives</i> . Rose mauve, Fall, 3'----- | 3.00 | 25.00 |
| <i>Snow Queen</i> . White, Sept., Oct., 4'---- | 1.50 | 12.00 |
| <i>St. Egwyn</i> . Soft pink, Sept., Oct., 3'-- | 1.50 | 12.00 |
| <i>tataricus</i> . Purple, Oct. and Nov., 6'-- | 1.50 | 12.00 |
| <i>White Climax</i> . White, Fall, 4'----- | 1.50 | 12.00 |
| <i>Astilbe arendsi Ceres</i> . Rosy Lilac, July, 2'----- | 3.00 | 25.00 |
| <i>arendsi Juno</i> . Purplish pink, July 3'-- | 3.00 | 25.00 |
| <i>arendsi Kreimhilde</i> . Rose, June, July, 2'----- | 3.00 | 25.00 |
| <i>arendsi Moerheimi</i> . White, July, 3'-- | 3.00 | 25.00 |
| <i>arendsi Rose Pearl</i> . Shell pink, July, 3'----- | 3.00 | 25.00 |
| <i>rosea Queen Alexandra</i> . | | |
| Deep pink, July, 3'----- | 3.00 | 25.00 |
| <i>rosea Queen of Holland</i> | | |
| Rose pink, July, 3'----- | 3.00 | 25.00 |
| <i>rubella Solferino</i> . Violet pink, July, 3'----- | 3.00 | 25.00 |
| <i>rubella Vesta</i> . Lilac rose, July, 3'----- | 3.00 | 25.00 |
| <i>Astrantia major</i> . Silvery pink, May, 2'-- | 2.20 | 18.00 |
| <i>Aubrietia deltoidea bougainvillei</i> . | | |
| Dark blue, Apr., 5"----- | 2.50 | 22.00 |
| <i>deltoidea leichtlini</i> . Pink, April, 5"--- | 2.50 | 22.00 |
| <i>deltoidea purpurea</i> . Purple, April, 5"----- | 2.50 | 22.00 |
| <i>eyeri</i> . Rosy lilac, April, 5"----- | 2.50 | 22.00 |
| <i>Baptisia australis</i> . Indigo, June, 4'----- | 1.80 | 15.00 |
| <i>tinctoria</i> . Yellow, June, 3'----- | 1.80 | 15.00 |
| <i>Belamcanda chinensis</i> . Orange, June, 1½'----- | 1.50 | 12.00 |
| <i>Bellis perennis alba</i> . White, April, May, 3"----- | 1.50 | 12.00 |
| <i>perennis rosea</i> . Pink, April, May, 3"----- | 1.50 | 12.00 |
| <i>Bellium bellidioeides</i> . Blush, summer, 4"-- | 2.50 | 20.00 |
| <i>Betonica</i> . (See Stachys.) | | |
| <i>Bocconia cordata</i> . Creamy white, Aug., 6'----- | 1.50 | 12.00 |
| <i>Boltonia asteroides</i> . White, Sept., 5'----- | 1.50 | 12.00 |
| <i>latisquama</i> . Lavender, August, 5'----- | 1.50 | 12.00 |
| <i>Bupthalmum speciosum</i> . Yellow, June, 3'----- | 1.50 | 12.00 |
| <i>Calandrinia umbellata</i> . Crimson, summer, 6"----- | 2.50 | 20.00 |
| <i>Callirhoe involucrata</i> . Red, all summer, 6"----- | 1.50 | 12.00 |
| <i>Camassia Quamash</i> . Blue, May, 2'----- | 1.50 | 12.00 |
| <i>Campanula alliariaefolia</i> . | | |
| White, June, July, 2'----- | 2.00 | 18.00 |
| <i>bononiensis</i> . Blue, June, 2'----- | 2.50 | 20.00 |

Less than five at double the rate per hundred.

Campanula

| | per 10 | per 100 |
|--|--------|---------|
| <i>carpatica</i> . Blue, July, August, 9"----- | 1.80 | 15.00 |
| <i>carpatica alba</i> . White, July, Aug., 9"-- | 1.80 | 15.00 |
| <i>carpatica Raineri</i> . Dark blue, July, 6" | 2.50 | |
| <i>garganica</i> . Light blue, June, 6"----- | 3.00 | 25.00 |
| <i>grosseki</i> . Blue, all summer, 2'----- | 1.50 | 12.00 |
| <i>lactiflora</i> . Light blue, August, 4'----- | 1.50 | 12.00 |
| <i>latifolia</i> . Purplish blue, July, 3'----- | 1.50 | 12.00 |
| <i>latifolia alba</i> . White, July, 3'----- | 1.50 | 12.00 |
| <i>latifolia macrantha</i> . Purplish blue, July, 3'----- | 1.50 | 12.00 |
| <i>medium</i> . Mixed, June, July, 3'----- | 1.50 | 12.00 |
| <i>medium</i> . Separate colors, June, July, 3' | 1.80 | 15.00 |
| <i>medium calycanthema</i> . Mixed, July, 3' | 1.50 | 12.00 |
| <i>medium calycanthema</i> . Separate colors, July, 3'----- | 1.80 | 15.00 |
| <i>muralis</i> . Blue-purple, June, 6"----- | 3.00 | 25.00 |
| <i>persicifolia</i> . Blue, June, July, 2'----- | 1.80 | 15.00 |
| <i>persicifolia moerheimi</i> . White, June, 2' | 2.20 | 18.00 |
| <i>pyramidalis</i> . Blue, July, 4-5'----- | 1.80 | 15.00 |
| <i>pyramidalis alba</i> . White, July, 4-5'-- | 1.80 | 15.00 |
| <i>rotundifolia</i> . Blue, June, July, 12"----- | 2.50 | 18.00 |
| <i>trachelium</i> . Blue, July, 2-3'----- | 1.50 | 12.00 |
| <i>Carex morrowi</i> . White-edged foliage, 1'-- | 2.50 | 18.00 |
| <i>Cassia marilandica</i> . Yellow, July, 3-4'----- | 1.50 | 12.00 |
| <i>Catananche caerulea</i> . Blue, June, July, 3' | 1.50 | 12.00 |
| <i>bicolor</i> . Blue, July, 2'----- | 1.80 | 15.00 |
| <i>Caulophyllum thalictroides</i> .----- | 1.50 | 12.00 |
| <i>Centaurea babylonica</i> . Yellow, July, 5'----- | 1.50 | 12.00 |
| <i>dealbata</i> . Red, July, 1½'----- | 1.80 | 15.00 |
| <i>macrocephala</i> . Yellow, July, 3-4'----- | 1.50 | 12.00 |
| <i>montana</i> . Blue, June, July, 2'----- | 1.50 | 12.00 |
| <i>ruthenica</i> . Straw color, July, 4'----- | 1.80 | |
| <i>Centranthus ruber</i> . Red, all summer, 3'-- | 1.50 | 12.00 |
| <i>ruber albus</i> . White, all summer, 3'-- | 1.50 | 12.00 |
| <i>Cephalaria alpina</i> . Yellow, July, 5'----- | 1.50 | 12.00 |
| <i>Cerastium arvense compactum</i> . White, July, 8"----- | 1.50 | 12.00 |
| <i>biebersteini</i> . White, June, 6"----- | 1.80 | 15.00 |
| <i>tomentosum</i> . White, June, 6"----- | 1.50 | 12.00 |
| <i>Ceratostigma plumbaginoides</i> . Blue, Fall, 6" | 1.80 | 15.00 |
| <i>Cheiranthus allioni</i> . Yellow, July 2'----- | 1.50 | 12.00 |

Less than five at double the rate per hundred.

| | per 10 | per 100 |
|--|--------|---------|
| Chelone glabra. White, or rose tinged, | | |
| July, 2' ----- | 1.50 | 12.00 |
| amaranthus. Pink, July, Aug., 3'----- | 2.00 | 18.00 |
| lyoni. Deep rose, August, 2' ----- | 1.50 | 12.00 |
| Chrysanthemum anemone—flowered ----- | 1.80 | 15.00 |
| Snow Queen—White. | | |
| arcticum. White, Fall, 2' ----- | 1.50 | 12.00 |
| hardy button varieties ----- | 1.50 | 12.00 |
| Baby Marguerite—pure white. | | |
| Bronze Button—bronze. | | |
| Brown Betty—maroon red. | | |
| Diana—yellow. | | |
| Golden Climax—yellow. | | |
| Irene—Pure white. | | |
| Kitty Barno—bronze. | | |
| Klondike—bright yellow. | | |
| Lillian Doty—pink. | | |
| Mitzi—yellow. | | |
| Niza—delicate pink. | | |
| Rose Button—rose. | | |
| White Doty—white. | | |
| hardy large flowering, double, Fall, 4'-- | 1.50 | 12.00 |
| Border Beauty—orange, tipped with gold. | | |
| Boston—orange. | | |
| Canariense—yellow. | | |
| Etna—red. | | |
| Favorite—buff. | | |
| Golden Queen—yellow. | | |
| L'Argentuillais—deep chestnut. | | |
| La Danube—pure pink. | | |
| Marie Antoinette—pink. | | |
| Old Homestead—buff. | | |
| Pacific Supreme—white, fading to rose. | | |
| Rosea—red. | | |
| Ruby King—brown red. | | |
| Ruth Cumming—reddish bronze. | | |
| Snowclad—white. | | |
| Glory of Seven Oaks, Yellow, Sept., 2' ----- | 1.80 | 15.00 |
| Normandie. Pink, early Fall, 2'----- | 1.80 | 15.00 |
| Yellow Normandie. Yellow, early | | |
| Fall, 2' ----- | 1.80 | 15.00 |

Less than five at double the rate per hundred.

Chrysanthemum

| | per 10 | per 100 |
|---|--------|---------|
| hardy large flowering, single. Fall, 4' | 1.50 | 12.00 |
| Astarte—amber. | | |
| Excelsior—golden yellow. | | |
| Lady Smith—bright pink. | | |
| Louise—salmon. | | |
| Mrs. W. E. Buckingham—salmon pink. | | |
| maximum. White, all summer, 2'---- | 1.50 | 12.00 |
| maximum Alaska. White, July-Aug., 2' | 1.50 | 12.00 |
| maximum King Edward. White, | | |
| all summer, 3' ----- | 1.50 | 12.00 |
| maximum Lucy Breslau. | | |
| White, June, July, 2' ----- | 1.50 | 12.00 |
| maximum Shasta. White, July-Aug., 2' | 1.50 | 12.00 |
| morifolium. Rose, Fall, 18" ----- | 2.50 | 20.00 |
| nipponicum. White, Fall, 2'----- | 2.20 | |
| Cimicifuga racemosa. White, July, 5' ---- | 1.50 | 12.00 |
| simplex. White, Fall, 2' ----- | 6.00 | 50.00 |
| Clematis davidiana. Blue, August, 3'----- | 2.50 | 20.00 |
| integrifolia. Blue, July, 2' ----- | 3.00 | 25.00 |
| recta. White, July, 3' ----- | 3.00 | 25.00 |
| Codonopsis clematidea. White, June, 2'----- | 1.80 | |
| Convallaria majalis. Clumps, White, May, 6" | 1.80 | 15.00 |
| Coreopsis grandiflora. Yellow, all summer, 3' | 1.50 | 11.00 |
| lanceolata. Yellow all summer, 2'----- | 1.50 | 11.00 |
| l. Etoile d'Or. Dbl. yellow, summer, 2' | 4.00 | 35.00 |
| rosea. Rose, August, Sept., 1'----- | 1.50 | 12.00 |
| verticillata. Yellow, July, Aug., 2'----- | 1.50 | 12.00 |
| Coronilla varia. Pink, Aug., Sept., 18"--- | 2.00 | 18.00 |
| Corydalis cheilanthifolia. Creamy white, | | |
| July, 2' ----- | 3.50 | 30.00 |
| Crucianella stylosa. Crimson pink, July, 8" | 1.80 | 15.00 |
| Cynanchum acuminatifolium. White, | | |
| summer, 18" ----- | 3.50 | |
| Delphinium belladonna. Sky blue, all | | |
| summer, 4' ----- | 1.50 | 12.00 |
| bellamosum. Dark blue, all summer, 4' | 1.50 | 12.00 |
| cashmerianum. Dark blue, July, 1'-- | 2.20 | 18.00 |
| chinense. Blue July, 2'----- | 1.50 | 12.00 |
| chinense album. White, July 2'----- | 1.50 | 12.00 |
| elatum. Blue July, 4'----- | 1.50 | 12.00 |
| formosum. Indigo, July, 4' ----- | 1.80 | 15.00 |

Less than 5 at double the rate per hundred.

Delphinium.

| | per 10 | per 100 |
|--|--------|---------|
| formosum coelestinum. Light blue, | | |
| July, 3' ----- | 1.50 | 12.00 |
| grandiflorum. Shades of blue, July, 3' | 1.50 | 12.00 |
| grandiflorum Indigo. Dark blue, | | |
| July, 4' ----- | 1.80 | 15.00 |
| hybridum Blackmore and Langdon. | | |
| Various, July, 4' ----- | 3.00 | 25.00 |
| hybridum Gold Medal. Shades of blue, | | |
| July, 4' ----- | 1.50 | 12.00 |
| sibirica hybrida. Shades of blue, | | |
| July, 3' ----- | 1.50 | 12.00 |
| Dianthus allwoodi. Pink, July, 1'----- | 1.80 | 15.00 |
| arenarius. White, July, 10"----- | 1.80 | 15.00 |
| barbatus. (Single Sweet William). | | |
| mixed colors, June, July, 1'----- | 1.50 | 11.00 |
| barbatus alba. White, June, July, 1'-- | 1.50 | 12.00 |
| barbatus atrococcineus. Crimson, | | |
| June, 1' ----- | 1.50 | 12.00 |
| barbatus fl. pl. (Double Sweet William). | | |
| mixed colors, June, July, 1'----- | 1.50 | 11.00 |
| barbatus Holborn Glory. Mixed, June, 1' | 1.50 | 12.00 |
| barbatus Newport Pink. Fine pink, | | |
| June, 1' ----- | 1.50 | 12.00 |
| barbatus nigricans. Dark velvety red, | | |
| June, 1' ----- | 1.50 | 12.00 |
| barbatus rosea. Pink, June, 1' ----- | 1.50 | 12.00 |
| barbatus Salamoni. Salmon, June, 1' | 1.50 | 12.00 |
| barbatus Sutton's Scarlet. Crimson, | | |
| June, 1' ----- | 1.50 | 12.00 |
| caesius. Rose pink, June, July, 9"---- | 1.50 | 12.00 |
| caryophyllus. Double, mixed, all summer, 9" ----- | 1.50 | 12.00 |
| Chabaud. Pink, June, July, 12"----- | 1.80 | 15.00 |
| chinensis heddewigi. Mixed, June, July, 9" ----- | 1.50 | 12.00 |
| deltoides. Pink, June, 9" ----- | 1.50 | 12.00 |
| diadematus. Pink, June, 10" ----- | 1.80 | 15.00 |
| graniticus. Purple, July, 6" ----- | 1.80 | 15.00 |
| hardy pinks. Single, mixed, all summer, 9" ----- | 1.50 | 12.00 |
| latifolius atrococcineus. Crimson, summer, 1' ----- | 1.50 | 12.00 |

Less than five at double the rate per hundred.

Dianthus.

| | per 10 | per 100 |
|---|--------|---------|
| plumarius. (Scotch Pink) mixed, summer, 8" ----- | 1.50 | 12.00 |
| plumarius fl. pl. (Double Scotch Pink) mixed, all summer, 9" ----- | 1.80 | 15.00 |
| plumarius semperflorens. Pink, June, 9" ----- | 1.50 | 12.00 |
| Abbotsford. Crimson, all summer, 9"----- | 1.80 | 15.00 |
| Annie Laurie. Orchid, June, July, 9"----- | 3.00 | 25.00 |
| Cyclops. Dark rose, June, July, 9" ----- | 1.50 | 12.00 |
| Delicata. Rose, June, July, 9" ----- | 2.20 | 18.00 |
| Elizabeth Peters. Pink, June, July, 9"----- | 1.80 | 15.00 |
| Elsie. Bright rose, June, July, 9"----- | 2.20 | 18.00 |
| Etoile de Lyon. Crimson, June, 1'----- | 3.00 | 25.00 |
| Homer. Rosy red, June, July, 9"----- | 2.20 | 18.00 |
| Her Majesty. Dbl. White, June, July, 9"----- | 1.80 | 15.00 |
| Juliette. White and red, June, July, 9"----- | 2.00 | 18.00 |
| Souv. de Sales. Dbl. Pink, June, 9"----- | 1.80 | 15.00 |
| Variegated Reserve. | | |
| White, mottled red, June, July 9"----- | 2.20 | 18.00 |
| White Reserve. White, June, July, 9"----- | 1.80 | 15.00 |
| speciosa. Pink, July, 10"----- | 1.80 | 15.00 |
| superbus. Lilac, June, July, 12"----- | 1.80 | 15.00 |
| Dicentra eximea. Rose, all summer, 1'----- | 2.50 | 18.00 |
| spectabilis. Rose, May, June, 2'----- | 6.00 | 50.00 |
| Dictamnus albus. White, June, 2'----- | 3.00 | 25.00 |
| albus ruber. Red, June, 2'----- | 3.00 | 25.00 |
| caucasicus. Red, June, 3'----- | 5.00 | 40.00 |
| Digitalis ambigua. Yellow, June, July, 3'----- | 1.50 | 12.00 |
| ferruginea. Yellow, July, 4-6'----- | 1.50 | 12.00 |
| gloxinaeflora. Mixed, June, July, 3'----- | 1.50 | 12.00 |
| lanata. Creamy yellow, June, 3'----- | 1.50 | 12.00 |
| purpurea. Mixed, June, July, 3'----- | 1.50 | 12.00 |
| purpurea maculata. Spotted, June, July, 18"----- | 1.50 | 12.00 |
| purpurea monstrosa. Various, June, July, 3'----- | 1.50 | 12.00 |
| purpurea, rose. June, July, 3'----- | 1.50 | 12.00 |
| purpurea, white. June, July, 3'----- | 1.50 | 12.00 |
| Doronicum clusi. Yellow, Apr., May, 18"----- | 4.00 | 30.00 |
| plantagineum excelsum. | | |
| Yellow, Apr., May, 3'----- | 4.00 | 30.00 |
| Dracocephalum Ruyschianum japonicum. | | |
| Blue, summer, 2'----- | 2.50 | 20.00 |

Less than five at double the rate per hundred.

| | per 10 | per 100 |
|--|--------|---------|
| <i>Echinacea purpurea</i> , Cone Flower. Reddish purple, July, August, 3' ----- | 1.50 | 12.00 |
| <i>Echinops ritro</i> . Deep steel blue, July, 3' ----- | 1.50 | 12.00 |
| <i>sphaerocephalus</i> . Pale blue, July, 5'-- | 1.50 | 12.00 |
| <i>Edraianthus dalmaticus</i> . Violet, summer, 4" ----- | 3.50 | 30.00 |
| <i>Elymus giganteus</i> . Wild-rye, 3-4' ----- | 3.00 | 25.00 |
| <i>glaucus</i> . Blue Lime Grass, 3' ----- | 2.00 | 15.00 |
| <i>Epilobium angustifolium</i> . Rose, August, 4' ----- | 2.20 | |
| <i>Epimedium alpinum</i> . Yellow, May, June, 9" ----- | 4.00 | |
| <i>Erianthus ravennae</i> . Ravenna Grass, 6'--- | 2.50 | |
| <i>Erigeron coulteri</i> . White, July, 15" ----- | 1.50 | 12.00 |
| <i>glabellus</i> . Violet, June, July, 1'----- | 1.50 | 12.00 |
| <i>glaucus</i> . Mixed, June, July, 1' ----- | 1.50 | 12.00 |
| <i>mucronatus</i> . White & pink, summer, 4" ----- | 4.00 | 35.00 |
| <i>speciosus</i> . Rich purple, June, July, 2' ----- | 1.50 | 12.00 |
| <i>Erinus alpinus roseus</i> . Rosy purple, May, 6" ----- | 3.00 | 25.00 |
| <i>Eryngium planum</i> . Steel Blue, July, Aug., 3' ----- | 1.50 | 12.00 |
| <i>Erysimum pulchellum</i> . Lemon, May, June, 6" ----- | 1.50 | 12.00 |
| <i>Eulalia gracillima</i> . Japan Rush, 4-6'----- | 1.50 | 12.00 |
| <i>japonica variegata</i> . 4-6' ----- | 1.80 | 15.00 |
| <i>zebrina</i> . Zebra Grass, 4-6' ----- | 1.80 | 15.00 |
| <i>Eupatorium ageratoides</i> . White, August, 3' ----- | 1.50 | 12.00 |
| <i>coelestinum</i> . Blue, Sept., Oct., 18"----- | 1.50 | 12.00 |
| <i>fraseri</i> . White, Aug., Sept., 18"----- | 1.50 | 12.00 |
| <i>purpureum</i> . Purple, Aug., Sept., 5'-- | 1.50 | 12.00 |
| <i>Euphorbia corollata</i> . White, July, Aug., 2' ----- | 1.80 | 15.00 |
| <i>cyparissias</i> . Yellow, May, 2" ----- | 2.20 | 18.00 |
| <i>Festuca glauca</i> . Fescue Grass, June, 10" ----- | 1.50 | 12.00 |
| <i>Fragaria indica</i> . White, May, 6"----- | 1.80 | 15.00 |
| <i>Funkia</i> . (See Hosta). | | |
| <i>Gaillardia grandiflora</i> . Yellow and Crimson, all summer, 2' ----- | 1.50 | 11.00 |
| <i>grandiflora Bosseleari</i> . Yellow and crimson, all summer, 2' ----- | 1.80 | 15.00 |
| <i>Galega officinalis</i> . Blue, June, July, 3'----- | 1.50 | 12.00 |
| <i>officinalis hartlandi</i> . Bluish White, July, 3' ----- | 1.50 | 12.00 |
| <i>Galium boreale</i> . White, July, 1½' ----- | 1.80 | 15.00 |
| <i>Gentiana alba</i> . White, August, 2'----- | 1.80 | 15.00 |
| <i>andrewsi</i> . Blue, August, 2' ----- | 1.80 | 15.00 |

Less than five at double the rate per hundred.

Geranium ibericum. Mauve blue, May,

| | per 10 | per 100 |
|---|--------|---------|
| June, 2' ----- | 1.80 | 15.00 |
| lancastricense. Mauve, May, June, 1'-- | 2.20 | 18.00 |
| pratense album. White, July, Aug., 2' | 1.80 | |
| sanguineum. Red, June, July, 2'----- | 1.50 | 12.00 |
| Geum atrosanguineum. Dark red, all summer, 1½' ----- | 1.80 | 15.00 |
| Lady Strathedon. Orange, all summer, 15" ----- | 2.50 | 22.00 |
| Mrs. Bradshaw. Double red, all summer, 1' | 2.20 | 18.00 |
| Gypsophila acutifolia. Pink, July, 2-3'---- | 1.50 | 12.00 |
| paniculata. White, July, Aug., 2-3'---- | 1.50 | 12.00 |
| paniculata Bristol Fairy. | | |
| Dbl., white, summer, 3'----- | 6.50 | 60.00 |
| paniculata fl. pl. Dbl. white, July, Aug. 3' ----- | 3.00 | 25.00 |
| repens. Bluish white, all summer, 4'-- | 1.50 | 12.00 |
| repens rosea. Pink, July, Aug., 2-3'-- | 1.80 | |
| rokejeka. Rose, summer, 4' ----- | 2.00 | 18.00 |
| Helenium autumnale superbum. Yellow, Sept., 5-6' ----- | 2.20 | 18.00 |
| hoopesi. Orange, June, July, 3'----- | 1.50 | 12.00 |
| pumilum. Yellow, August, 15"----- | 2.50 | 20.00 |
| Riverton Beauty. Lemon, Aug., Sept., 5' | 2.20 | 18.00 |
| Riverton Gem. Old Gold, Sept., Oct., 4' | 2.20 | 18.00 |
| rubrum. Brick red, Sept., 4'----- | 1.80 | 15.00 |
| Helianthella quinquenervis. Yellow, Sept., 3½' ----- | 2.50 | |
| uniflora. Yellow, Sept., 3'----- | 2.50 | |
| Helianthemum croceum. Saffron, June, July, 9" ----- | 1.50 | 12.00 |
| Fire Ball. Red, July, Aug., 12"----- | 1.80 | 15.00 |
| mutabile. Flesh, May, June, 12"----- | 1.80 | 15.00 |
| Helianthus atrorubens. Yellow, Fall, 6'---- | 1.50 | 12.00 |
| maximiliani. Yellow, Sept., 6'----- | 1.50 | 12.00 |
| mollis grandiflorus. Yellow, Aug., Sept., 4' ----- | 1.50 | 12.00 |
| orgyalis. Bright yellow, Oct., 6-8'---- | 1.50 | 12.00 |
| rigidus. Yellow, August, 3'----- | 1.50 | 12.00 |
| Soleil d'Or. Dbl. yellow, August, 4'-- | 1.80 | 15.00 |
| Wooley Dod. Deep yellow, Sept., 7'-- | 1.50 | 12.00 |

Less than five at double the rate per hundred.

| | per 10 | per 100 |
|--|--------|---------|
| Heliopsis excelsa. Deep yellow, Aug., 3'-- | 2.50 | 18.00 |
| pitcheriana. Orange, July, Aug., 3'-- | 1.50 | 12.00 |
| zinniaeflora. Dbl. Yellow, Aug., 4'---- | 1.80 | 15.00 |
| Hemerocallis Apricot. Apricot color, | | |
| June, 2' ----- | 1.50 | 12.00 |
| aurantiaca. Orange, June, July, 2½'-- | 2.50 | 22.00 |
| Dr. Regal. Orange yellow, May, 18"-- | 2.50 | 20.00 |
| dumortieri. Orange, June, 2' ----- | 1.50 | 12.00 |
| florham. Golden yellow, June, 3'---- | 3.00 | 25.00 |
| fulva. Bronze, August, 3' ----- | 1.50 | 12.00 |
| Gold Dust. Indian yellow, June, 2½'-- | 1.50 | 12.00 |
| kwanso. Reddish orange, June, 2½'-- | 1.50 | 12.00 |
| luteola. Orange, June, 2' ----- | 1.80 | 15.00 |
| middendorffi. Orange, June, 3' ----- | 1.50 | 12.00 |
| minor. Yellow, June, 2'----- | 1.50 | 12.00 |
| Orange Man. Deep orange, June, 2'-- | 1.50 | 12.00 |
| Sovereign. Rich orange, June, 1½' -- | 1.50 | 12.00 |
| thunbergi. Lemon yellow, June, 2-3'-- | 1.50 | 12.00 |
| Hepatica acutiloba. Light blue, March, 4" | 1.50 | 12.00 |
| triloba. Light blue, March, April, 4"-- | 1.50 | 12.00 |
| Hesperis matronalis. Purple, June, July, 3' | 1.50 | 12.00 |
| Heuchera brizoides. Red, June, July, 2'-- | 2.50 | 22.00 |
| sanguinea. Coral red, June, 1'----- | 2.50 | 22.00 |
| Hibiscus Mallow Marvels. Mixed, July and | | |
| August, 5' ----- | 1.50 | 12.00 |
| Mallow Marvels. Separate colors, Aug., 5' | 1.80 | 15.00 |
| Mallow Marvels. Giant Red, Aug., 5'-- | 2.50 | 18.00 |
| moscheutos. Rose, June, July, 5'----- | 1.50 | 12.00 |
| moscheutos crimson eye. White, red eye, | | |
| Aug., 5' ----- | 1.50 | 12.00 |
| Hieracium aurantiacum. Orange, summer, 6" | 1.50 | 12.00 |
| Hosta caerulea. Blue, July, 1½' ----- | 1.50 | 12.00 |
| lancifolia. Blue, July, 2' ----- | 1.50 | 12.00 |
| marginata. White bordered, Aug., 2'-- | 1.80 | 15.00 |
| ovata. Lavender, June, July, 1-2'---- | 1.80 | 15.00 |
| sieboldiana. Silvery foliage ----- | 1.80 | 15.00 |
| sub-cordata grandiflora. White, Aug. 18" | 2.20 | 18.00 |
| undulata variegata. White foliage, 2'-- | 1.80 | 15.00 |
| Hyacinthus candicans. White, Aug., 3'---- | 1.80 | 15.00 |
| Hypericum calycinum. Yellow, July, Aug., 1' | 2.20 | 18.00 |
| moserianum. (See Shrubs). | | |
| Hyssopus officinalis. Purple, Aug. 18"---- | 1.80 | 15.00 |

Less than five at double the rate per hundred.

| | per 10 | per 100 |
|---|--------|---------|
| <i>Iberis gibraltarica</i> . Delicate lilac, May, 1½' | 2.20 | 18.00 |
| <i>sempervirens</i> . White, May, June, 8"-- | 2.00 | 15.00 |
| <i>sempervirens</i> Climax. White, May, 6" | 2.00 | 18.00 |
| <i>sempervirens</i> Little Gem. | | |
| White, April, 6" ----- | 2.00 | 18.00 |
| <i>tenoreana</i> . Purplish white, April, 6"-- | 2.50 | 22.00 |
| <i>Incarvillea delavayi</i> . Rosy purple, June, | | |
| July, 2' ----- | 2.20 | 18.00 |
| <i>Inula ensifolia</i> . Yellow, July, Aug., 8" -- | 1.50 | 12.00 |
| <i>helenium</i> . Yellow, June, 1½' ----- | 1.50 | 12.00 |
| <i>royleana</i> . Yellow, June, July, 2' ---- | 1.50 | 12.00 |
| <i>Iris cristata</i> . Light blue, May, June, 6"-- | 1.50 | 12.00 |
| <i>germanica</i> . May, June, 1½'-2'. | | |
| Alcazar. Violet, purple falls----- | 2.50 | 20.00 |
| Aurea. Yellow ----- | 1.80 | 15.00 |
| Auriflame. Blue, purple falls----- | 2.50 | 20.00 |
| Blue Bird. Indigo blue ----- | 1.50 | 12.00 |
| Canary Bird. Yellow ----- | 1.50 | 12.00 |
| Celeste. Delicate blue ----- | 1.50 | 12.00 |
| Florentina. Pale blue ----- | 1.50 | 12.00 |
| Florentina alba. White ----- | 1.50 | 12.00 |
| Gracchus. Yellow and purple ----- | 1.50 | 12.00 |
| Her Majesty. Lilac pink ----- | 1.50 | 12.00 |
| Honorabilis. Yellow, brown falls -- | 1.50 | 12.00 |
| King of Iris. Yellow, brown falls -- | 2.50 | 20.00 |
| King Edward. Red violet ----- | 1.50 | 12.00 |
| Lavender Queen. Lavender ----- | 1.50 | 12.00 |
| Lohengrin. Lilac rose ----- | 1.50 | 12.00 |
| Loreley. Light yellow, blue falls -- | 1.50 | 12.00 |
| Mad. Chereau. White, tinged blue | 1.50 | 12.00 |
| Mad. Paquette. Bright rose claret-- | 1.50 | 12.00 |
| Midnight. Dark blue ----- | 2.20 | 18.00 |
| Mithras. Yellow, wine red falls --- | 1.80 | 15.00 |
| Mrs. Allen Gray. Pale rose-mauve - | 1.50 | 12.00 |
| Mrs. H. Darwin. Pure white ----- | 1.50 | 12.00 |
| Niebelungen. Fawn yellow ----- | 1.80 | 15.00 |
| Pallida Dalmatica. Lavender ----- | 2.20 | 18.00 |
| Pallida speciosa. Light blue ----- | 1.50 | 12.00 |
| Parisensis. Dark blue ----- | 1.50 | 12.00 |
| Princess Victoria Louise. Sulphur yel- | | |
| low, rich violet falls ----- | 2.20 | 18.00 |
| Princess of Wales. Pearly white -- | 1.80 | 15.00 |

Less than five at double the rate per hundred.

Iris germanica.

| | per 10 | per 100 |
|--|--------|---------|
| Queen of Gypsies. Yellow standards, | | |
| maroon falls ----- | 1.50 | 12.00 |
| Rhein Nixe. White, violet falls ---- | 2.20 | 18.00 |
| Sherwin-Wright. Golden yellow ---- | 2.50 | 20.00 |
| Silver King. Silvery white ----- | 1.50 | 12.00 |
| Spectabilis. Purple ----- | 1.50 | 12.00 |
| Trautlieb. Delicate pink ----- | 1.80 | 15.00 |
| Victorine. White, mottled blue ---- | 1.80 | 15.00 |
| intermedia hybrids. May 18" ----- | 1.50 | 12.00 |
| Gerda. Creamy yellow, darker falls. | | |
| Halfdan. Creamy white. | | |
| Ingeborg. Ivory white. | | |
| Helge. Light citron. | | |
| Walhalla. Light blue, purple falls. | | |
| kaempferi. Japanese Iris. July, 2-3' 2.50 | 2.50 | 18.00 |
| Antelope. Light lavender. | | |
| Aoigata. Light purple, with darker halo. | | |
| Chadai. Clear white, creamy standards. | | |
| Exquisite. Blue in light and dark shadings. | | |
| Furomon. White, purple shadings. | | |
| Gold Bound. White, yellow shadings. | | |
| Hannaoi. Gray, yellow blotches and blue veins. | | |
| Hinodeuzuru. White, blue shadings. | | |
| Idzumigawa. Gray, yellow blotches and blue veins | | |
| Komochiguma. Dark bluish purple. | | |
| Kumonoobi. Clear purple, white halo. | | |
| Kurokumo. Purple overlaid with dark blue, yellow blotches. | | |
| Manadzuru. White, yellow blotches. | | |
| Norma. Deep purple. | | |
| Onigashima. Brief violet purple. | | |
| Purple and Gold. | | |
| Royal. Mahogany red. | | |
| Shigano-uranami. Red lavender, white halo. | | |
| Uchiu. Crimson purple with few white veins. | | |
| Warai botei. Lavender blue, light blue halo. | | |

Less than five at double the rate per hundred.

Iris new hybrids.

| | per 10 | per 100 |
|---|--------|---------|
| Candalabra. Mauve, violet falls---- | 1.80 | 15.00 |
| Dorothea. Mauve, soft blue falls--- | 1.80 | 15.00 |
| Isolene. Lilac pink, old rose falls-- | 2.50 | 18.00 |
| Jeanne d'Arc. White ----- | 1.80 | 15.00 |
| Nuce d'Orange. Slate gray with bronze and purple falls----- | 1.80 | 15.00 |
| Tamerlane. Light blue, darker falls | 2.50 | 18.00 |
| pseudacorus. Yellow, June, 3' ----- | 1.50 | 12.00 |
| pumila alba. Dwarf, White, April, 9"-- | 1.50 | 12.00 |
| pumila caerulea. Dwf., Blue, April, 9" | 1.50 | 12.00 |
| pumila Curiosa. Yellow, Apr., May, 9" | 3.00 | 25.00 |
| pumila Dragon. White, dark veined, April, May, 9" ----- | 3.00 | 25.00 |
| pumila Grande. Violet, blue falls, April, May, 9" ----- | 3.00 | 25.00 |
| pumila Josephine. White, Apr., May, 12" ----- | 3.00 | 25.00 |
| pumila violacea. Dwf., Violet, April, 9" | 1.50 | 12.00 |
| siberica. Purplish blue, June, 3' ---- | 1.20 | 10.00 |
| siberica alba. White, June, 3' ----- | 1.20 | 10.00 |
| Stewart. Dwarf Yellow, April, 9"---- | 1.80 | 15.00 |
| verna. Blue, May, June, 6" ----- | 1.50 | 12.00 |
| versicolor. Blue, June, 2' ----- | 1.50 | 12.00 |
| Kniphofia pfitzeri. Coral, Aug., Sept., 4'-- | 2.20 | 20.00 |
| uvaria. Crimson to Yellow, Aug., Sept., 4' | 2.20 | 18.00 |
| Lamium maculatum. Lavender, July, Aug., 8" | 2.00 | 15.00 |
| Lathyrus latifolius. Pink to Red, July, 6'-- | 1.50 | 12.00 |
| Lavandula officinalis. (Sweet Lavender). July, 2' ----- | 1.50 | 12.00 |
| Lavatera cashmeriana. Pink, July, 3' ---- | 1.50 | 12.00 |
| splendens. Rose, all summer, 1½'-- | 2.50 | 18.00 |
| Leontopodium alpinum. Yellow, summer, 5" ----- | 3.50 | 30.00 |
| Liatris pycnostachya. Purple, Aug., Sept. 4' | 1.50 | 12.00 |
| scariosa. Deep purple, September, 2'-- | 1.50 | 12.00 |
| spicata. Purple, September, 3'----- | 1.50 | 12.00 |
| Ligularia clivorum. Yellow, Aug., Sept., 18" | 2.20 | 18.00 |
| Lilium auratum. (Gold Band Lily). White. with gold band, July, Aug., 3'-- | 4.50 | 40.00 |
| batemanniae. Salmon red, July 3' -- | 3.00 | 25.00 |
| canadense. Yellow to Red, June, July, 3' | 1.50 | 12.00 |
| candidum. White, June, 3'----- | 4.50 | 40.00 |

Less than five at double the rate per hundred.

| Lilium | per 10 | per 100 |
|--|--------|---------|
| elegans. Shades Yellow and Red, July, 2' | 2.50 | 18.00 |
| henryi. Yellow, July, 2' ----- | 5.00 | 45.00 |
| longiflorum giganteum. Waxy White, 2' | 4.00 | 30.00 |
| pardalinum. Scarlet and Yellow, 2' -- | 3.00 | 25.00 |
| philadelphicum. Orange red, June, July, 3' ----- | 1.50 | 12.00 |
| regale. White, Aug., 4' ----- | 6.00 | 50.00 |
| speciosum album. White, Aug., 3'---- | 4.50 | 40.00 |
| speciosum longiflorum. White, Aug. 3' | 4.00 | 30.00 |
| speciosum melpomene. White, Aug., 3' | 4.00 | 30.00 |
| speciosum rubrum. Pinkish red, Aug., 3' | 4.00 | 30.00 |
| superbum. Orange, July, Aug., 5' ---- | 1.50 | 12.00 |
| tigrinum. Orange spotted, Aug., 4'-- | 2.50 | 18.00 |
| umbellatum. Scarlet red, July, 2' -- | 3.00 | 25.00 |
| Limonium latifolium. Blue, July, Aug., 2' | 1.50 | 12.00 |
| sinuatum roseum. Pink, Aug., 1' ---- | 1.50 | 12.00 |
| tataricum. Purplish red, July, 1' ---- | 1.80 | |
| Linum narbonnense. Blue, June, July, 2' | 1.50 | |
| alpinum. Blue, June, 10" ----- | 3.00 | 25.00 |
| perenne. Blue, June, July, 1½' ---- | 1.50 | 12.00 |
| Lobelia cardinalis. Scarlet, Aug., Sept., 3' | 1.80 | 15.00 |
| siphilitica. Blue, September, 3' ----- | 1.50 | |
| Lupinus polyphyllus. Blue, June, July, 3' | 2.50 | 22.00 |
| polyphyllus albus. White, June, July, 3' | 2.50 | 22.00 |
| Lychnis alpina. Rose color, June, 1'----- | 1.80 | 15.00 |
| chalcedonica. Scarlet, July, 3'----- | 1.50 | 12.00 |
| coronaria. Crimson, June, 2' ----- | 1.50 | 12.00 |
| coronaria alba. White, July, 2' ----- | 1.50 | 12.00 |
| floscuculi. Red, June, 1½' ----- | 1.50 | 12.00 |
| flosjovis. Pink, June, 1' ----- | 1.50 | 12.00 |
| haageana. Scarlet, June, July, 1' ---- | 1.50 | 12.00 |
| viscaria splendens. Red, May, June, 1' | 1.50 | 12.00 |
| viscaria splendens fl.pl. Red, June, 1' | 1.50 | 12.00 |
| Lysimachia clethroides. White, July, Aug., 3' | 1.80 | 15.00 |
| nummularia. Yellow, June, Aug., 6" 1.50 | | 12.00 |
| Lythrum alatum. Rose, July, Aug., 3'---- | 2.50 | 20.00 |
| salicaria roseum. Rose, July, 4'----- | 1.50 | 12.00 |
| virgatum. Deep rose, July, Aug., 1½' 1.50 | | 12.00 |
| Malva alcea. Rosy purple, July, Aug., 3'-- | 1.50 | 12.00 |
| moschata. Rose, July, Aug., 2'----- | 1.50 | 12.00 |
| Matricaria parthenoides. White, May, 1'-- | 1.50 | 12.00 |

Less than five at double the rate per hundred

| | per 10 | per 100 |
|--|--------|---------|
| <i>Mentha piperita.</i> Peppermint, Purple, 2' ----- | 1.50 | 12.00 |
| <i>Mertensia virginica.</i> Purplish blue, March, April, 2' ----- | 1.50 | 11.00 |
| <i>Micromeria rupestris.</i> White, fall, 10"----- | 5.00 | |
| <i>Mitchella repens.</i> White shaded pink, March, 4" ----- | 1.80 | 15.00 |
| <i>Monardi didyma.</i> Red, July, Aug., 3' --- | 1.50 | 12.00 |
| <i>didyma Cambridge.</i> Scarlet, July, Aug., 3' | 1.50 | 12.00 |
| <i>didyma pink.</i> July, Aug., 3' ----- | 2.20 | 18.00 |
| <i>didyma Sunset.</i> Mahogany, July, Aug., 3' | 2.20 | 18.00 |
| <i>didyma splendens.</i> Scarlet, July, Aug., 3' | 1.50 | 12.00 |
| <i>didyma violacea.</i> Violet, July, Aug., 3' | 1.50 | 12.00 |
| <i>Mulgedium Bourgaei.</i> Lilac, summer, 5'-- | 5.00 | |
| <i>Myosotis alpestris.</i> Blue, April, May, 8"----- | 1.50 | 12.00 |
| <i>alpestris alba.</i> White, May, June, 8"-- | 1.50 | 12.00 |
| <i>palustris.</i> Blue, all summer, 6" ----- | 1.50 | 12.00 |
| <i>palustris Pink Beauty.</i> All summer, 6" | 2.50 | 20.00 |
| <i>Nepeta hederacea.</i> Blue, May, 2" ----- | 1.50 | 12.00 |
| <i>hederacea variegata.</i> Blue, May 2" -- | 1.50 | 12.00 |
| <i>mussini.</i> Blue, June, July 1' ----- | 1.80 | 15.00 |
| <i>Nierembergia rivularis.</i> Creamy white, summer, 4" ----- | 2.00 | 18.00 |
| <i>Oenothera fruticosa youngi.</i> Lemon, June, July, 2' ----- | 1.50 | 12.00 |
| <i>lamarckiana.</i> Yellow, July, Aug., 4' -- | 1.50 | 12.00 |
| <i>missourensis.</i> Yellow, July, Aug., 6"-- | 2.00 | 18.00 |
| <i>speciosa.</i> White, July, Aug., 1½' -- | 1.50 | 12.00 |
| <i>Pardanthus.</i> (See Belamcanda). | | |
| <i>Pachysandra terminalis.</i> White, May, 3" 2 year from pots----- | 1.50 | 12.00 |
| <i>Paeonia officinalis rosea.</i> Rose pink ----- | 7.50 | 60.00 |
| <i>officinalis rubra.</i> Red ----- | 7.50 | 60.00 |
| <i>sinensis.</i> Strong plants, 3-5 eyes. | | |
| <i>Candidissima.</i> White, creamy center | 5.00 | 45.00 |
| <i>Couronne d'Or.</i> White, yellow center | 7.50 | 60.00 |
| <i>Delacheii.</i> Crimson ----- | 5.00 | 45.00 |
| <i>Duchess de Nemours.</i> Creamy white | 7.50 | 60.00 |
| <i>Edulis.</i> Deep rose ----- | 5.00 | 45.00 |
| <i>Felix Crousse.</i> Brilliant red ----- | 10.00 | 90.00 |
| <i>Festiva alba.</i> White ----- | 5.00 | 45.00 |
| <i>Festiva maxima.</i> Finest early white | 10.00 | 80.00 |
| <i>Gen. McMahon.</i> Deep violet red---- | 10.00 | 90.00 |
| <i>Gigantea.</i> Rose pink ----- | 12.50 | 110.00 |

Less than five at double the rate per hundred.

Paeonia sinensis.

| | per 10 | per 100 |
|---|--------|---------|
| Humeii. Deep rose ----- | 5.00 | 45.00 |
| Jeanne d'Arc. Tender pink, center rosy white ----- | 7.50 | 60.00 |
| La Tulip. Flesh pink, shading to white ----- | 7.50 | 60.00 |
| L'Eclatante. Dazzling red ----- | 7.50 | 60.00 |
| L'Esperance. Rose pink ----- | 7.50 | 60.00 |
| L'Indispensable. Shell pink ----- | 7.50 | 60.00 |
| Louis Van Houtte. Deep crimson -- | 5.00 | 45.00 |
| Livingstone. Soft pink ----- | 12.50 | 110.00 |
| Mad. de Galhau. Dark pink ---- | 7.50 | 60.00 |
| Mad. de Verneville. Sulphur white, with some carmine ----- | 7.50 | 60.00 |
| Mad. Lebon. Cherry ----- | 7.50 | 60.00 |
| Marie Lemoine. Creamy white ---- | 7.50 | 60.00 |
| Modeste Guerin. Deep rose ----- | 5.00 | 45.00 |
| Mons. Jules Elie. Pink with darker guard petals ----- | 12.50 | 110.00 |
| Souv. de l'Exposition Universelle. Bril- lant cherry with silver reflex---- | 7.50 | 60.00 |
| Triumph de Paris. Light pink, yellow center ----- | 7.50 | 60.00 |
| single. Named colors, red, white, pink | 16.00 | |
| tenuifolia fl. pl. Scarlet ----- | 10.00 | |
| Papaver bracteatum. Blood red, June, 2' -- | 1.50 | 12.00 |
| nudicaule. All colors, summer, 8" ---- | 1.50 | 12.00 |
| orientale. Orange scarlet, June, 2' -- | 1.50 | 12.00 |
| Fire King. Red, June, 2' ----- | 3.00 | |
| Goliath. Fire red, June, 2'----- | 3.00 | |
| Queen Alexandra. Salmon, June, 2'-- | 3.00 | |
| Princess Victoria Louise, Salmon, June, 2' ----- | 3.00 | |
| Pennisetum japonicum. Fountain Grass--- | 2.00 | 18.00 |
| Pentstemon barbatus. Scarlet, July 3' ---- | 1.50 | 12.00 |
| digitalis. White, August, 3' ----- | 1.80 | 15.00 |
| grandiflorus. Lilac blue, July, 3' ---- | 2.50 | |
| hirsutus. Rosy purple July, Aug., 2 -- | 1.50 | 12.00 |
| Phalaris arundinacea variegata. Ribbon grass | 1.50 | 11.00 |
| Phlox amoena. Pink, May, 4" ----- | 1.50 | 12.00 |
| divaricata. Lavender, May, June, 1' -- | 1.50 | 12.00 |
| maculata. Purplish red, May, June, 4' | 1.50 | 12.00 |

Less than five at double the rate per hundred.

Phlox

| | per 10 | per 100 |
|---------------------------------------|--------|---------|
| ovata. Red, May, June, 1' ----- | 1.80 | 15.00 |
| paniculata 2-3' | | |
| Aloise Louise. Lilac ----- | 1.50 | 12.00 |
| Antonin Mercie. Lilac, white center-- | 1.50 | 12.00 |
| Athis. Salmon pink ----- | 1.50 | 12.00 |
| B. Compte. Rich French purple-- | 2.20 | 18.00 |
| Bridesmaid. White, red eye ----- | 1.50 | 12.00 |
| Cameron. Shell pink ----- | 1.80 | 15.00 |
| Caran de Ache. Bright carmine rose | 1.50 | 12.00 |
| Champs. Elysees. Rich purplish crim- | | |
| son ----- | 1.80 | 15.00 |
| Coquelicot. Orange scarlet ----- | 1.80 | 15.00 |
| Etna. Scarlet ----- | 2.20 | 18.00 |
| Eiffel Tower. A beautiful pink ---- | 2.20 | 18.00 |
| Elizabeth Campbell. Salmon pink-- | 2.20 | 18.00 |
| Evelyn. Salmon rose ----- | 3.00 | 25.00 |
| Fernand Cortez. Coppery red ----- | 1.80 | 15.00 |
| Frau Anton Buchner. White ----- | 1.50 | 12.00 |
| Frau Von Lassburg. White ----- | 1.80 | |
| G. A. Strohlein. Orange scarlet, red | | |
| eye ----- | 2.20 | 18.00 |
| Gefion. Peach blossom pink, rose eye | 1.80 | 15.00 |
| Grideur. Pink, crimson center ---- | 1.80 | 15.00 |
| Henri Murgher. White, magenta eye | 1.80 | 15.00 |
| J. H. Slocum. Red ----- | 1.80 | 15.00 |
| Johnson's Favorite. Salmon rose---- | 1.80 | 15.00 |
| Mad. Benzanson. Crimson ----- | 1.80 | 15.00 |
| Mad. Paul Dutrie. Soft pink ----- | 1.80 | 15.00 |
| Malmaison. Salmon, red eye ----- | 3.00 | 25.00 |
| Maid Marian. Soft lavender ----- | 3.00 | 25.00 |
| Mrs. Jenkins. Pure white----- | 1.50 | 12.00 |
| Mrs. Ingalls. Shell pink ----- | 1.50 | 12.00 |
| Mrs. Milly van Hoboken. Soft pink | 2.20 | 18.00 |
| M. P. Langier. Red ----- | 1.80 | 15.00 |
| Miss Lingard. White ----- | 1.50 | 12.00 |
| Pantheon. Deep salmon rose ----- | 1.50 | 12.00 |
| Peachblossom. Shell pink----- | 1.50 | 12.00 |
| Pres. Poincare. White rose eye---- | 1.80 | 15.00 |
| Rheinlander. Salmon pink, claret eye | 1.80 | 15.00 |
| Richard Wallace. White, crimson eye | 1.50 | 12.00 |
| Rynstroom. Bright crimson pink---- | 1.80 | 15.00 |

Less than five at double the rate per hundred.

Phlox paniculata.

| | per 10 | per 100 |
|--|--------|---------|
| R. P. Struthers. Carmine, claret red | | |
| eye ----- | 1.80 | 15.00 |
| Siebold. Orange scarlet ----- | 1.80 | 15.00 |
| Sir Edward Landseer. Bright crimson | 1.80 | 15.00 |
| Special French. Soft pink ----- | 1.80 | 15.00 |
| Tapis Blanc. Dwarf, white ----- | 1.50 | 12.00 |
| Thor. Deep salmon pink ----- | 2.20 | 18.00 |
| Vald Jensen. Salmon red, white eye | 3.00 | 25.00 |
| White Le Mahdi. White ----- | 1.80 | 15.00 |
| Widar. Light reddish violet, white eye | 1.80 | 15.00 |
| reptans. Lilac, May, 6-12" ----- | 1.50 | 12.00 |
| stellaria. Creeping, May, 4" ----- | 1.50 | 12.00 |
| subulata alba. White, April, May, 4" ----- | 1.50 | 12.00 |
| subulata Fairy. Blue, purple eye, April, 4" ----- | 2.50 | 20.00 |
| subulata lilacina. Light blue, April, May, 4" ----- | 1.80 | 15.00 |
| subulata moerheimi. Carmine pink, April, May, 4" ----- | 1.80 | 15.00 |
| subulata nelsoni. White, April, May, 4" ----- | 1.80 | 15.00 |
| subulata Perfection. Rose, pink eye, April, 4" ----- | 2.50 | 20.00 |
| subulata rosea. Pink, April, May, 4" -- | 1.50 | 12.00 |
| subulata Vivid. Pink, red eye, April, 4" ----- | 4.00 | 35.00 |
| Physalis francheti. Red pods, Oct., 2' ---- | 1.50 | 12.00 |
| Physostegia virginiana. Rose, August, 3' -- | 1.50 | 12.00 |
| virginiana alba. White, August, 3' -- | 1.50 | 12.00 |
| Platycoden grandiflorum. Blue, summer, 2' ----- | 1.50 | 12.00 |
| grandiflorum album. White, summer, 2' ----- | 1.50 | 12.00 |
| mariesi. Deep blue, summer, 1' ---- | 1.50 | 12.00 |
| Plumbago larpentae. (See Ceratostigma). | | |
| Polemonium caeruleum. Deep blue, June, July, 1½' ----- | 1.50 | 12.00 |
| caeruleum album. White, June, July, 1½' ----- | 1.50 | 12.00 |
| reptans. Blue, May, June, 6" ----- | 1.50 | 12.00 |
| richardsoni. Sky blue, May, June, 6" ----- | 1.50 | 12.00 |
| Polygonum amplexicaule. Red, Sept., 5' -- | 1.80 | 15.00 |
| compactum. White, Aug., Sept., 1½' ----- | 1.50 | 12.00 |
| cuspidatum. White, Aug., Sept., 1½' ----- | 1.50 | 12.00 |
| oxyphyllum. Creamy white, Sept., 3' ----- | 2.00 | 15.00 |

Less than five at double the rate per hundred.

Potentilla hybrida fl. pl. Mixed, June,

| | per 10 | per 100 |
|---|--------|---------|
| July, 2' ----- | 1.50 | 12.00 |
| hyb. Gibson's Scarlet. Red, July, | | |
| Aug., 2' ----- | 4.00 | |
| hyb. Mons. Rouillard. Crimson, July, | | |
| Aug. 2' ----- | 4.00 | |
| nepalensis. Showy red, May, June, 2' | 1.50 | 12.00 |
| nepalensis Miss Willmott. Salmon | | |
| pink, summer, 12" ----- | 2.50 | 20.00 |
| rupestris alba. White, June, July, 2'-- | 1.50 | 12.00 |
| Primula acaulis. Yellow, May, 9" ----- | 1.80 | 15.00 |
| cashmeriana. White, May, 8" ----- | 1.80 | 15.00 |
| japonica. Crimson, May 9" ----- | 1.80 | 15.00 |
| pulverulenta. Yellow, May, 8" ----- | 1.80 | 15.00 |
| veris. Yellow, April, May, 9"----- | 1.50 | 12.00 |
| Pulmonaria saccharata. Violet, Apr., May, 8" | 2.50 | 20.00 |
| Prunella grandiflora. Violet, summer, 8"-- | 2.50 | 20.00 |
| Pyrethrum roseum. Various, May, June, 1' | 1.50 | 12.00 |
| roseum James Kelway. | | |
| Red, May, June, 1'----- | 3.00 | |
| uliginosum. White, September, 5'---- | 1.50 | 12.00 |
| Ranunculus acris fl. pl. Dbl. Buttercup, | | |
| June, 1' ----- | 1.50 | 12.00 |
| Rosemarinus officinalis. Light blue, April, 4" | 1.80 | 15.00 |
| Rudbeckia Autumn Glory. Yellow, Aug., | | |
| Sept., 6' ----- | 1.50 | 12.00 |
| hirta. Yellow, Aug., Sept., 3' ----- | 1.50 | 12.00 |
| laciniata. (Golden Glow) Yellow, Aug., 6' | 1.50 | 11.00 |
| nitida. Single yellow, Aug., Sept., 6' -- | 1.50 | 12.00 |
| speciosa. Orange yellow, July, Aug., 2' | 1.50 | 12.00 |
| subtomentosa. Lemon yellow, August, | | |
| Sept., 4' ----- | 1.50 | 12.00 |
| Ruta graveolens. Yellow, all summer, 2½' | 2.50 | 20.00 |
| Sagina subulata. White, July, Aug., 3" -- | 2.00 | 15.00 |
| Salvia azurea grandiflora. Blue, Aug., 6'-- | 1.50 | 12.00 |
| argentea. Pinkish White, June, 3' ---- | 1.50 | 12.00 |
| farinacea. Blue, July, 2-3' ----- | 1.50 | 12.00 |
| pratensis. Deep blue, Aug., Sept., 3' -- | 1.50 | 12.00 |
| turkestanica. White, tinted pink, Aug., 2' | 1.80 | 15.00 |
| uliginosa. Blue, August, 2' ----- | 1.50 | 12.00 |
| Sanguinaria canadensis. White, April, 8"-- | 1.50 | 12.00 |

Less than five at double the rate per hundred.

| | per 10 | per 100 |
|---|--------|---------|
| Saponaria ocymoides. Pink, summer, 9"--- | 1.50 | 12.00 |
| ocymoides alba ----- | 1.80 | 15.00 |
| officinalis rosea pl. | | |
| Pink, summer, 18" ----- | 2.50 | 20.00 |
| Saxifraga cordifolia. Rosy purple, April, | | |
| May, 1' ----- | 2.50 | 20.00 |
| crassifolia. Rosy pink, April, 1'----- | 2.50 | 20.00 |
| decipiens. White, May, June, 4"----- | 3.50 | 30.00 |
| grandiflora. Pink, April, 1' ----- | 2.50 | 20.00 |
| lingulata rosea. Pink, April, 1'----- | 2.50 | 20.00 |
| lingulata leichtlini. Rose, April, 1'--- | 2.50 | 20.00 |
| McNabiana. White, May, June, 12"--- | 3.00 | 25.00 |
| purpurea. Rosy purple, April, 1'---- | 2.50 | 20.00 |
| Scabiosa caucasica. Lavender, all summer, 1' | 2.50 | |
| japonica. Lavender, Aug., Sept., 18" --- | 2.20 | 18.00 |
| Sedum acre. Yellow, June, July, 4" ----- | 1.50 | 12.00 |
| album. White, July, 4" ----- | 1.50 | 12.00 |
| douglasii. Yellow, July, 2" ----- | 2.00 | 15.00 |
| ewersi. Pink, Aug., Sept., 6" ----- | 1.50 | 12.00 |
| glaucum. Blue foliage, 2" ----- | 2.50 | 20.00 |
| kamtschaticum. Yellow, July, 6" ---- | 1.50 | 12.00 |
| maximowiczii. Yellow, July, Aug., 1' --- | 1.50 | 12.00 |
| sarmentosum. Yellow, July, 3" ---- | 1.50 | 12.00 |
| sexangulare. Yellow, June, July, 6" -- | 1.50 | 12.00 |
| sieboldii. Pink, July, August, 1' ---- | 1.80 | 15.00 |
| spectabile. Pink, Aug., Sept., 1½' -- | 1.50 | 12.00 |
| spectabile Brilliant. Crimson, Sept., 1½' | 1.50 | 12.00 |
| stoloniferum. Crimson, July, Aug., 6" --- | 1.50 | 12.00 |
| stoloniferum coccineum. Crimson, | | |
| Aug., 6" ----- | 1.50 | 12.00 |
| Sempervivum arachnoideum. Red, June, 4" --- | 2.20 | 18.00 |
| arenarium. Yellow, July, 6" ----- | 2.20 | 18.00 |
| doellianum. Red, June, July, 6"----- | 3.00 | 25.00 |
| funcki. Brown, June, July, 6"----- | 3.00 | 25.00 |
| fauconetti. Pink, June, 6" ----- | 3.00 | 25.00 |
| globiferum. Yellow, June, 12"----- | 3.00 | 25.00 |
| tectorum violaceum. Violet red, June, 4" --- | 2.20 | 18.00 |
| Sidalcea candida. White, July, Aug., 3' -- | 1.50 | 12.00 |
| Rose Queen. Rose pink, July, Aug., 4' --- | 2.20 | 18.00 |
| Silene orientalis. Pink, July, 2' ----- | 1.50 | 12.00 |
| schafta. Bright pink, July, 6" ---- | 1.50 | 12.00 |

Less than five at double the rate per hundred

| | per 10 | per 100 |
|---|--------|---------|
| <i>Silphium perfoliatum</i> . Yellow, July, 6' -- | 1.50 | 12.00 |
| <i>Smilacina racemosa</i> . White, April, 2-3' -- | 1.50 | 12.00 |
| <i>Solidago canadensis</i> . Yellow, Fall, 4-5' -- | 1.50 | 12.00 |
| <i>rigida</i> . Yellow, Fall, 3-4' ----- | 1.50 | 12.00 |
| <i>shorti</i> . Yellow, Fall, 4' ----- | 2.50 | 22.00 |
| <i>Spirea aruncus</i> . White, June, July, 3-5' -- | 1.80 | 15.00 |
| <i>chinensis</i> . Silvery pink, June, July, 2' | 1.80 | 15.00 |
| <i>eximea</i> . Pink, June, July, 2' ----- | 3.00 | 25.00 |
| <i>filipendula</i> . Single, White, June, July, 1' ----- | 1.80 | 15.00 |
| <i>filipendula</i> fl. pl. White, June, July, 1' | 2.20 | 18.00 |
| <i>lobata</i> . Pink, July, 4' ----- | 2.20 | 18.00 |
| <i>palmata</i> . Rosy crimson, June, July, 2' | 1.80 | 15.00 |
| <i>ulmaria</i> fl. pl. White, June, 3-4' ----- | 1.80 | 15.00 |
| <i>venusta magnifica</i> . Deep pink, July 3' | 2.50 | 20.00 |
| <i>Stachys lanata</i> . Purple, June, July, 1½' -- | 1.50 | 12.00 |
| <i>grandiflora superba</i> . Rose, July, 2' -- | 1.50 | 12.00 |
| <i>Statice</i> . (See <i>Limonium</i>). | | |
| <i>Stellaria holostea</i> . White, May, June, 1½' -- | 1.50 | 12.00 |
| <i>Stenanthium robustum</i> . White, August, 3' | 2.50 | |
| <i>Stokesia laevis</i> . Lavender, Aug., Sept., 1' | 1.50 | 12.00 |
| <i>laevis alba</i> . White, Aug., Sept, 1' ---- | 1.80 | 15.00 |
| <i>Teucrium chamaedrys</i> . Rose, August, 1' -- | 1.50 | 12.00 |
| <i>orientalis</i> . Blue, summer, 6" ----- | 4.00 | 35.00 |
| <i>Thalictrum adiantifolium</i> . Yellow, June, 4' | 1.80 | 15.00 |
| <i>aquilegifolium</i> . White, June, 5' ----- | 1.80 | 15.00 |
| <i>aquilegifolium purpureum</i> . Purple, June, 3' ----- | 3.00 | |
| <i>baicalens</i> . Yellow, June, 4' ----- | 1.80 | 15.00 |
| <i>dipterocarpum</i> . Lilac, June, 4' ---- | 2.50 | 22.00 |
| <i>glaucum</i> . Golden-yellow, June, 4' ---- | 2.20 | 18.00 |
| <i>Thermopsis caroliniana</i> . Yellow, June, 6' | 1.50 | 12.00 |
| <i>mollis</i> . Yellow, June, July, 2-3' ---- | 1.50 | 12.00 |
| <i>Thymus serpyllum</i> . White, June, 4" ---- | 1.50 | 12.00 |
| <i>serpyllum citriodorus</i> . Purple, June, July, 3-5" ----- | 1.50 | 12.00 |
| <i>serpyllum coccineus</i> . Scarlet, June, 4" | 1.50 | 12.00 |
| <i>serpyllum lanuginosus</i> . Rosy purple, June, July, 5" ----- | 1.50 | 12.00 |
| <i>vulgaris</i> . Lilac, June, July 2' ----- | 1.50 | 12.00 |
| <i>Tiarella cordifolia</i> . Creamy white, June, 8" | 1.50 | 12.00 |
| <i>Tradescantia virginiana</i> . Blue, all summer, 2' | 1.50 | 12.00 |
| <i>Trillium grandiflorum</i> . White, May, 1' ---- | 1.50 | 11.00 |

Less than five at double the rate per hundred

| | per 10 | per 100 |
|--|--------|---------|
| Tritoma. (See Kniphofia). | | |
| Trollius asiaticus. Rich orange July, Aug., 2' ----- | 2.50 | 20.00 |
| europeus. Citron yellow, July, Aug., 1' ----- | 2.50 | 20.00 |
| Tunica saxifraga. Light pink, June, July, 6" ----- | 1.50 | 12.00 |
| Valeriana officinalis. Rose, June, July, 5' ----- | 1.80 | 15.00 |
| officinalis alba. White, all summer, 5' ----- | 1.80 | 15.00 |
| Verbascum olympicum. Yellow, July, Aug., 5' ----- | 1.80 | 15.00 |
| phoeniceum. Various, May, June, 3' -- | 1.80 | 15.00 |
| willmottiae. White, summer, 5' ----- | 2.00 | 15.00 |
| Veronica alpestris. Pale blue, May, June, 18" ----- | 1.50 | 12.00 |
| amethystina Royal Blue. June, July, 12" ----- | 3.00 | 25.00 |
| elegantissima. Blue, July, Aug., 2' ---- | 1.50 | 12.00 |
| incana. Pale blue, July, Sept., 1½' -- | 1.50 | 12.00 |
| longifolia subsessilis. Blue, Aug., Sept., 2' ----- | 3.00 | 25.00 |
| pectinata rosea. Pink, May, June, 6" -- | 1.50 | 12.00 |
| pulchella. Blue, May, 1'----- | 1.50 | 12.00 |
| True Blue. June, July, 12"----- | 3.00 | 25.00 |
| rupestris. Blue, June, 6" ----- | 1.50 | 12.00 |
| spicata. Blue, July, Aug., 2'----- | 1.50 | 12.00 |
| spuria. Blue, June, 3' ----- | 1.50 | 12.00 |
| teucrium prostrata. Blue, June, 1'-- | 1.50 | 12.00 |
| virginica. Pale blue, August, 4' ----- | 1.50 | 12.00 |
| Viola alba. White, May, 6" ----- | 1.50 | 12.00 |
| cornuta Admiration. Purple, all summer, 6" ----- | 1.50 | 12.00 |
| cornuta alba, type. White, all summer, 6" ----- | 1.50 | 12.00 |
| cornuta Apricot. Apricot, summer, 6" ----- | 3.50 | 30.00 |
| cornuta atropurpurea, type. Purple, 6" ----- | 1.50 | 12.00 |
| cornuta Blue Perfection. Blue, all summer, 6" ----- | 1.50 | 12.00 |
| cornuta G. Wermig. Violet, all sum- mer, 6" ----- | 1.50 | 12.00 |
| cornuta Lutea Splendens. Yellow, all summer, 6" ----- | 1.50 | 12.00 |
| cornuta Mauve Queen. Mauve, all sum- mer, 6" ----- | 1.50 | 12.00 |
| cornuta Papilio. Violet all summer 6" ----- | 1.50 | 12.00 |
| cornuta rosea. Rose, summer, 6"----- | 1.80 | 15.00 |
| cornuta White Perfection. White, all summer, 6" ----- | 1.50 | 12.00 |

Less than five at double the rate per hundred

Viola Alba

| | per 10 | per 100 |
|--|--------|---------|
| <i>gracilis</i> . Deep violet, summer, 1'----- | 1.80 | 15.00 |
| <i>Jersey Gem</i> . Rich violet, summer, 6"-- | 3.00 | 25.00 |
| <i>odorata</i> . Blue, April, May, 6"----- | 1.50 | 12.00 |
| <i>odorata Gov. Herrick</i> . Blue, May, 6" -- | 2.20 | 18.00 |
| <i>odorata Princess of Wales</i> . Violet, May, 6" | 2.20 | 18.00 |
| <i>wellsiana</i> . Various, all summer, 6"---- | 2.20 | 18.00 |

Yucca filamentosa. White, June, July, 7'

| | | |
|--------------|------|-------|
| 2 year ----- | 1.50 | 12.00 |
| 3 year ----- | 2.20 | 18.00 |

Hardy Ferns

| | per 10 | per 100 |
|---|----------|---------|
| <i>Adiantum pedatum</i> . Maiden Hair Fern .25 | 1.80 | 12.00 |
| <i>Asplenium Felix Faemina</i> . Lady Fern. .25. | 1.80 | 12.00 |
| <i>Dennstedtia punctilobula</i> . Hay-scented Fern ----- | .25 1.80 | 12.00 |
| <i>Dryopteris spinulosum</i> . Wood Fern-- | .25 1.80 | 12.00 |
| <i>Dryopteris thelypteris</i> . Shield Fern -- | .25 1.80 | 12.00 |
| <i>Onoclea sensibilis</i> . Sensitive Fern ---- | .25 1.80 | 12.00 |
| <i>Onoclea Struthiopteris</i> . Ostrich Fern .25 | 1.80 | 12.00 |
| <i>Osmunda cinnamomea</i> . Cinnamon Fern ----- | .25 1.80 | 12.00 |
| <i>regalis</i> . Royal Fern----- | .25 1.80 | 12.00 |
| <i>Polystichum acrostichoides</i> . Christmas Fern ----- | .25 1.80 | 12.00 |

